

WEAR THE RIDE



POGA REFERENCE GUIDE

2016 ARCTIC WEAR &
SNOWMOBILE ACCESSORIES



SHARE OUR PASSION.™

EFFECTIVE AUGUST 2015

Table of Contents

General POGA Information	1
Catalogs and Brochures	1
Using This Guide	1
Kit Instructions/Components	1
2016 Snow Exchange Program (New Vehicle Take-Off)	1
High Altitude Kit Exchange	1
Tunnel Replacement and Tunnel Stamping	2
ATV/ROV Frames	2
Warranty	2
Telephone Numbers	2
Ordering	2-4
Shipping	4
Ignition Keys	4
Equalized Freight	5-6
Sizing Charts	7
Arcticwear Size Ratios	8
Accessory Bag Dimensions	9
Kit Installation Times	10
Covers	11-12
Touring Bags	13-17
Touring Accessories	18-22
Windscreens	23-24
Custom Accessories	25-32
Performance	33-35
Mountain Accessories	36-43
Utility	44-48
Tracks	49-50
Wearbars	51-52
Traction & Control	53-58
General Maintenance	59-60
Oil & Care	61-65
Misc Accessories	66-70
120	71
Upgrade Kits	72-73
Helmet Parts	74-76
Neck Brace Parts	77
High Altitude Kits	78
Optional Rear Suspension Springs (2016)	78
Springs (Rear Suspension Front Arm)	79
Springs (Rear Suspension)	79
Springs (Ski)	80
Drive Belt Application Guide	81-82
Drive Belt Dimension Chart	83
Chains & Sprockets	84
Drive System Components	85
Arctic Cat Cam Arms	86
Carburetor Components	88
Promotional Products	90
Index	91

General POGA Information

Catalogs and Brochures

Snowmobile Accessory Catalog

United States	5264-005
French	5264-006
Canada	5264-007

Snowmobile Full-Line Brochure

United States and Canada	5264-009
French	5264-011

Using This Guide

This guide is designed as a reference to the 2016 Arcticwear & Accessories Catalog. To locate information on an item in the catalog, use the page reference of the item from the catalog. Note that a black & white version of the color photo will also aid in identification.

In addition to the products in the catalog, this guide contains additional items not included in the catalog.

■NOTE: The page numbers at the bottom of this guide do not reference page numbers in the catalog.

■NOTE: This guide is updated from time to time as necessary. If you are saving it to your hard drive, make sure to occasionally verify your version is the most current.

Product Key

BC Bearcat	FC Firecat	MC Mountain Cat
CC Cross Country	GS Groomer Special	PA Panther
CF Crossfire	HC High Country	PTA Pantera
CFR Crossfire R	JR Jaguar	SC Sabercat
CT Crosstour	KC Kingcat	SP Sno Pro
CTK Cross Trek	LC Liquid Cooled	TC Thundercat

Kit Instructions/ Components

Most kit instructions are located on Cat Tracker. Component Bills of Material (BOM's) for each kit are listed at the beginning of the kit instructions. To locate kit instructions, use the following procedure:

1. Log-in to Cat Tracker.
2. Click on Kit Instruction in the "Detailed Navigation" pane on the left side of the screen.
3. Select the product line to which the kit applies (ATV/Snowmobile/ROV).
4. Locate the kit from the list provided. Click on the link for the kit.
5. If required, print the kit instructions for future reference or save a version to your hard drive.

■NOTE: Kit instructions are updated from time to time as necessary. If you are saving instructions to your hard drive, make sure to verify your version is the most current before attempting to install a kit.

■NOTE: If you are having difficulty with an installation, always check Cat Tracker for the latest version of the instructions.

2016 Snow Exchange Program (New Vehicle Take-Off)

The Snow Exchange Program allows dealers to "Customize" vehicles and return certain new un-used take-off parts to Arctic Cat. Returned parts are required to be replaced with new Arctic Cat product. Dealer is responsible for any installation labor.

Select Arctic Cat parts that qualify for return under the Snow Exchange Program are:

- Tracks and track drive assemblies removed from a new vehicle.
- Ski bottoms, loops, and wearbars (un-assembled) removed from a new vehicle.
- All current model year production tracks and skis are eligible for return.
- Altitude kit components removed from new vehicle.

Parts returned under the Snow Exchange Program will not reduce your Quarterly Return Allowance. Only qualified parts are to be returned using the Snow Exchange Program. Parts returned are required to be in new, unused condition. Dirty and/or used parts will be discarded without credit.

Snow Exchange Return Procedure

- Select "Snow Exchange" as the return type.
- Enter any comments referring to return in the comment section.
- Enter part numbers of each individual part that is being returned.
- Once approved, return products are to be accompanied by a completed Return Goods Authorization form with Snow Exchange marked as the reason for return (printed from Cat Tracker).
- Products returned are to be sent freight prepaid.
- Credit will be issued for part numbers returned and will be applied to the dealership's Parts Account at the current dealer price less 10%.

Arctic Cat Sales Inc. will make all decisions relating to the interpretation and application of any rule, and all decisions shall be final and binding. Arctic Cat reserves the right to cancel, amend, or revoke the program in any way and at any time.

High Altitude Kit Exchange

To exchange components for high altitude kit installation, complete the Return Authorization Confirmation found on Cat Tracker; then return the new, unused parts along with the completed form to Arctic Cat. The parts will be verified and your account will be credited.

US Dealer

Arctic Cat Sales Inc.
215 Crossroads Blvd.
Bucyrus, OH 44820
attn.: Parts Return Dept.

Canadian Dealer

Arctic Cat
57 Murray Park Rd.
Winnipeg, MB R3J 3W2

Tunnel Replacement and Tunnel Stamping

Effective immediately, Arctic Cat will no longer provide the tunnel stamping service.

ATV/ROV Frames

To order ATV/ROV frames pre-stamped with the original VIN, use the following procedure:

■**NOTE: Most government licensing agencies require that any ATV/ROV replacement frame be stamped with the VIN of the ATV/ROV being repaired. For that reason, Arctic Cat will not sell a replacement frame without a VIN. Use the following procedure to get the frame(s) you need.**

1. Order the frame(s) through normal parts ordering channels. The frame(s) will always go on backorder because they do not ship automatically.
2. Include the VIN in the Dealer Comments or Notes on your order.
3. Cut out the section of tube from the damaged ATV/ROV where the VIN is stamped. Send cutout to:

US Dealer

Arctic Cat
Attn: Frame Replacement
1110 Pennington Ave. South
Thief River Falls, MN 56701

Canadian Dealer

Arctic Cat Sales Inc
Attn: Frame Cut-out
57 Murray Park Road
Winnipeg, MB R3J3W2

Along with the cutout, make sure you include your dealer number, order number the frame is on, part number of the frame(s), and the VIN of the ATV/ROV.

4. Upon receipt of the cutout, the VIN will be stamped into the frame(s) and the order will be released.
5. Once available, the frame(s) will ship via truck.
6. Allow 3-12 days for delivery after the cutout arrives at Arctic Cat.

Warranty

■**NOTE: Please refer to the Service Support Manual, Section 2 on Cat Tracker for detailed information regarding Warranty.**

Telephone Numbers

Arctic Cat Inc. - Dealer Support

Dealer Support - U.S.	800-279-2281
Dealer Support - Canada	800-210-5368
International Coordinator.....	218-681-9850
Special Services (Salvage)	218-681-9763
Sewing Repairs (Lois Orpen)	218-681-9799 ext. 3409
World Class Store (Mike)	800-279-0179 ext. 5443
Credit Department.....	800-279-0179

Ordering

Description of Terms

The following terms on Cat Tracker are frequently misunderstood.

- **Sold Out** - Product is listed as "Sold Out" when there are no plans to reorder this product. When available inventory has been depleted, the "Sold Out" product will be discontinued.
- **Stock Out** - Product is listed as "Stock Out" when there are no plans to reorder this product for the snow season ending March 31. When available inventory has been depleted, orders will not be accepted for the season and backorders will not be taken. The product will not be available until the next season (typically the following fall).

Parts, Oil Garments & Accessories (POGA) Sales/Promotions Policy

Add-on - Is a planned sale of POGA. Pricing and terms are based on Pre-season POGA Programs and effective for sale dates only. Add-on promotions will be e-mailed and posted on Cat Tracker. Backorders may be accepted based on the terms of the Add-on promotion. Regular return policy applies to POGA Add-on promotions

Sale - These will be emailed and posted on Cat Tracker on the starting day of or up to two business days prior to the sale start date. Pricing and terms stated on the promotion are effective for the sale dates only. Credits will not be given for orders prior to start date or after end date. Back orders may be accepted. Regular return policy applies to "Sales." "Sales" can combine with "Non-Current." If they are combined on the same form the Sales items will be separated from the Non-Current for discount purposes. Non-Current conditions will apply to Non-Current products as stated in the definition of "non-current."

Non-Current - These sales will be e-mailed and posted on Cat Tracker on the starting day of the sale or up to 2 business days prior if combined with a "Sale." Pricing and terms stated on Non-Current sales are effective for the sales dates only. Credits will not be given for orders prior to start date or after end date. These will be limited availability product. Back orders will not be accepted. Products on Non-Current sales are non-returnable.

Auction - These sales will be e-mailed to all dealers that have a qualified pre-season program at the Elite level or above within the category of the product line. Pricing and terms stated on Auction Sales are effective for the sale dates only. Products for this sale will be assembled into packages in a spreadsheet and e-mailed to qualified dealers as much as one week prior to sale dates. Dealers are required to follow the rules of the auction program as stated in the terms and conditions as well as participation procedures. There will be a silent auction by e-mail bid and a live auction by phone. These will be limited availability product. Back orders will not be accepted. Products are Non-Current or not to be reproduced and are non-returnable.

POGA Cancellation Policy

Pre-Season POGA orders are non-cancelable. Regular In-Season POGA orders may be canceled prior to initiation of warehouse processing. Contact your Dealer Support Representative for assistance.

C.O.D. Orders

The C.O.D. handling and service fee is 8% of order total. C.O.D. orders cannot be drop-shipped.

Drop-Shipped Orders

Small package orders drop-shipped directly to consumers are subject to a \$20.00 drop-ship handling and delivery fee. LTL (truck ship) product drop-shipped directly to consumers are subject to a \$125.00 drop-ship handling and delivery fee plus a \$110 LTL freight fee. In-season Arctic Cat Paid Freight program does not apply to consumer drop-shipped orders. Drop-ship orders do not retain backorder status. Oil products cannot be drop-shipped. Hazardous products cannot be drop-shipped.

Refused Orders

Refused orders are subject to a 15% restocking fee.

Backorder Reports

The back-order status of In-season & Preseason POGA and Finished Goods are located on Cat Tracker Online. To locate the back-order list(s), use the following procedure:

1. Log-in to Cat Tracker Online; then navigate to the "Search & Display" page.
2. Click the radio button next to the "Back Order List" selection.
3. Click "Continue"; then choose one of the following criteria:
 - All PG&A
 - In-season PG&A
 - Preseason PG&A
 - All Finished Goods
 - Snowmobile Only
 - ATV Only
4. Click "Find;" the results will be displayed.

Quarterly Return Allowance Program

The program is Arctic Cat's return program for Parts and Accessories. The base Return Allowance (QRA) percentage is based on your Qualifying Pre-Season Booking Order.

See program page for details. The return amount is an accrued value based on the purchases of Parts and Accessories from Arctic Cat both Pre-Season and In-Season through Cat Tracker orders.

Accrual and Return Periods

- Q1 - April, May, June
- Q2 - July, August, September
- Q3 - October, November, December
- Q4 - January, February, March

- Return Allowance (QRA) on Pre-Season orders accrue in the current quarter that the product is invoiced. The funds are available to use in the next four quarters. If the funds are not used within those four quarters they expire.
- Return Allowance (QRA) on In-Season orders accrue in the current quarter that the product is invoiced. The funds are available to use in the following two quarters. If the funds are not used within those two quarters they expire.
- Returns made under the Return Allowance (QRA) Program will be applied to the oldest available accrual.

Return Allowance (QRA) Balances

- Balances of Accruing, Funds Available, Pending Credits and Funds Expiring In 30 Days are available on Cat Tracker.

Part and Accessories Ineligible for Return Allowance (QRA) Program

- Products sold out and no longer stocked will not be accepted.
- Products replaced by new products will not be accepted.
- Oil, bearings, paint, Third Party Drop Shipped Products, and Heavyweight Accessories are not returnable.
- Dealers placing a qualifying pre-season order will be eligible for 30 day NQA garment returns.
- PG&A return products must have been purchased from Arctic Cat.
- Returned parts must be new in original, undamaged, unopened packages.
- Open packages, products not purchased directly from Arctic Cat by returning dealer, or parts purchased on a close-out sale that are sent in for credit will be discarded without credit.
- Returned products will be subject to audit. Any credits issued in error by Arctic Cat will be re-billed to dealer's account and products will be discarded without credit.
- Parts received by Arctic Cat that are not authorized or do not meet the terms and conditions of the Return Allowance (QRA) Program will be discarded without credit.

Return Procedure

- Returns will be entered through Cat Tracker by choosing return type as "QRA."
- Return those items that qualify as returnable Parts or Accessories and up to the accrual funds available.
- Products returned are to be accompanied by a completed Return Authorization Confirmation with QRA marked as the reason for return and is printed from Cat Tracker as a PDF.
- The products returned are to be shipped freight prepaid.
- Credit will be applied to the dealership's Parts Account at the actual purchase price paid by the purchasing dealer.

Kit Hardware Shortages

If a shortage in a kit is noted, contact your Dealer Support Representative immediately. Please have the kit part number available to expedite the process.

Damaged Goods

If damage is noted upon receipt of shipment, have the carrier make note on the Bill of Lading; then contact your Warranty Coordinator.

If damage is concealed, contact your Dealer Support Representative. Please have your part number(s) and order number available to expedite the process.

Defective Goods

In order to qualify as “Defective Goods,” the part(s) must have one of the following characteristics:

- a. Weld missing or cracked
- b. Rivets missing
- c. Holes not drilled, or too many holes drilled
- d. Flaking, chipped paint
- e. Vendor manufactured incorrect
- f. Clothing defects

If defective goods are found, dealer should file a warranty claim. Warranty dept. will determine if part needs to be returned.

Shipping

Tracking

To check the shipping status or location of a POGA order, use the following procedure:

1. Check Cat Tracker Online (Accounting tab) for the order number and tracking number.
2. Using the tracking number, check the location of shipment or delivery notification on the carrier’s website.

Extra Special Processing (ESP)

ESP orders receive top priority processing and should be used if emergency customer service is necessary.

- ESP orders will be shipped overnight air service only at the dealer’s expense (U.S. only - excludes Canada).
- ESP order deadline is 4:30 p.m. Central Time.
- Maximum weight per package is 150 lb.
- ESP orders will incur a handling fee (\$15.00 U.S., \$20.00 Canada) and will be limited to 15 line items.
- ESP orders will not retain backorder status on parts not available at the time of the original order.

■NOTE: Delivery by carriers is not guaranteed from December 15-31. Delivery delays due to inclement weather will not be guaranteed at any time of the year.

Arctic Cat Paid Freight Program

In-season Arctic Cat Paid Freight applies to orders of Snowmobile and ATV/ROV PG&A is product line specific. In-season Arctic Cat Paid Freight is a valuable benefit earned by placing a qualifying “Pre-Season” PG&A order. Arctic Cat Paid Freight applies to In-Season, daily orders of \$100 or greater. There are separate qualifying programs for Snowmobile and ATV/ROV.

■NOTE: It is important that dual line (Snowmobile and ATV/ROV) dealers understand the programs. To maximize the benefits of In-Season Arctic Cat Paid Freight, dual line dealers must qualify for both programs.

Example: A dual line dealer qualified for ATV/ROV program but did not for Snowmobile. ATV/ROV PG&A and common items will ship Arctic Cat Paid Freight based on the terms and dates of the ATV/ROV program, while Snowmobile PG&A product will be charged freight and will be identified as such on the packing list and invoice. The Arctic Cat equalized freight rate chart can be found via the Parts, Garments and Accessories section of the Bulletin Board on Cat Tracker Online. A paper copy is also sent annually in January. Speak to your DSM and or Dealer Support Representative if you have questions.

- Arctic Cat Paid Freight is only available to dealers who place qualifying pre-season POGA orders.
- Arctic Cat Paid Freight shipments apply only to standard ground service deliveries made by small package carriers and truck shipments.
- Requests for freight credits will not be accepted or processed for invoices past 30 days.
- The Arctic Cat Paid Freight period for Snowmobile products is April 16, 2015 through April 15, 2016. ATV/ROV Arctic Cat Paid Freight period is October 1, 2015 through September 30, 2016.
- 2nd Day Air Upgrade is available at no charge on in-season orders to dealerships who have qualified for Arctic Cat Paid Freight benefits and are in a 4 day or greater ground delivery area. (Carrier method determined by Arctic Cat.)
- Arctic Cat has determined the most efficient carrier method for your In-Season and Pre-Season Arctic Cat Paid Freight Shipments. If you choose to change the carrier method from our recommended carrier, your Dealership will be responsible for all freight charges.

Ignition Keys

■NOTE: The most current information is located on Cat Quest or on Cat Tracker under Quick Links on the right side of the webpage.

Equalized Freight

Arctic Cat Equalized Freight Rate

Effective April 1, 2015

Small Package Rate Chart

United States Version

Merchandise \$ Total			Regular Orders		
			Ground	2 Day Air	1 Day Air
\$0	to	\$100	\$14.35	\$39.02	\$43.98
\$101	to	\$200	\$17.64	\$41.34	\$47.27
\$201	to	\$300	\$20.01	\$43.71	\$54.63
\$301	to	\$400	\$26.28	\$49.98	\$55.91
\$401	to	\$500	\$33.05	\$56.75	\$62.67
\$501	to	\$750	\$44.40	\$68.10	\$74.03
\$751	to	\$900	\$54.38	\$84.00	\$89.93
\$901	to	\$1,000	\$68.13	\$97.75	\$103.68
\$1,001	to	\$1,300	\$72.18	\$101.80	\$107.73
\$1,301	to	\$1,500	\$85.77	\$115.40	\$121.32
\$1,501	to	\$2,000	\$93.19	\$122.81	\$128.79
\$2,001	to	\$3,000	\$103.41	\$186.36	\$221.91
\$3,001	and	above	\$115.26	\$233.76	\$293.01

C.O.D. Tag Fee: 8% of order total

Truck Freight - Parts and Heavyweight Accessories

"Special Size" parts are required to ship truck (LTL).

Dealers who place a qualifying Pre-Season Booking order receive Arctic Cat Paid Freight on the Pre-Season Booking as well as In-Season LTL shipped product ordered.

Dealers who did not place a qualifying Pre-Season Booking order will be billed a flat rate charge of \$110 (\$195 Alaska) per each LTL shipped product ordered.

Examples of "Special Size" parts are tunnels, hoods, fenders, body panels, engines, bumpers, etc. Each "Special Size" part is assessed a flat rate charge of \$110 (Alaska \$195). Example: If a dealer orders one hood, the delivery charge is \$110. If a dealer orders two hoods, the delivery charge is \$220.

Arctic Cat Snow and ATV "In-Season" Oil Program

Dealers who place a qualifying Pre-Season Oil order receive Arctic Cat Paid Freight on In-Season Oil orders of \$1000 or more.

Dealers who did not place a qualifying Pre-Season Oil order receive 50% Arctic Cat Paid Freight on a minimum In-Season Oil order of \$2000 for ATV and \$3000 for snow.

Dealers are responsible for all freight charges for oil orders that do not meet the dollar requirements as explained in the above statements.

Drop-Shipped Orders

Small package residential orders drop-shipped directly to consumers are subject to a \$20 drop-ship handling and delivery fee plus small package freight charges.

Truck "LTL" residential orders drop-shipped directly to consumers are subject to a \$125 drop-ship handling and delivery fee plus LTL freight charges.

Arctic Cat Equalized Freight Rate

Effective April 1, 2015

Small Package Rate Chart

Canada Version

Merchandise \$ Total			Regular Orders	
			Ground Freight	Air Freight
\$0	to	\$100	\$27.08	\$44.97
\$101	to	\$200	\$29.31	\$52.78
\$201	to	\$300	\$34.18	\$57.88
\$301	to	\$400	\$39.79	\$69.42
\$401	to	\$600	\$46.51	\$76.14
\$601	to	\$750	\$54.24	\$83.86
\$751	to	\$900	\$58.81	\$97.61
\$901	to	\$1,000	\$63.30	\$103.59
\$1,001	to	\$1,300	\$68.29	\$115.69
\$1,301	to	\$1,500	\$76.43	\$127.39
\$1,501	to	\$2,000	\$85.38	\$156.48
\$2,001	to	\$3,000	\$95.46	\$305.21
\$3,001	and	above	\$135.75	\$372.75

C.O.D. Tag Fee: 8% of order total

There is not a guaranteed one day service in Canada.

Air service is one day, two day, or more. (Depending on location)

Truck Freight - Parts and Heavyweight Accessories

"Special Size" parts are required to ship truck (LTL).

Dealers who place a qualifying Pre-Season Booking order receive Arctic Cat Paid Freight on the Pre-Season Booking as well as In-Season LTL shipped product ordered.

Dealers who did not place a qualifying Pre-Season Booking order will be billed a flat rate charge of \$195 per each LTL shipped product ordered.

Examples of "Special Size" parts are tunnels, hoods, fenders, body panels, engines, bumpers, etc. Each "Special Size" part is assessed a flat rate charge of \$195.

Example: If a dealer orders one hood, the delivery charge is \$195. If a dealer orders two hoods, the delivery charge is \$390.

Arctic Cat Snow and ATV "In-Season" Oil Program

Dealers who place a qualifying Pre-Season Oil order receive Arctic Cat Paid Freight on In-Season Oil orders of \$1000 or more.

Dealers who did not place a qualifying Pre-Season Oil order receive 50% Arctic Cat Paid Freight on a minimum In-Season Oil order of \$2000 for ATV and \$3000 for snow.

Dealers are responsible for all freight charges for oil orders that do not meet the dollar requirements as explained in the above statements.

Drop-Shipped Orders

Small package residential orders drop-shipped directly to consumers are subject to a \$20 drop-ship handling and delivery fee plus small package freight charges.

Truck "LTL" residential orders drop-shipped directly to consumers are subject to a \$125 drop-ship handling and delivery fee plus LTL freight charges.

Sizing Charts

Adult Helmets*

Helmet Size	Head-Hat Size	Head Circumference (in.)	Head Circumference (cm)
2XS	6 1/2-6 5/8	20 1/2-20 7/8	52-53
XS	6 3/4-6 7/8	21 1/4-21 5/8	54-55
Small	7-7 1/8	22-22 1/2	56-57
Medium	7 1/4-7 3/8	22 3/4-23 1/4	58-59
Large	7 1/2-7 5/8	23 5/8-24	60-61
XL	7 3/4-7 7/8	24 1/2-24 7/8	62-63
2XL	8-8 1/4	25 1/8-25 1/2	64-65
3XL	8 3/8-8 1/2	26-26 3/8	66-67
4XL	8 1/2-8 5/8	26 3/4-27 1/8	68-69

■NOTE: MX SnoCross helmets run about one size smaller on average than the regular shield helmets (i.e. MX SnoCross Large = Shield Helmet Medium).

Youth Helmets

Helmet Size	Head-Hat Size	Head Circumference (in.)	Head Circumference (cm)
Medium	6 1/8 - 6 1/4	19 - 20	48 - 49
Large	6 3/8 - 6 1/2	20 - 21 1/2	50 - 51

■NOTE: This is a guideline only. Head shape can vary size.

■NOTE: Sizing charts should be used as general guides for determining approximate size. Differences in individual body shape, as well as the type of cut and style of each garment, should be considered to ensure appropriate fit. Please visit your local Authorized Arcticwear Dealer to try on your selection.

Men's Outerwear

Size	Chest	Waist	Inseam
S	36" - 38"	28" - 30"	31"
M	40" - 42"	32" - 34"	31"
MT	40" - 42"	32" - 34"	34"
L	44" - 46"	36" - 40"	32"
LT	44" - 46"	36" - 40"	35"
XL	48" - 50"	42" - 44"	33"
XLT	48" - 50"	42" - 44"	36"
2XL	52" - 54"	46" - 48"	33"
2XLT	52" - 54"	46" - 48"	36"
3XL	56" - 58"	50" - 52"	33"
3XLT	56" - 58"	50" - 52"	36"
4XL	60" - 62"	54" - 56"	33"
5XL	64" - 66"	58" - 60"	33"

■NOTE: 5' 11" and taller, use tall sizes. Short bib has a 29" inseam.

Women's Outerwear

Size	Chest	Waist	Hips	Inseam
XS	26" - 30"	19" - 23"	30" - 34"	31"
S	30" - 34"	23" - 26"	34" - 37"	31"
M	34" - 37"	26" - 30"	37" - 40"	31"
MT	34" - 37"	26" - 30"	37" - 40"	33"
L	37" - 40"	30" - 34"	40" - 43"	31"
LT	37" - 40"	30" - 34"	40" - 43"	33"
XL	40" - 43"	34" - 38"	43" - 46"	31"
XLT	40" - 43"	34" - 38"	43" - 46"	33"
2XL	43" - 46"	38" - 41"	46" - 49"	31"
3XL	46" - 49"	41" - 45"	49" - 52"	31"
4XL	49" - 52"	45" - 49"	52" - 55"	31"

■NOTE: 5' 8" and taller, use tall sizes. Short bib has a 29" inseam.

Youth Outerwear

Size	Height	Chest	Waist	Inseam
4	45" - 47"	23" - 25"	20" - 22"	17"
6	47" - 49"	25" - 26"	22" - 23"	19"
8	49" - 50"	26" - 27"	23" - 24"	21"
10	51" - 54"	27" - 28"	24" - 25"	23"
12	55" - 58"	29" - 30"	25" - 26"	25"
14	59" - 61"	30" - 32"	26" - 27"	26"
16	62" - 64"	32" - 33"	27" - 28"	27"

One-Piece

Size	Height	Chest	Waist	Inseam
2	33" - 35"	21" - 22"	19" - 20"	16"
3	36" - 38"	22" - 23"	20" - 21"	17"
4	39" - 41"	23" - 24"	21"	18"
5	42" - 44"	24" - 25"	21" - 22"	19"
6	45" - 46"	25" - 26"	22"	20"
7	47" - 49"	26" - 27"	22" - 23"	21"

Glossary

Missy/Womens - Missy sizes, also referred to as straight sizes, are the sizes most commonly carried in standard women's clothing stores and generally run from 2 to 18 in even sizes.

Juniors - Juniors sizes are designed for young women ages 13 to 18 and are usually cut slimmer in the hips and bust than missy sizes. They're designated by uneven sizes 0 to 17.

Arcticwear Size Ratios

Jackets and Pants												
	S	M	MT	L	LT	XL	XLT	2XL	2XLT	3XL		
Men's	2%	10%	2%	28%	6%	30%	8%	10%	2%	2%		
Women's	12%	33%	2%	32%	2%	16%	1%	2%				
	4	6	8	10	12	14	16					
Youth	4%	10%	18%	20%	20%	15%	13%					
	2	3	4	5	6	7						
Youth One Piece Suits	10%	14%	17%	22%	19%	18%						
Boots												
	6	7	8	9	10	11	12	13				
Men's		5%	8%	18%	25%	23%	15%	6%				
Women's	10%	23%	35%	22%	10%							
Youth Boots	8	9	10	11	12	13	1	2	3	4	5	6
Children's	7%	8%	11%	14%	15%	15%	15%	15%				
Boy's									18%	18%	26%	38%
Helmets												
	2XS	XS	S	M	L	XL	2XL	3XL				
TXi / PFP	2%	2%	11%	24%	30%	19%	9%	3%				
MX			4%	15%	41%	30%	10%					
Youth				42%	58%							
Gloves												
	XS	S	M	L	XL	2XL	3XL					
Adult	2%	6%	17%	32%	30%	11%	2%					
Youth		15%	30%	35%	20%							
Sportswear												
	S	M	L	XL	2XL							
Adult Shirts	5%	15%	35%	30%	15%							
	6-8	10-12	14-16									
Youth Shirts	27%	33%	40%									

Accessory Bag Dimensions

Ref	p/n	Description	Length	Width/Depth	Height
108	6639-277	Tunnel Cargo Bag (Main/Side)	20"/21"	12"/5"	5"/10"
108	7639-150	Trail Saddlebags	18"	6"	10"
108	6639-705	Hard Saddlebags	21"	8"	10"
109	6639-706	Touring Gear Bag	14"	13"	15"
109	6639-707	Touring Liner Bag	13"	14"	7"
109	6639-708	Saddlebag Liners	22"	9"	7"
109	6639-901	Tunnel Gear Bag	22"	12"	7"
109	6639-704	Tunnel Gear Bag	20"	12"	8"
109	6639-783	Tunnel Pack	15"	12"	4"
109	6639-816	Tunnel Pack	15"	12"	4"
110	6639-709	Expedition Rack Bag	15"	15"	12"
110	6639-112	Crosstour Rack Bag	11"	15"	10"
110	6639-200	Tank Bag	18"	7"	12"
110	6639-710	Seat Pack	14"	14"	9"
110	6639-838	Seat Pack	14"	14"	9"
110	5639-767	Goggle Holder	9"	6"	4"
111	5639-712	Windshield Bag	9"	14"	4"
111	6639-051	Windshield Bag	10"	25"	6"
111	6639-278	Windshield Bag	9"	14"	4"
111	6639-279	Windshield Bag	10"	25"	6"
111	4639-714	Windshield Bag	23"	10"	6"
111	6639-888	Windshield Bag	11"	17"	5"
111	6639-713	Handlebar Bag	7"	10"	5"
111	6639-714	Handlebar Bag	7"	10"	8"
111	6639-715	Handlebar Bag	7"	10"	8"
111	6639-887	Handlebar Bag (Front/Rear)	7"/6"	10"/10"	4"/6"
111	6639-716	Custom Handlebar Bag	8"	4"	6"
133	7639-018	Mountain Pack	9"	14"	6"
133	7639-019	Mountain Gear Bag	18"	14"	8"
133	6639-798	Tunnel Pack	16"	12"	4"
133	6639-782	Shovel Pack	18"	14"	2"
142	6639-885	Gear Bag	18"	16"	10"
142	6639-878	Cargo Box	18"	19"	18"
142	5639-049	Bearcat Gear Bag	31"	19"	15"
143	6606-252	Tunnel Pack	14"	17"	10"
143	6639-886	Cargo Bag	18"	16"	24"
13	6639-201	2-Up Trail Saddlebags	20"	5"	10"
14	5639-573	Tunnel Pack	13"	13"	7"
14	5639-433	Tunnel Pack	24"	15"	6"
14	4639-426	Tank Bag	13"	9"	10"
15	5639-304	Windshield Bag	24"	12"	6"
15	4639-428	Windshield Bag	26"	3"	5"
15	3639-715	Windshield Bag	38"	5"	7"
15	3639-962	Windshield Bag	13"	3"	7"
16	6639-046	Seat Pocket	7"	7"	3"
16	5639-305	Underhood Bag	9"	21"	9"
17	4639-427	Windshield Flair Bags	4"	11"	3"
36	4639-727	Mountain Gear Bag	17"	16"	8"
36	4639-732	Goggle Holder	10"	3"	6"


Kit Installation Times

Ref	p/n	Description	Labor (min.)
13	6639-705	Hard Saddlebags	5
18	6639-721/722	2-Up Seat	30
18	6639-985	2-Up Seat	15
18	5639-307	2-Up Seat	20
18	5639-308	2-Up Seat	15
18	6639-281	Hand Warmer Kit	40
18	6639-724/727	Pro Bumper	30
18	6639-286/289	ProClimb Bumper	30
18	6639-729/732	ProCross Bumper	30
19	5639-850/852, 6639-094, 282	Sport Bumper	10
19	5639-825	Sport Bumper	20
19	5639-065	Sport Bumper	15
19	5639-312	Touring Bumper	20
19	6639-057	Cargo Rack	5
19	6639-737	Expedition Rack	5
19	6639-541	Tow Hitch	15
19	5639-324	Tow Hitch	25
19	4639-124	Tow Hitch	25
19	1639-505	Tow Hitch	25
19	6639-733/736	Tunnel Rack	15
20	6639-844	Saddlebag Carrier	10
20	6639-990, 910	Hitch Kit	40
20	6639-991, 911	Hitch Kit	40
20	6639-098	Hitch Kit	15
20	5639-318	Hitch Kit	30
20	6639-992, 912	Hitch Kit	40
20	6639-993, 913	Hitch Kit	40
20	4639-723	Hitch Kit	25
20	4639-907	Hitch Kit	25
20	6639-739/740	Hitch Kit	25
20	7639-030	Hitch Kit	10
20	6639-061, 062	Hitch Kit	40
20	5639-158	Hitch Kit	30
20	5639-166	Hitch Kit	30
20	1639-507	Hitch Kit	25
20	3639-189	Pintle Conversion	5
20	5639-347/348	Tunnel Rails	25
21	5639-859/860	Tether Switch	40
21	4639-140	Tether Switch	30
21	0638-887	Tether Switch	40
21	7639-041	Heated Shield Outlet	25
21	6639-804	Electric Start	120
21	7639-126	Electric Start	180
21	6639-626	Electric Start	160
21	6639-299	DC Power	60
21	6639-354	DC Power	60
21	5639-258	DC Power	25
21	6639-738	Rear Fuel Tank	90
22	6639-465/466	Heated Seat	60
22	7639-029	Heated Seat	60
22	7639-028	Heated Seat	60
22	4639-971	Heated Seat	45
22	5639-638	Heated Seat	30
22	5639-861	Engine Heater	45
22	5639-823	Engine Heater	45
22	6639-897	Reverse Kit	180
25	7639-035/037, 6639-744/746	Cat Hood Wraps	30
25	7639-038/040, 6639-754/756	Cat Tunnel Wraps	20
27	5639-809/811, 6639-442	Tunnel Flares	10
27	6639-453, 6639-535/537	Wind Deflectors	20
29	6639-817	Side Panel Vent Kit	30
31	5639-745, 747/748, 6639-390	Skid Plate, Front	10
31	7639-085/092	Skid Plate, Rear	40
31	5639-893	Skid Plate, Rear	40
31	4639-567	Skid Plate	30
31	3639-838, 5639-223	Skid Plate	30

Ref	p/n	Description	Labor (min.)
31	6639-630, 770, 902	Windshield Mirrors	20
31	5639-832	Hood-Mounted Mirrors	30
31	6639-425, 428	ProCross Seat	10
33	6639-617/624	Rear Wheel Kit	10
34	6639-836	Hibbert Series Ski Shocks	15
34	6639-837	Hibbert Series Track Shocks	45
34	6639-805, 7639-017	Factory Series Track Shocks	45
34	6639-774, 7639-015, 120	Float 3 Evol, Ski Shocks	15
34	6639-775, 776, 7639-016, 073	Float 3 Evol R, Ski Shocks	15
34	7639-074	Float 3 Evol QS3-R, Ski Shocks	15
34	7639-076/078	Zero QS3-R, Ski Shocks	15
35	7639-000/002	Elka Stage 5 Ski Shocks	15
35	6639-997/999	Elka Stage 2 Ski Shocks	15
35	7639-003/014	Elka Track Shocks	25
37	6639-800/803	ProClimb Boards	180
37	6639-790/797	ProClimb Rear Bumper	40
38	6639-410/415, 788/789, 845, 873	ProClimb Seat	70
38	5639-600	Mountain Seat	10
38	6639-733/736	Tunnel Rack	15
38	5639-597/598	Billet Rack	15
38	4639-977	M Series Rack	15
40	5639-865/866, 6639-084, 580	Vented Side Panels	10
41	5639-862/864, 991, 6639-599	Vented Hood Panels	25
41	5639-897	Ice Scratchers	10
41	7639-174	Rail Cap Wheel Kit	25
42	6639-994	Telescopic Steering Post	90
42	6639-995	Telescopic Steering Post	70
42	5639-516	Telescopic Steering Post	40
42	6639-419	HCR Fixed Post	90
42	6639-420	HCR Fixed Post	120
42	5639-945	Vertical Steering Post	90
42	7639-020/023, 7639-161/164	AMS A-Arm Kits	75
42	7639-025/026	AMS A-Arm Kits	75
43	5639-938/940	Narrow A-Arm Kit	90
43	6639-899	Track Drive Kit	145
43	6639-898	Track Drive Kit	155
43	0637-463	Track Drive Kit	225
43	4639-995	Lightweight Front Axle Kit	60
43	4639-997	Two Wheel Kit	20
44	6639-878	Cargo Box	15
44	6639-893	Tunnel Flares	10
45	6639-889	Third Seat	20
45	6639-890	Heavy-Duty Front Bumper	30
45	6639-891	Side Bumpers	15
45	6639-894	Winch Kit	60
45	6639-905	Light Bar	30
46	5639-254	Ski Skins	15
46	4639-970	Passenger Hand Warmers	40
46	6639-892	Rear Rack	5
46	6639-880	Cargo Rack	5
46	5639-062	Cargo Rack	15
46	5639-060/061	Side Rails	5
46	5639-338	Receiver Bumper, Front	40
46	5639-339	Receiver Bumper, Rear	30
46	5639-387	Pivot Hitch	5
47	6639-190	Low Ratio Gear Set	50
47	6639-180	Radiator, Front	60
47	4639-967	Radiator, Under-Seat	90
47	5639-340	Receiver Winch	35
47	5639-456	Rear Harness	60
47	5639-457	Transport Mount	10
47	5639-389	Backup Light	35
58	6639-075, 118	Tunnel Protector	30
58	6639-178/179	Tunnel Protector	30
68	6639-416/417	Fuel Tank	70

■NOTE: The above information is intended for use as a guideline when quoting installation time for customers. Variables may cause installation time to be higher or lower. The times listed are not labor rates to be reimbursed to dealers.

Covers



Page 104

PREMIUM COVERS

Trailerable

Application	p/n
(A) '14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129" - Green	6639-929
(A) '14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129" - Orange	6639-930
(B) '16 XF 7000 CT	6639-931
(B) '16 XF CTK; '14-'15 XF 137"	6639-932
(C) '16 M, XF HC 141"; '12-'15 XF 141"; '13-'15 XF CT 141" - Green	6639-933
(C) '16 M, XF HC 141"; '12-'15 XF 141"; '13-'15 XF CT 141" - Orange	6639-934
(C) '12-'16 M 153"-162"; '12-'15 XF HC - Green	6639-935
(C) '12-'16 M 153"-162"; '12-'15 XF HC - Orange	6639-936
(D) '15-'16 PTA 7000; '16 PTA 3000	6639-937
(D) '16 PTA 7000 XT Ltd	6639-938
(E) '15-'16 Lynx 2000 LT, BC 2000 LT; '08-'14 T570, TZ1; '09-'14 BC 570	6639-939
(F) '16 BC 7000 XT	6639-940
(G) '14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129" - Black	6639-941
(G) '14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129" - Green	6639-942
(G) '16 M, XF HC 141"; '12-'15 XF 141"; '13-'15 XF CT 141" - Black	6639-943
(G) '12-'16 M 153"-162"; '12-'15 XF HC - Black	6639-944
(G) '12-'16 M 153"-162"; '12-'15 XF HC - Green	6639-945
(H) '14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129"	6639-946

ABBREVIATION KEY

BC	Bearcat	JR	Jaguar
CC	Cross Country	HC	High Country
CF	Crossfire	PTA	Pantera
CT	Crosstour	SP	Sno Pro
CTK	Crosstrek	1100T	1100 Turbo
GS	Groomer Special		



Page 106

ARCTIC CAT CANVAS COVERS

Trailerable

Application	p/n
'14-'16 ZR 129"-137"; '16 XF CTK 137"; '14-'15 XF 137"; '12-'13 F 129"	6639-948
'14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129";	6639-949
'13-'15 XF CT 141" w/2-Up Seat	
'16 M, XF HC 141"; '12-'15 XF 141"; '13-'15 XF CT 141"	6639-950
'12-'16 M 153"-162"; '12-'15 XF HC	6639-951
'15-'16 Lynx 2000; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1, Z1 Turbo	6639-952
'15-'16 Lynx 2000 LT, BC 2000 LT; '08-'14 T570, TZ1; '09-'14 BC 570	6639-953
'16 BC 7000 XT	6639-954
'16 BC 7000 XT GS	7639-079
'15-'16 BC 2000 XT; '09-'15 BC XT; '12-'15 BC XT GS	6639-955
'16 BC 3000 LT	6639-956
'00-'16 120	6639-957

■NOTE: '12-'15 Bearcat XT GS requires removal of light bar before installing cover.



Page 105

TEAM ARCTIC PREMIUM COVER

Trailerable

Application	p/n
'14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129"	6639-947



Page 106

RACE TRACK COVER

Not Trailerable

Application	p/n
'14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129"	6639-958
'12-'16 M 153"-162"; '12-'15 XF HC (HCR Logo)	7639-034



Page 106

UNDERCOVER

Application

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

p/n

6639-996



Page 107

HALF COVER

Not Trailerable

Application

'14-'16 ZR; '12-'15 M, XF; '12-'13 F w/Low & Mid WS, w/o Mirrors
'15-'16 PTA 7000; '16 PTA 3000

p/n

6639-202
6639-701



Page 107

CUSTOM COVERS (NON-CURRENT MODELS)

Trailerable

Application

'03-'06 FC, SC 128"
'99-'06 CO, EXT, T660, TC, Z, ZL, ZR, ZRT 121"
'05-'11 M 153"-162"
'02-'04 MC; '04-'06 KC
'00-'06 2-UP PA, PTA, T660 Touring
'03-'08 BC WT
'06-'11 CF; '06-'07 M 141"
'15-'16 Lynx 2000; '12-'14 F5, F570; '07-'11 F w/2-Up Seat
'09-'11 Z1, Z1 Turbo w/2-Up Seat
'10-'14 SP500

p/n

5639-017
5639-018
5639-241
5639-019
5639-020
5639-021
5639-044
5639-286
7639-141

Cover Installation Tips

1. Place cover over the windshield and handlebar making sure the bar ends are in the back of the handlebar pockets. Pull the cover over the front bumper and then over the rear of the seat and tunnel.
2. Wrap the front Velcro straps around the rear of the spindles and secure to the side of the cover.
3. Thread the strap hooks through the buckles that are attached to the cover. Loosely attach the hooks to the rear suspension. The rear straps should be attached to the suspension so that the pull is to the rear.
4. Adjust the windshield strap to gather excess material behind the windshield. For proper function, the windshield strap needs to be located between the handlebar and the windshield. Additional tension will be applied when the suspension straps are tightened. Cover slack will pull up from the gas tank and gather between the windshield and handlebar.
5. Tighten the suspension straps, and re-adjust the windshield strap if necessary. When trailering, watch cover for buffeting, re-tension the straps as necessary.
6. Fully open and close gas cap panel zipper. Place the tab of the zipper between the Velcro closures. Be sure zipper is completely closed before trailering.

■NOTE: To prevent hooks from catching when installing or removing the cover, place the end of the hook between the stitches where the buckle is sewn to the cover.



Page 107

SHOP COVER

Not Trailerable

Application

'14-'16 ZR 129"-137"; '14-'15 XF 137"; '12-'13 F 129"
'12-'16 M, XF 141"-162"

p/n

6639-702
6639-703



REPLACEMENT COVER STRAPS

Description

(A) Sew-On Straps w/Buckles (Pk/4)
(B) Cinch Straps w/Hook (Pk/4)

p/n

0636-610
0636-527

Touring Bags



Page 108

TUNNEL CARGO BAG

Application

'14-'15 ZR; '12-'15 XF; '12-'13 F (Except XF CC, CT)

Replacement Hardware

Spool w/Rivet, Pair
Front Clip, Pair

p/n

6639-277

6639-154
6639-846



Page 108

TRAIL SADDLEBAGS

Application

'14-'16 ZR; '12-'15 XF; '12-'13 F (Except XF CC)

Replacement Hardware

Spool w/Rivet, Pair
Front Clip, Pair

p/n

7639-150

6639-154
6639-846



Page 108

HARD SADDLEBAGS

XF and ZR models require 8-pocket Hitch kit and Expedition Rack or Saddlebag Carrier. BC 7000 XT requires Tunnel Flares and Rear Rack.

Application

'15-'16 PTA; '16 BC 7000 XT, XF CT, ZR 137-In; '13-'15 XF

Replacement Hardware

Lock w/Keys, Each

p/n

6639-705

2623-074



Page 109

TOURING GEAR BAG

Application

'15-'16 PTA 7000; '16 PTA 3000, XF 7000 CT

p/n

6639-706



Page 109

TOURING LINER BAG

Application

'15-'16 PTA 7000; '16 PTA 3000, XF 7000 CT

p/n

6639-707



2-UP TRAIL SADDLEBAGS

Application

'13-'15 XF CT w/2-Up Seat & Cargo Rack 6639-057

Replacement Hardware

Plastic Clips, Pair
Bracket, RH & LH
Knob, Pair

p/n

6639-201

6639-393
6639-394
6639-395



Page 109

SADDLEBAG LINERS


Sold in pairs.

Application

'15-'16 PTA 7000

p/n

6639-708



Page 109

TUNNEL GEAR BAG

Application

(A) '14-'16 ZR; '12-'15 XF; '13 F w/Flat Tunnel
(B) '15-'16 Lynx 2000; '12-'14 F5, F570; '10-'11 F, Z1, Z1 Turbo, Z1 Turbo
EXT; '11 F8 EXT

p/n

6639-901

6639-704

Replacement Hardware

Spool w/Rivet, Pair (6639-901)

6639-154

Front Clip, Pair (6639-901)

6639-846

Ladder Lock, Pair (6639-901)

6639-156

Strap w/Hook, Pk/4 (6639-704, 6639-901)


0641-994

Cam Buckle, Pair (6639-704)

0639-089

Tunnel Strap (See page 36)

6639-460



Page 109

TUNNEL PACK

Application

(A) '14-'16 ZR; '12-'16 M, XF; '12-'13 F w/Flat Tunnel (Excludes 7000)
(A) '14-'16 ZR, XF, M 7000 Models (Excludes XF CT, XF CTK)
(B) '15-'16 Lynx 2000; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1, Z1 Turbo,
Z1 Turbo EXT; '11 F8 EXT
(C) '10-'14 SP 500, '10-'11 M Series

p/n

6639-783

6639-816

5639-573

5639-433

Replacement Hardware

Spool w/Rivet, Pair (6639-783, 6639-816)

6639-154

Front Clip, Pair (6639-783, 6639-816)

6639-846

Strap w/Hook, Pk/4 (5639-433, 5639-573)

0641-994

Cam Buckle, Pair (5639-573)

0639-089

D-Ring, Pair (5639-433)

6639-906



Page 110

EXPEDITION RACK BAG

Application

Expedition Rack 6639-737

p/n

6639-709

Replacement Hardware

Plastic Clips, Pair

6639-393



Page 110

CARGO RACK BAG


Fits accessory Cargo Rack 6639-057.

Application

'13-'15 XF CT & Cargo Rack 6639-057

p/n

6639-112



Page 110

TANK BAG

Application

(A) '15-'16 PTA; '14-'16 ZR; '12-'16 XF; '16 BC 3000 LT; '12-'13 F All
Models
(B) '15-'16 Lynx 2000; '12-'14 F5, F570; '08-'14 T570, TZ1, TZ1 LXR
Touring; '09-'14 BC 570; '07-'11 F; '09-'11 Z1; '11 F8 EXT

p/n

6639-200

4639-426

Replacement Hardware

Channel w/Velcro, Pair (6639-200)

6639-187



Page 110

SEAT PACK

Application

'14-'16 ZR; '12-'15 M, XF; '12-'13 F w/Flat Tunnel (Excludes 7000)
'14-'16 ZR, XF, M 7000 Models

Replacement Hardware

Spool w/Rivet, Pair
Front Clip, Pair
Ladder Lock, Pair
Strap w/Hook, Pk/4

p/n

6639-710
6639-838
6639-154
6639-846
6639-156
0641-994



Page 110

GOGGLE HOLDER

Application

'15-'16 PTA; '14-'16 ZR; '12-'16 M, XF; '16 BC 3000 LT; '12-'13 F All Models

Replacement Hardware

Latch Repair Kit

p/n

5639-767
6639-076

p/n 6639-278, 5639-712
A



p/n 4639-714



p/n 3639-962



p/n 6639-279, 6639-051
B



p/n 3639-715



p/n 4639-428



Page 111

WINDSHIELD BAG

Small bag (A) fits all windshields. Large bag (B) fits Accessory mid and high windshields.

Application

Application	p/n
(A) '14-'16 ZR; '12-'16 M, XF; '12-'13 F (Excludes 3000, 7000)	5639-712
(B) '14-'15 ZR; '12-'15 M, XF; '12-'13 F (Excludes 3000, 7000)	6639-051
(A) '16 XF CT, XF CTK, BC LT; '15-'16 PTA; '14-'16 ZR, XF, M 3000, 7000 Models	6639-278
(B) '16 XF CT, XF CTK, BC LT; '15-'16 PTA; '14-'16 ZR, XF, M 3000, 7000 Models	6639-279
'15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '08-'14 T570, TZ1; '09-'14 BC; '09-'11 F, Z1 (Non-Turbo)	4639-714
'16 BC 7000 XT, PTA 7000 XT Ltd	6639-888
'09-'14 TZ1 Turbo Touring; '09-'11 Z1 Turbo	5639-304
'05-'11 M; '06-'11 CF; '09-'11 CFR, M8 HCR	4639-428
'03-'06 FC; '04-'06 SC	3639-715
'00-'06 ZR; '01-'04 MC 600, 800, 900; '02-'05 PTA; '04-'06 KC; '03-'07 BC WT (Non-Turbo)	3639-962



Page 111

HANDLEBAR BAG

Application

(A) '07-'16 Models w/Trail Handlebar
(B) '05-'16 Models w/Mountain Handlebar
(C) '15-16 PTA 7000; '16 PTA 3000
(D) '16 BC 7000 XT, PTA 7000 XT Ltd

p/n

6639-713
6639-714
6639-715
6639-887



Page 111

CUSTOM HANDLEBAR BAG

Application
Universal

p/n
6639-716



Page 112

SOFT MUFFS

Application
Universal

p/n
7639-113



Page 111

BAG HEATER KIT

Application
Fits Handlebar Bags 6639-713, 6639-714, 6639-715, 6639-887

Replacement Hardware
Splitter Harness

p/n
5639-837

1641-077



Page 113

PASSENGER HAND MUFFS

Application
'15-'16 PTA, Lynx 2000 LT, BC 2000 LT; '08-'14 T570, TZ1; '09-'14 BC 570

p/n
6639-720



Page 112

SEMI-RIGID MUFFS

Application
Universal

p/n
7639-112



SEAT POCKET

Application
'14-'16 ZR, XF, M (Std) 6000, 8000; '12-'13 F, XF, M (Std) 800 w/o Battery

p/n
6639-046



Page 112

SPORT MUFFS

Application
'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

p/n
7639-114



UNDERHOOD BAG

Application
'09-'14 TZ1 Touring; '09-'11 Z1 (Non-Turbo)

p/n
5639-305



WINDSHIELD FLAIR BAGS

Sold as a pair.

Application

'00-'06 ZR; '01-'04 MC; '01-'07 Z; '02-'05 PTA;
'04-'06 KC; '03-'08 BC 570, PA

p/n

4639-427




TANK JACKET

Application

'05-'11 M Series; '09-'11 M8 HCR
'06-'11 CF; '09-'11 CFR
Velcro (Pair)

p/n

5639-053
5639-056
4639-602




FOAM BEVERAGE HOLDER

Description

Universal 11"x 9"x 4"

p/n

1639-599




REPLACEMENT BAG HARDWARE

Description

p/n

(A) Cam Buckle (Pair) - 1"	0639-089
(B) Cam Buckle (Pair) - 1-1/2"	1639-248
(C) Cam Buckle (Pair) - 2"	2639-152
(D) Side Release Buckle Kit (Pair)	0638-082
(E) Strap Hook (Pair)	0641-485
(F) Tunnel Clip - Black (Each)	6606-244
(G) Buckle Kit - Unisex Replacement (Pair)	2639-662
(H) Spool (Pair)	6639-154
(I) Bag Clip (Pair)	6639-155
(J) Ladder Lock (Pair)	6639-156
(K) Latch Repair Kit (5639-767)	6639-076
(L) Plastic Rivets (Pk/6)	5639-930
(M) Buckle Repair Kit (Pk/4)(5639-710, 6639-401)	6639-545
(N) Cover Straps (Pk/4)	0636-527
(O) Bag Straps (Pk/4)	0641-994
(P) Bag Clip (Pair)	6639-846
(Q) D-Ring (Pair)	6639-906
(R) Plastic Clips (Pk/6)	7639-082
(S) Snap w/Screw (Pair)	1641-075
(T) Strap w/Clip (Pair)	7639-083

Touring Accessories



Page 113

2-UP SEAT KIT

■NOTE: '13-'15 XF CT models have a standard hitch with the mounting pockets required for the 2-Up Seat; '12-'15 XF CC, XF HC models also require an XF Trail Seat; '16 XF CT has standard mounts for the 2-Up Seat

Application	p/n
(A) '14-'16 ZR; '12-'15 XF, XF CT; '12-'13 F (Excludes 7000 & XF HC) Requires Hitch Kit	6639-721
(A) '14-'16 ZR; '14-'15 XF, XF CC, XF CT 7000 (Requires Hitch Kit)	6639-722
(B) '16 XF 7000 CT	6639-985
(C) '15-'16 Lynx 2000; '12-'14 F5, F570; '10-'11 F; '10-'11 Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT (Requires Tunnel Rails)	5639-307
(D) '09-'11 CF, CFR (Requires Hitch Kit)	5639-308



Page 113

HAND WARMER KIT

Application	p/n
Fits 2-Up Seat Kits 6639-722, 6639-721	6639-281



Page 114

PRO BUMPER

Application	Color	p/n
'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models	Black	6639-724
	TA Green	6639-725
	Orange	6639-726
	White	6639-727
Replacement Mounting Hardware		6639-600



Page 114

PROCLIMB BUMPER



Application	Color	p/n
'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models	Black	6639-286
	TA Green	6639-287
	Orange	6639-288
	White	6639-289
Replacement Mounting Hardware		6639-602



Page 114

PROCROSS BUMPER

Application	Color	p/n
'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models	Black	6639-729
	TA Green	6639-730
	Orange	6639-731
	White	6639-732
Replacement Mounting Hardware		6639-601



Page 114

SPORT BUMPERS

Application

(A) '14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models

Color

Black 5639-850
TA Green 6639-282
PC Green 5639-851
Orange 5639-852
White 6639-094

p/n

(B) '15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '12-'14 F5, Black F570; '08-'14 T570, TZ1, TZ1 LXR Touring; '09-'14 BC 570; '07-'11 F; '09-'11 Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT; '08-'09 T500

(C) '10-'14 SP 500

Green 5639-065

(D) '14 ZR 6000 R; '12-'13 SP 600

Black 5639-994



Page 114

CARGO RACK

Requires 8-Pocket Hitch Kit

Application

'12-'16 ZR; '12-'15 XF (Requires 8-Pocket Hitch Kit)

Color

Black 6639-057



Page 114

EXPEDITION RACK

Requires 8-Pocket Hitch Kit. 13" x 15" w

Application

'16 ZR 137"; '13-'15 XF w/Flat Tunnel (Requires 8-Pocket Hitch Kit)

Replacement Hardware

Plastic Insert (each)

Color

Black 6639-737

p/n

1641-037



TOURING BUMPER

■NOTE: Top tube interferes with hood removal on turbo models.

Application

'15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '12-'14 F5, F570; '08-'14 T570, TZ1 Touring (Non-Turbo); '09-'14 BC 570; '07-'11 F; '09-'11 Z1 (Non-Turbo); '11 F8 EXT; '08-'09 T500

Color

Black 5639-312

p/n



Page 114

TOW HITCH

Light duty use.

Application

(A) '14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models
(B) '15-'16 Lynx 2000; '12-'14 F5, F570; '09-'11 CF, CFR, M; '10-'11 F, Z1
(C) '05-'08 M; '06-'08 CF
(D) '99-'06 121" Models; '07 Z, T660 Trail

p/n

6639-541

5639-324

4639-124

1639-505



Page 115

TUNNEL RACK

Fits models with Flat tunnel

8" x 11½" w

Application

'14-'16 ZR; '12-'16 M; '12-'15 XF; '13 F w/Flat Tunnel

Color

Black 6639-733

TA Green 6639-734

Orange 6639-735

White 6639-736



Page 115

SADDLEBAG CARRIER

Application

'14-'16 ZR 129"-137"; '16 M, XF HC 141"; '14-'15 XF 137";
'12-'15 XF 141" (Requires 8-Pocket Hitch Kit)

p/n

6639-844

Replacement Hardware

Plastic Insert (Each)

1641-037



Page 115

HITCH KITS-PIVOT

Hitch Kits with eight mounting pockets will accept both a 2-Up Seat and a Cargo or Expedition Rack.

■NOTE: 2012 F and XF models with a 2013 Tunnel Upgrade kit require a 2013 Hitch Kit.

Application

p/n

'14-'16 ZR; '13 F 129" (8 Mounting Pockets)	6639-990
'16 ZR, XF CTK 137", M, XF HC 141"; '14-'15 XF 137"; '13-'15 XF 141" (8 Mounting Pockets)	6639-991
'13-'15 XF CT (Hitch Components Only)	6639-098
'15-'16 Lynx 2000; '12-'14 F5,F570; '10-'11 F, Z1 128"	5639-318
'12-'16 M 153", '12-'15 XF HC (8 Mounting Pockets)	6639-992
'12-'16 M 162"	6639-993
'15-'16 Lynx 2000 LT, BC 2000 LT; '08-'14 T570, TZ1; '09-'14 BC 570; '08-'09 T500	4639-723
'15-'16 PTA 7000; '16 PTA 3000, XF 7000 CT	6639-739
'12 F 128" w/Original Tunnel (8 Mounting Pockets)	6639-061
'12 XF 141" w/Original Tunnel (8 Mounting Pockets)	6639-062
'09-'11 M; '10 M8 HCR 153"	5639-158
'09-'11 CF 141" (8 Mounting Pockets)	5639-166
'99-'02 PA; '99-'06 121" Models; '07 Z, T660 Trail	1639-507



HITCH KITS - PINTLE

Application

p/n

'14-'16 ZR; '13 F 129" (8 Mounting Pockets)	6639-910
'16 ZR, XF CTK 137", M, XF HC 141"; '14-'15 XF 137"; '13-'15 XF 141" (8 Mounting Pockets)	6639-911
'12-'16 M 153", '12-'15 XF HC (8 Mounting Pockets)	6639-912
'12-'16 M 162"	6639-913
'15-'16 Lynx 2000 LT, BC 2000 LT; '08-'14 T570, TZ1; '09-'14 BC 570; '08-'09 T500	4639-907
'15-'16 PTA 7000; '16 PTA 3000, XF 7000 CT	6639-740
'16 BC 7000 XT, PTA 7000 XT Ltd	7639-030

HEAVY-DUTY RIVET KIT

Replaces front attachment screws with heavy-duty Huck rivets. Recommended when pulling heavy loads.

Application

p/n

'14-'16 ZR; '12-'15 M, XF; '12-'13 F	7639-084
--------------------------------------	----------



PINTLE CONVERSION KIT

Application

p/n

Fits Pivot Hitch Kits	3639-189
-----------------------	----------



TUNNEL RAILS

Includes mounting pockets for 2-up seat. Sold in pairs.

Application

p/n

'15-'16 Lynx 2000; '12-'14 F5, F570; '09-'11 F, Z1, Z1 Turbo	5639-347
'10-'11 Z1 Turbo EXT; '11 F8 EXT	5639-348



REAR FUEL TANK

Application

'15-'16 PTA 7000; '16 PTA 3000

p/n

6639-738



DC POWER KIT

■NOTE: Changes all AC power to DC power. There is no increase in power with this regulator but all power is converted to DC.

Application

'12-'16 8000 Models Without Production Electric Start. Use For Models With Accessory Electric Start

p/n

6639-299

'13-'16 8000 Models With Production Electric Start

6639-354

'09-'11 CF, CFR, M Series 800, 1000

5639-258



Page 116

TETHER SWITCH

Application

'14-'16 6000, 8000; '12-'13 800 Models

p/n

5639-859

'14-'16 5000, 7000, 9000; '16 3000; '12-'13 1100, 1100T Models

5639-860

'07-'11 F STD & SP; '08-'11 CF, M; '09-'11 CFR; '99-'07 Normally Open Circuits

4639-140

Normally Closed Circuits

0638-887

Replacement Tether Cord

0709-055



Page 116

HEATED SHIELD OUTLET

Application

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

p/n

7639-041



Page 116

HEATED SHIELD ADAPTER

Application

Models with accessory outlet
Replacement fuse (F10AL250V)

p/n

5639-645
1641-070



Page 114

ELECTRIC START KIT

■NOTE: M 6000, 8000 non-ES models with a short gas tank will also require adding the long gas tank and seat from an ES model. For replacement parts, see appropriate parts manual.

Application

'14-'16 ZR 6000; '15-'16 XF HC 6000; '15-'16 M 6000 (Long Tank), XF CC 6000

p/n

6639-804

'14-'16 ZR, XF 8000; '14-'16 M 8000 (Long Tank); '12-'13 F, M (Std), XF 800

7639-126

'15-'16 BC 2000 XTE; '14 BC 570 XTE

6639-626



HEATED SEAT KIT

■NOTE: Not available for 2-stroke - power output insufficient.

Application	p/n
'14-'16 ZR 5000, 9000; '14 XF CC 5000, 9000	6639-465
'14-'16 ZR 7000; '14 XF CC 7000	6639-466
'15-'16 M, XF HC 7000; '16 BC 3000 LT; '15 XF CC 7000	7639-029
'16 BC 7000 XT (Driver Only)	7639-028
'15 BC 5000 XT; '09-'14 BC Z1 XT (Driver & Passenger)	4639-971
'15 BC 5000 XT Ltd; '11-'14 BC Z1 XT Ltd (Passenger Only)	5639-638

A



B



ENGINE HEATER

U.S. and Canada.

Application	p/n
(A) '14-'16 ZR, M, XF 5000, 9000; '12-'13 F, M, XF 1100, 1100T	5639-861
(B) '07-'14 TZ1; '09-'15 BC Z1 XT; '09-'13 TZ1 Turbo; '09-'11 Z1, Z1 Turbo	5639-823



REVERSE KIT

Application	p/n
'15-'16 ZR 4000 RR	6639-897

BATTERIES

Application	Year	p/n
BC 2000 LT	'15-'16	0745-047
BC 570	'09-'14	0745-047
	'04-'08	0745-059
BC 2000 XT	'15-'16	0745-047
BC 570 XT	'09-'14	0745-047
BC 3000 LT	'16	0745-406
BC 5000 XT, BC 5000 XT GS	'15	0745-406
BC 7000 XT, BC 7000 XT GS	'16	0745-406
BC Z1 XT	'09-'14	0745-406
BC Z1 XT GS	'12-'14	0745-406
CF 500	'07-'09	0745-406
CF 600	'06-'11	0745-406
F5	'07-'14	0745-047
F570	'08-'14	0745-047
F6	'07-'11	0745-047
F8, F 1000	'07-'11	0745-406
F 800	'12-'13	0745-406
F 1100, F 1100T	'12-'13	0745-406
Lynx 2000, Lynx 2000 LT	'15-'16	0745-047
M 6000, 7000, 8000, 9000	'14-'16	0745-406
M 800, 1100, 1100T	'12-'13	0745-406
M6	'05-'11	0745-406
PTA 3000	'16	0745-406
PTA 7000	'15-'16	0745-406
PTA 7000 XT Ltd	'16	0745-406
T500	'08-'09	0745-047
T570	'08-'14	0745-047
TZ1 Touring	'08-'14	0745-406
TZ1 Turbo Touring	'09-'13	0745-406
XF 6000, 7000, 8000, 9000	'14-'16	0745-406
XF 800, 1100, 1100T	'12-'13	0745-406
Z1, Z1 Turbo	'09-'11	0745-406
ZR 5000, 6000, 7000, 8000, 9000	'14-'16	0745-406

BATTERY SPECIFICATIONS

p/n	Polarity	Amp/Hr	Cold Cranking Amps	Length	Width	Height	Style
0745-046		7	74	5.38"	3.00"	5.25"	Caps
0745-059	L	20	275	8.50"	3.56"	6.38"	Caps
0745-045		14	190	5.13"	3.56"	6.56"	Caps
0745-047		18	235	7.09"	3.54"	6.38"	Caps
3303-131	L	4	80	4.50"	2.81"	4.19"	Sealed
3304-275		10	180	6.00"	3.44"	5.12"	
3445-034		8	135	6.00"	3.44"	4.19"	Sealed
0745-230	L	21	350	8.11"	3.43"	6.38"	Sealed
0645-063	L	14	190	5.69"	3.50"	6.54"	Caps
0645-020	L	16	240	6.89"	3.94"	6.10"	Caps
0645-170		18	235	7.09"	3.54"	6.38"	Caps
0645-398	L	30	385	6.49"	4.98"	6.98"	Sealed
0745-406	L	18	310	6.89"	3.43"	6.00"	Sealed

(L) Indicates negative terminal is on left while looking at front of battery or side where terminals are located.

Item	p/n
Hardware Kit (inc. two each: hex bolt, rectangle nut, flat washer, lock washer) (used for most batteries)	0445-082
Hex Nuts (inc. two each: hex bolt, hex nut)	0655-944
Hex Nuts (inc. two each: hex bolt, rectangle nut)	0645-198

Windscreens

Page 117-120

Accessory Windscreens	'14-'16 ZR, M, XF 4000, 5000, 6000, 8000, 9000 '12-'13 F, M, XF 800, 1100, 1100T			'15-'16 PTA 7000 '16 PTA, BC LT 3000 '14-'16 ZR, M, XF 7000			'15-'16 Lynx 2000, Lynx 2000 LT '15-'16 BC 2000; '12-'14 F5, F570 '07-'11 F Series; '09-'11 Z1 '09-'15 BC, BC XT '09-'14 TZ1			'05-'11 M Series; '06-'11 CF '09-'11 CFR, M8 HCR		
Extreme Low	p/n	Height	Width	p/n	Height	Width	p/n	Height	Width	p/n	Height	Width
Black	6639-303	5"	15"	6639-324	5"	15"				5639-525		
White	6639-304	5"	15"	6639-325	5"	15"				5639-526		
Flyscreens												
Black, Pride	6639-305	6½"	16"	6639-326	6½"	16"				5639-140	12'	25 1/2"
Green, Pride	6639-306	6½"	16"	6639-327	6½"	16"						
Orange										5639-139	12'	25 1/2"
Black, Team Arctic	6639-308	6½"	16"	6639-329	6½"	16"						
Green, Team Arctic	6639-309	6½"	16"	6639-330	6½"	16"						
Orange, Team Arctic	6639-310	6½"	16"	6639-331	6½"	16"						
Windscreens												
Low, Black, Pride	6639-312	9½"	18"	6639-333	9½"	18"						
Low, Green, Pride	6639-313	9½"	18"	6639-334	9½"	18"						
Low, Orange, Pride	6639-314	9½"	18"	6639-335	9½"	18"						
Low, Black, Team Arctic	6639-315	9½"	18"	6639-336	9½"	18"						
Low, Green, Team Arctic	6639-316	9½"	18"	6639-337	9½"	18"						
Low, Orange, Team Arctic	6639-317	9½"	18"	6639-338	9½"	18"						
Low, White, Team Arctic	6639-318	9½"	18"	6639-339	9½"	18"						
Windshields												
Mid, Tint, Black	6639-319*	14"	27"	6639-340*	14"	27"	5639-439	12"	33"			
Mid, Tint, Green	6639-320*	14"	27"	6639-341*	14"	27"						
Mid, Tint, Orange	6639-321*	14"	27"	6639-342*	14"	27"						
High, Tint, Black	6639-323*	17"	27"	6639-344*	18"	31"	4639-719	15 1/4"	33"	4639-227	18 1/2"	29 3/4"
Extreme High, Clear	6639-078*	18"	27"				5639-222**	20 1/2"	33"			

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models - Height is measured vertically from the intake vent to the top of the windscreen

*Mid, High, and Extreme High Windshields are not recommended for '12-'16 models with Vertical Steering (See Note) **Requires Brace Kit (5639-628)

Production Windshields												
Sno Pro, Black	6606-376	5½"	20"	6606-702	5½"	20"						
Sno Pro, Team Arctic Green	6606-647	5½"	20"	6606-864	5½"	20"						
Sno Pro, Orange	6606-482	5½"	20"	6606-876	5½"	20"						
Sno Pro, White	6606-578	5½"	20"	6606-667	5½"	20"						
Mid, Black	6606-134	11"	23"	6606-865	11"	23"						
Mid, Team Arctic Green	6639-815	11"	23"	6639-355	11"	23"						
Mid, Orange	6639-215	11"	23"	6639-356	11"	23"						
Mid, White	6639-216	11"	23"	6639-357	11"	23"						
Cross Country, Tint (Opt)	6606-513	13"	25"									
LXR, Tint	6606-377	13"	27"	6606-666	13"	27"						
Windshields	'10-'14 Sno Pro 500; '08-'11 Sno Pro 600			'09-'13 TZ1 Turbo; '09-'11 Z1 Turbo			'04-'06 KC; '01-'04 MC 500-900; '02-'05 PTA; '01-'08 PA; '01-'07 Z; '01-'03 ZL; '00-'06 ZR					
Mid, Tint	5639-615	13"	32"	6606-274***	10"	31"	2606-471	14½"	31½"			
High, Tint				5639-154****	15"	31"	2606-163	16"	33"			




Requires Brace Kit (5639-518) *Requires Brace Kit (5639-455)

Windshields	'03-'06 FC, SC			'99-'01 600 Touring, PTA; '99-'02 MC 1000; '99-'02 TC, ZRT			'98-'00 PS, Z, ZL; '98-'99 ZR		
Low, Tint							1606-818	12¼"	30¼"
Mid, Tint	3606-943	13¾"	31¾"	1606-323	14"	31"	1606-074	15¾"	28"


NOTE: Special Applications

'14-'16 XF 8000 CT, XF 9000 CT; '13 XF 800 CT, XF 1100 CT, XF 1100T CT; Extreme High, Clear; 6639-573

'12-'16 Models with Vertical Steering (Except 7000); Mid, Tint; 6639-077



Measurements are taken vertically from dash panel to top of windshield. Style illustrations apply to indicated models only. Use reference point to determine style of windshield to order. Style of windshield for all other models is determined by measuring upward from lowest front center point on windshield to top center point. Accessory windshields do not have pre-drilled mirror mounting holes.



Page 121

SIDE DEFLECTORS

Application

'14-'15 ZR; '12-'15 M, XF; '12-'13 F All Models

(A)Pride Graphic

Black

Green

Orange

(B)Team Arctic Graphic

Black

Green

Orange

White

Solid Color, No Graphic

Black

Green

Orange

White

p/n

6639-347

6639-348

6639-349

6639-350

6639-351

6639-352


6639-353

5639-785

6639-516

6639-517

6639-518



A. WINDSHIELD BRACE KIT

Application

Mid Windshield (6606-274)

High Windshield (5639-154)

Extreme High Windshield (5639-222)

p/n

5639-518

5639-455

5639-628

B. WINDSHIELD MOUNTING RING

Description

Universal (Each)

p/n

2606-853



WINDSHIELD DART

Description

Dart, Plastic (Pk/3)

p/n

6639-217

Custom Accessories

Page 123

CAT WRAPS

Includes RH & LH Graphics

Hood Kit

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

	p/n
(A) Scarred - Black	6639-744
(A) Scarred - Green	6639-745
(A) Scarred - Orange	6639-746
(B) Throttle - Green	7639-035
(B) Throttle - Purple	7639-037
(B) Throttle - Orange	7639-036
(C) Annihilator - Black	6639-747
(C) Annihilator - Green	6639-748
(C) Annihilator - Orange	6639-749
(D) Burst - Green	6639-742
(D) Burst - Orange	6639-743
(E) Strobe - Green	6639-358
(E) Strobe - Orange	6639-359
(E) Strobe - Pink	6639-360
(F) Sprint - Green	6639-750
(F) Sprint - Orange	6639-751
(G) Scatter - Green	6639-361
(G) Scatter - Orange	6639-362
(H) Chaos - Green	6639-363
(H) Chaos - Orange	6639-364
(I) Black Magic	6639-365


Tunnel Kit

'14-'16 ZR; '12-'16 M, XF; '13 F w/Flat Tunnel

	p/n
(A) Scarred - Black	6639-754
(A) Scarred - Green	6639-755
(A) Scarred - Orange	6639-756
(B) Throttle - Green	7639-038
(B) Throttle - Purple	7639-040
(B) Throttle - Orange	7639-039
(C) Annihilator - Black	6639-757
(C) Annihilator - Green	6639-758
(C) Annihilator - Orange	6639-759
(D) Burst - Green	6639-752
(D) Burst - Orange	6639-753
(E) Strobe - Green	6639-366
(E) Strobe - Orange	6639-367
(E) Strobe - Pink	6639-368
(F) Sprint - Green	6639-760
(F) Sprint - Orange	6639-761
(G) Scatter - Green	6639-369
(G) Scatter - Orange	6639-370
(H) Chaos - Green	6639-371
(H) Chaos - Orange	6639-372
(I) Black Magic	6639-373


'10-'14 SP 500

	p/n
(J) Chaos, Hood - Green	6639-470
(J) Chaos, Tunnel - Green	6639-471



Sport Guards, Sno Pro and Arctic Cat Hand Guards include guards only. Mounting hardware is included in the Hand Guard Mount kit. Sold in pairs. Requires low windscreen.


■NOTE: Order Hand Guard Mounts to fit the specific model snowmobile. Then order Hand Guards to fit the mount style selected. Sno Pro Hand Guards fit mounts A, B, and C. Arctic Cat Hand Guards fit mounts D and E.



Page 124

SNO PRO HAND GUARDS

Description	p/n
(A) Pride Graphic	
Black	6639-376
TA Green	6639-377
Orange	6639-378
(B) Team Arctic Graphic	
Black	6639-379
TA Green	6639-380
Orange	6639-381
White	6639-382
Fits Mounts A, B, C	



Page 124


HAND GUARD MOUNTS

Sold in pairs.

	'14-'16 ZR All '12-'16 M, XF All '12-'13 F 800, 1100	'15-'16 Lynx 2000 '12-'14 F5, F570 '07-'11 CF, F, M '09-'11 CFR, Z1	'10-'14 SP 500
	p/n	p/n	p/n
(A) Aluminum	5639-264	5639-264	5639-264
(B) Aluminum	6639-072	6639-072	6639-072
(C) Nylon	5639-763		
(D) Aluminum	4639-805	4639-805	4639-805
(E) Nylon		4639-804	
	'07-'11 CF, M '09-'11 M8 HCR	'06 CF '05-'06 M '00-'02 ZR	'03-'06 CF, ZR
	p/n	p/n	p/n
(A) Aluminum		5639-264	5639-264
(B) Aluminum		6639-072	6639-072
(D) Aluminum		4639-805	4639-805
(E) Nylon	4639-804	3639-077	

■NOTE: Models with mountain handlebar require trimming when using aluminum mounts.


Replacement Hardware	p/n
For p/n 4639-804	0641-987
For p/n 5639-264, 6639-072	0641-261
For p/n 5639-763	0641-258



HAND GUARD EXTENSIONS

Sold in pairs.

Application	p/n
Sno Pro Hand Guards	5639-263



ARCTIC CAT HAND GUARDS

Description	p/n
Black	4639-806
Green	4639-807
Orange	4639-808
Fits Mounts D & E	



Page 124

SPORT GUARDS

Description	p/n
Sport Guards	6639-384
Fits Mounts A & B	



Page 124

SUSPENSION BLOCKS

Description

Black (Pair)
Silver (Pair)

p/n

4639-853
4639-855



Page 125

WIND DEFLECTORS


Application

'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA;
'12-'13 F All Models

Black
Green
Orange
White

p/n

6639-453
6639-535
6639-536
6639-537



Page 124

HANDLEBAR GRIPS

Two 8" Grips, Cut to Length.

Description

Black (Pair)

p/n

5639-655




POD SCREWS

Application

'15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, TZ1, TZ1 LXR Touring; '09-'14 BC 570; '09-'11 Z1, Z1 Turbo
Black (Pair)

p/n

5639-593



Page 125

TUNNEL FLARES

Application

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

Black
TA Green
Orange
White

p/n

5639-809
5639-810
5639-811
6639-442

SNOW MESH

Hood mesh not for use on Fan-Cooled Models.

Application**p/n****Bumper (Coarse Mesh)**

'14-'16 F, M, XF 5000, 7000, 9000; '12-'13 F, M, XF 1100T	5639-836
'15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '12-'14 F5, F570; '07-'11 F; 5639-332	
'08-'14 T570, TZ1; '09-'14 BC 570	
'05-'11 M; '06-'11 CF; '09-'11 CFR, M8 HCR	5639-169
'15-'16 BC 2000 XT; '09-'15 BC XT; '14-'15 BC XTE	5639-522
'16 BC 7000 XT, PTA 7000 XT Ltd	7639-033
'09-'14 TZ1 Turbo Touring; '09-'11 Z1 Turbo	5639-352

Hood (Coarse Mesh) (Liquid-Cooled Models)

'14-'16 ZR; '12-'16 M, XF; '12-'13 F (Excludes 1100T, 7000, 9000)	6639-106
'14-'16 ZR; '12-'16 M, XF 7000, 9000; '12-'13 F 1100T (Removable)	6639-111
'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models (LH Side Panel)	5639-835
'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models (RH Side Panel)	6639-197
'14-'16 ZR; '12-'16 M, XF; '12-'13 F (Excludes 7000)	7639-133
'12-'14 F5; '07-'11 F; '08-'14 TZ1; '09-'15 BC Z1 XT; '09-'11 Z1 (Non-Turbo)	5639-458
'05-'11 M; '06-'11 CF; '09-'11 CFR, M8 HCR	5639-333
'10-'14 SP 500	5639-396
'03-'06 FC, SC	5639-633

Intake (Fine Mesh)

'14-'15 ZR; '12-'15 XF; '12-'13 F All Models	5639-947
'05-'11 M; '06-'11 CF; '09-'11 CFR, M8 HCR	5639-334













Side Panel, Rear (Coarse Mesh)

'15 BC 5000 XT, BC 5000 XT GS; '09-'14 BC Z1 XT; '12-'14 BC Z1 XT GS	5639-499
--	----------

Replacement Hardware

Snap w/Screw, Pair (6639-111)

1641-075

p/n 6639-106**p/n 6639-111****p/n 5639-522****p/n 5639-332****p/n 5639-352****p/n 5639-169****p/n 5639-333****p/n 5639-458****p/n 5639-334****p/n 5639-396****p/n 5639-499****p/n 5639-836****p/n 5639-633****p/n 5639-835, 6639-197****p/n 5639-947**



Page 125

SNOWFLAP

Application

'14-'16 ZR; '12-'16 M, XF; '13 F w/Flat Tunnel

TA Green
PC Green
Orange

p/n

6639-398
5639-842
5639-843



Page 125

SIDE PANEL VENT KIT

Requires a one-piece clutch guard.

Application

'14 ZR; '12-'14 M, XF; '12-'13 F (Excludes 7000)

Snow Mesh

p/n

6639-817

7639-133



Page 125

HEADLIGHT COVERS

Not for use at night.

■NOTE: Some states and regions may prohibit the use of colored headlight covers. Please check with local and state laws. Arctic Cat Sales Inc. shall not be liable for any claims resulting from the use of illegal headlight covers.

Application

'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models

Chrome
Green Chrome
Smoke

p/n

5639-753
5639-754
5639-755

'05-'11 M; '06-'11 CF; '09-'11 CFR, M8 HCR

Chrome
Green Chrome
Smoke

5639-759
5639-760
5639-761

Replacement Velcro Dots (8 pc)

4639-625



Page 126

C&A PRO RAZOR SKIS

Includes mounting hardware. Wearbars sold separately. 6" Ski width. Sold in pairs.

Application

'14-'16 ZR; '12-'15 M, XF; '12-'13 F All Models

Color

Black
White

p/n

6639-590
6639-591

Wearbars (See page 51 Ref E)



Page 126

C&A PRO MTX SKIS

Includes mounting hardware. Wearbars sold separately. 8" Ski width. Sold in pairs.

Application

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

Color

Black
White

p/n

7639-134
7639-135

Wearbars (See page 51 Ref E)



Page 126

C&A Pro BX Skis

Includes mounting hardware. Wearbars sold separately. 7.25" Ski width. Sold in pairs.

Application

'14-'16 ZR; '12-'16 M XF; '12-'13 F All Models

Color

Black
White

p/n

7639-136
7639-137

Wearbars (See page 51 Ref E)



Page 126

SLP MOHAWK SKIS™

Wearbars sold separately. 7" Ski width. Sold in pairs.

Application	Color	p/n
'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models	Black	7639-093
	White	7639-094

Wearbars (See page 51 Ref D)




Page 126

SLP POWDER PRO SKIS™

Wearbars sold separately. 7" Ski width. Sold in pairs.

Application	Color	p/n
'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models	Black	7639-095
	White	7639-096

Wearbars (See page 51 Ref D)



Page 127

ARCTIC CAT SKI HANDLES

Sold in pairs.

Description	p/n
(A) '12-'16 Arctic Cat Saddleless Skis	
TA Green	6639-388
PC Green	5639-743
Orange	5639-744
White	6639-095
(B) '05-'11 Arctic Cat Saddleless Skis	
Green	3639-777
Orange	3639-778
(C) Arctic Cat Plastic Skis	
Green	3639-781
Orange	3639-865



BLOW-MOLDED SKIS

Includes 4" carbides. Fits all '09 and earlier applications except cast aluminum spindle. Sold in pairs.

Description	Color	p/n
5" Ski Kit - Black	Black	1639-575


Wearbars (See page 51 Ref C)



SKI SLIPS

Universal. Sold in pairs.

Description	Color	p/n
Ski Slips	Black	6639-829




Page 127

ARCTIC CAT SADDLELESS SKIS

Includes 4" carbides. Sold in pairs.

Application	Color	p/n
'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models		
(A) ProClimb 7" Ski Kit	Black	6639-875
	White	6639-876
(B) ProCross 6" Ski Kit	Black	6639-206
	White	6639-385
(B) ProCross 5" Ski Kit	Black	6639-921
	White	6639-922
(C) ProUte 10/8" Ski Kit	Black	7639-032

Wearbars (See page 51 Ref A)



Page 125

SKID PLATES

Application	p/n
(A) Front - '14-'16 ZR; '12-'16 M, XF; '12-'13 F (Excludes 1100T, 9000)	
Black	5639-745
TA Green	6639-390
Orange	5639-747
White	5639-748
(B) Rear - '14-'16 ZR; '13-'16 M, XF; '13 F (Excludes 7000)	
Black	7639-085
TA Green	7639-086
Orange	7639-087
White	7639-088
Replacement Hardware	1641-007
(B) Rear - '15-'16 PTA; '14-'16 ZR, XF, M 7000 Models	
Black	7639-089
TA Green	7639-090
Orange	7639-091
White	7639-092
Replacement Hardware	1641-007
(B) Rear - '12 F, M, XF All Models	
Black	5639-893
Replacement Hardware	1641-007
(C) '05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	
Black	3639-838
Replacement Hardware	0641-719
(D) '05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	
Black - Heavy-Duty	5639-223
(E) '15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, TZ1; '09-'14 BC 570; '09-'11 Z1	
NOTE: '10-'11 Z1 models require trimming for exhaust outlet.	
Black	4639-567
Replacement Hardware	4639-684
'00-'06 ZR; '01-'03 ZL; '01-'04 MC; '01-'08 Z; '04-'06 XC - No Photo	
Black	1639-417
Replacement Hardware	0641-508

B. WINDSHIELD MIRRORS

Application	p/n
'14-'16 ZR; '12-'15 M, XF; '12-'13 F w/Accessory Mid & High Windshields	
Pair	6639-770
Single	6639-769

C. WINDSHIELD MIRRORS

Application	p/n
'14-'16 ZR; '12-'16 XF; '12-'13 F w/Production LXR Windshield	
Pair	6639-902

D. HOOD-MOUNTED MIRRORS

Application	p/n
'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models	
Pair	5639-832
Single, RH	5639-830
Single, LH	5639-831
Replacement Mounting Screw	1423-133

E.-F. COMPACT MIRRORS

Sold individually.

Application	p/n
(E) '05-'11 M; '06-'11 CF; '09-'11 CFR, M8 HCR	4639-463
(F) '15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, TZ1; '09-'14 BC 570; '09-'11 Z1	4639-565



Page 129


HAND MIRROR

Description	p/n
Hand Mirror	4992-810



PROCROSS SEAT

Application	Color	p/n
Standard		
'12-'13 F, XF; '13 XF CT	Black	6639-425
Heated		
'12-'13 F 1100, 1100T, XF 1100, 1100T LXR Models w/Heated Seat	Black	6639-428



Page 128

A. WINDSHIELD MIRRORS

Application	p/n
'15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, TZ1; '09-'14 BC 570; '09-'11 Z1	
Pair	6639-630
Single	6639-629
NOTE: Fits '12-'16 F, M, XF, ZR w/accessory mid & high windshields.	



TUNNEL GRIPS

Application

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

Universal (Pair) 4.25" x 15.5"

p/n

5639-839

5639-814



RECOIL HANDLE

Application

Black
Green
Orange

p/n

0636-363

3639-866

3639-867



SHORT SNOWFLAP

Application

'99-'06 121" Models
Models prior to '99

p/n

1606-507

0616-613



WHEELS (IDLER WHEELS)

Includes bearing. Sold individually.

Description	p/n	Description	p/n
(A) 5.63" x .787" ID		(A) 7.12" x .787" ID	
Black	3604-386	Black	3604-063
Green	3604-047	TA Green	3604-969
Orange	3604-048	PC Green	3604-066
Red	3604-044	Orange	3604-065
Silver	3604-043	Silver	3604-062
		White	3604-298
(A) 5.63" x .625" ID		(A) 7.12" x .625" ID	
Green	1604-691	Black	1604-683
Silver	1604-693		
(A) 6.38" x .625" ID		(B) 8.00" x .787" ID	
Green	1604-692	Black	3604-073
Silver	1604-694	TA Green	3604-972
		PC Green	3604-075
(A) 6.38" x .787" ID		Orange	3604-191
Green	3604-053	Red	3604-074
Orange	3604-054	Silver	3604-076
Red	3604-052	White	3604-973
Silver	3604-055	(C) 6.38" x .625" ID	
		Green	0604-980

Performance

A



B



Page 130

AIRSHOX PUMP

Application

(A) Digital 300 PSI
(B) Single Gauge 150 PSI
(B) Dual Gauge 100/300 PSI

p/n

7639-121
2603-614
0641-257



Page 129

AIRSHOX GUARDS

Description

Fox Float, Float 2, Float 3, Float Evol, Float Evol R

Color

Black 6639-080
Green 6639-081
Orange 6639-082
White 6639-083

p/n

■NOTE: Tighten mounting screw until guard does not rotate on shock body. Over-tightening will damage guard.



Page 129

PERFORMANCE WEARSTRIPS


Sold Individually.

Application

121"-141" Models
153"-162" Models

p/n

6639-448
6639-864



Page 129

WEAR STRIPS

Sold individually.

Application

121"-129"

Black 2604-257
Green 2604-819
Orange 2604-289
White 2604-543

136"-162"

Black 2604-799
Green 2604-821
Orange 1604-769
White 3604-832

p/n



Page 129

REAR WHEEL KIT

Recommended when adding studs to the models listed.


Application

'14-'16 ZR; '12-'13 F 129" - 7.12" Wheel

Black 6639-617
TA Green 6639-618
Orange 6639-619
White 6639-620

'16 ZR 137"; '14-'15 XF 137"; '12-'16 XF 141"; '13-'15 XF CT 141"; '12-'16 M 153-162"

Black 6639-621
TA Green 6639-622
Orange 6639-623
White 6639-624



Page 129

WHEEL KITS

Application

'15-'16 ZR 129"; '16 ZR 137"; '15 XF 137"


Two 5.63" Wheels w/Mounts 6639-808
Eight 5.35" Wheels w/Four Mounts 6639-809
Four 5.35" Wheels w/o Mounts 6639-810

'14 ZR 129", XF 137"; '12-'13 F 129"

Two 5.63" Wheels w/Mounts 6639-184
Eight 5.35" Wheels w/Four Mounts 6639-185
Four 5.35" Wheels w/o Mounts 6639-196

'14 ZR 6000 R; '12-'13 SP 600

Four 5.63" Wheels w/Mounts 5639-995



Page 130

FOX HIBBERT SIGNATURE SERIES

Sold in pairs.

A. Float 3 Evol RC2 (Ski shocks)

B. Zero C2 Front Arm, Zero RC2 Rear Arm (Rear suspension)

Application

(A) '14-'16 ZR; '14-'15 XF '12-'13 F 42"
(B) '14-'16 ZR; '12-'13 F (Excludes RR Models)

p/n
6639-836
6639-837



Page 130

FOX FACTORY SERIES TRACK SHOCKS

Sold in pairs.

Application

A. Float 3 Evol Front Arm, Float 3 Evol QS3-R Rear Arm
'16 M 141"-162", XF HC 141"

B. Float 3 Front Arm, Float 3 Evol R Rear Arm
'12-'15 M 153" & 162" (Excludes 7000)

C. Zero C2 Front Arm, Float 3 Evol R Rear Arm
'14-'15 XF CC; '12-'15 XF HC; '12-'13 XF 141"

p/n
7639-017
6639-805
6639-835



Page 131

A. FOX FLOAT 3 EVOL

Ski shock. Sold in pairs. Includes 300 psi pump.

Application

'14-'16 ZR; '14-'15 XF; '12-'13 F 42"
'16 M 36"
'14-'15 M 38"

p/n
7639-120
7639-015
6639-774

B. FOX FLOAT 3 EVOL R

Ski shock. Sold in pairs. Includes 300 psi pump.

Application

'14-'16 ZR; '14-'15 XF; '12-'13 F 42"
'16 M 36"
'14-'15 M 38"
'15-'16 M 8000 HCR 40"

p/n
6639-775
7639-016
6639-776
7639-073

C. FOX FLOAT 3 EVOL QS3-R

Ski shock. Sold in pairs. Includes 300 psi pump.

Application

'14-'16 ZR; '14-'15 XF; '12-'13 F 42"

p/n
7639-074

D. FOX ZERO QS3-R

Ski shock. Sold in pairs.

Application

'14-'16 ZR; '14-'15 XF; '12-'13 F 42" (2" Body)
'15-'16 ZR 4000 RR, ZR 6000 R XC 43.5" (2" Body)
'16 M 36"

p/n
7639-076
7639-077
7639-078

E. FOX ZERO RC2

Ski shock. Sold in pairs.

Application

'15-'16 ZR 4000 RR, ZR 6000 R XC 43.5" (1.5" Body)

p/n
6639-820



FOX ZERO QS3 SHOCKS

The new shock from FOX represents a breakthrough in performance and adjustability. Think of it as three performance shocks in one. Giving you performance akin to the LXR, Sno Pro, and the RR. Set the clicker to the number 1. Like the LXR, the ride is smooth, comfortable, and confident. Click it up a notch to setting 2, and you'll straighten the corners like a Sno Pro. When the competition heats up, click to number 3, and go head to head with an RR.

Kits include production shock assemblies.

Application	p/n
Ski Shock Kit (Pair)	
'14-'16 ZR 6000, 8000; '14-'15 XF 6000, 8000; '12-'13 F 800 42"	7639-177
'14-'16 ZR 5000, 7000, 9000; '14-'15 XF 7000, 9000; '12-'13 F 1100, 1100T 42"	7639-178
Rear Arm Shock (Each)	
'14-'16 ZR; '13 F 129" (Excludes RR Models)	7639-179
'16 ZR 137"; '14-'15 XF 137"	7639-180



Page 132

ELKA SUSPENSION KITS

Shocks are manufactured with a base valve and spring package. A customization option is also available. To order, add the letter "C" to the part number (Ex. 7639-000C). Elka will contact the dealer to obtain specific information regarding customer preferences.

Visit www.elkasuspension.com/acat-snow for additional details.

A. Stage 5 Ski Shocks (Pair)

Application	p/n
'14-'16 ZR; '14-'15 XF; '12-'13 F 42"	7639-000
'16 M 36"	7639-001
'14-'15 M 38"	7639-002
'15-'16 ZR 4000 RR; '15 ZR 6000 R XC 43.5"	7639-122

A. Stage 5 Track Shocks (Each)

Application	p/n
'14-'16 ZR 129"; '16 ZR 137"; '14-'15 XF 137"; '12-'13 F 129"	
(Excludes RR Models)	
Front Arm	7639-009
Rear Arm	7639-012
'16 M 141"-162", XF HC 141"	
Front Arm	7639-010
Rear Arm	7639-013
'12-'15 M 153"-162" (Excludes 7000)	
Front Arm	7639-011
Rear Arm	7639-014

B. Stage 2 Ski Shocks (Pair)

Application	p/n
'14-'16 ZR; '14-'15 XF; '12-'13 F 42"	6639-997
'16 M 36"	6639-998
'14-'15 M 38"	6639-999

B. Stage 2 Track Shocks (Each)

Application	p/n
'14-'16 ZR 129"; '16 ZR 137"; '14-'15 XF 137"; '12-'13 F 129"	
(Excludes RR Models)	
Front Arm	7639-003
Rear Arm	7639-006
'16 M 141"-162", XF HC 141"	
Front Arm	7639-004
Rear Arm	7639-007
'12-'15 M 153"-162" (Excludes 7000)	
Front Arm	7639-005
Rear Arm	7639-008

Mountain Accessories



Page 133

MOUNTAIN PACK

Application

'12-'16 M; '13-'16 XF; '09-'11 M


p/n

7639-018

Replacement Hardware

Strap w/Hook, Pk/4
Buckle Repair Kit Pk/4

0641-994
6639-545



Page 133

MOUNTAIN GEAR BAG

Application

(A) '12-'16 M; '13-'16 XF; '09-'11 M
(B) '05-'08 M Series; '06-'08 CF


p/n

7639-019
4639-727

Replacement Hardware

Strap w/Hook, Pk/4 (7639-019)
Cam Buckle, Pair (4639-727)

0641-994
1639-248



Page 133

TUNNEL PACK

Application

(A) '14-'16 ZR; '12-'16 M, XF; '12-'13 F w/Flat Tunnel (Excludes 7000)
(A) '14-'16 ZR, XF, M 7000 Models (Excludes XF CT, XF CTK)
(B) '14-'16 M 6000 SP, M 8000 SP, M 8000 HCR
(Short tank w/o Electric Start)
(C) '10-'14 SP 500; '10-'11 M

p/n

6639-783
6639-816
6639-798
5639-433

Replacement Hardware

Spool w/Rivet, Pair (6639-783, 6639-798, 6639-816)
Front Clip, Pair (6639-783, 6639-798, 6639-816)
Strap w/Hook, Pk/4 (5639-433)
D-Rings, Pair (5639-433)

6639-154
6639-846
0641-994
6639-906



Page 133

SHOVEL PACK

Application

'12-'16 M; '16 XF HC; '13-'15 XF; '09-'11 M

p/n

6639-782

Replacement Hardware

Strap w/ Hook, Pk/4
Strap w/Clip, Pair

0641-994
7639-083



Page 133


TUNNEL STRAP

Application

'14-'16 ZR; '12-'16 M, XF; '13 F w/Flat Tunnel

p/n

4639-460



Page 134

GOOGLE HOLDER

CAUTION: Do not leave goggles in holder for an extended period of time. Excessive heat may damage goggles.

Application

(A) '14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models
(B) '05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR


p/n

5639-767
4639-732

Replacement Hardware

Latch Repair Kit (5639-767)

6639-076



Page 134

PROCLIMB BOARDS

Application	Color	p/n
'12-'16 M 153"-162", XF HC 141"; '16 M 141"	Black	6639-800
	TA Green	6639-801
	Orange	6639-802
	White	6639-803
Replacement Hardware		
Complete Hardware Kit		6639-847



Page 134

HANDLEBAR BAG

Application	p/n
'05-'16 Models w/Mountain Handlebar	6639-714



Page 135

PROCLIMB REAR BUMPER


■NOTE: Side plates require trimming when installed with Proclimb Boards.

Application	Color	p/n
'12-'16 M 153"; '12-'15 XF HC 141"	Black	6639-790
	TA Green	6639-791
	Orange	6639-792
	White	6639-793
'12-'16 M 162"	Black	6639-794
	TA Green	6639-795
	Orange	6639-796
	White	6639-797
Replacement Hardware		
Heavy-Duty Huck rivets, Pk/20		7639-031
Complete Hardware Kit		1641-059



2.5 GALLON FUEL CAN

Description	p/n
Scepter 2.5 gallon	1436-952



Page 135

TANK PADS

Sold in pairs.

Application	Color	p/n
(A) '14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models	Black	5639-764
	Green	6639-403
	Orange	5639-766
	White	6639-096
(B) '05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	Aluminum Rivets (6/Pk)	
	Plastic Rivets (6/Pk)	
	Replacement Mounting Screw '05-'07 (Std)	
	Replacement Mounting Screw '08-'11 (Metric)	
(C) '10-'14 SP 500	Black	5639-050
	Black	5639-612



Page 135

DASH PADS

Application	Color	p/n
'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '15-'16 PTA; '12-'13 F All Models	Black	6639-784
	TA Green	6639-785
	Orange	6639-786
	White	6639-787
Replacement Hardware		
Plastic Clips, Pk/6		7639-082




TANK GRIPS

Application

'14-'16 ZR; '12-'16 M, XF; '12-'13 F All Models

p/n

5639-762



Page 136

PROCLIMB SEAT

■NOTE: Short seat (B) fits '14 M 6000 SP, M 8000 SP, and accessory fuel tank (6639-417).

Application

Fits 12 Gallon Long Tank w/o Battery

(A) '16 XF HC 6000, 8000; '14-'15 M (Std), XF 6000, 8000; '12-'13 M, XF 800

Color

p/n

Black 6639-410
TA Green 6639-411
Orange 6639-412
White 6639-788

Fits 11.5 Gallon Short Tank

(B) '16 M 6000, 8000, M HCR 8000; '15 M 6000 SP; '14-'15 M SP, M HCR 8000

Black 6639-413
TA Green 6639-414
Orange 6639-415
White 6639-789

Fits Models w/Long Tank and Battery

(C) '15-'16 M 7000

(D) '12-'16 M, XF 8000, 9000 ES Models

Black 6639-845
Black 6639-873



MOUNTAIN SEAT

Application


'05-'09 M Series; '06-'11 CF; '09-'11 CFR

Color

Black

p/n

5639-600



Page 136

A. TUNNEL RACK

8" x 11 1/2" w

Application

'14-'16 ZR; '12-'16 M, '12-'15 XF; '13 F w/Flat Tunnel

Color

Black
TA Green
Orange
White

p/n

6639-733
6639-734
6639-735
6639-736

B. BILLET RACK

8" x 13" w

Application

'14-'16 ZR; '12-'16 M, XF; '13 F w/Flat Tunnel

Color

Black
Silver

p/n

5639-597
5639-598

C. M SERIES RACK

8 3/4" x 15" w

Application

'09-'11 M Series, M8 HCR

Color

Unpainted

p/n

4639-977



Page 136


RACK STRAP

Application

'14-'16 ZR; '12-'16 M, '12-'15 XF; '13 F w/Flat Tunnel; '09-'11 M Series, M8 HCR

p/n

4639-978



Page 137

AVALANCHE AIRBAGS

For technical assistance, contact BCA at 303-417-1345, ext. 0. Models with pressurized air cylinder require hazardous material shipping.

Description

Includes Pressurized Air Cylinder


	p/n
(A) Float 8 - Orange	7639-065
(B) Float Turbo 25 - Black	7639-066
(C) Float MtnPro - Black	7639-115

Includes Non-Pressurized Air Cylinder

(A) Float 8 - Orange	7639-067
(B) Float Turbo 25 - Black	7639-068
(C) Float MtnPro - Black	7639-116

Replacement Air Cylinder

Pressurized	1641-073
Non-Pressurized	1641-074




Page 137

AVALANCHE PROBES

Application

	p/n
(A) BCA Carbon 260	6639-409
(B) BCA Stealth 270	6639-444

BCA online resources



Page 137

AVALANCHE BEACONS

For technical assistance contact: BCA at 303-417-1345, ext. 0.

Application

	p/n
(A) BCA Tracker3 (457 kHz)	6639-406
(B) BCA Tracker2 (457 kHz)	5639-610

BCA online resources



Page 137

BACKCOUNTRY PRO KIT

Description

	p/n
Includes Ogio Cornice backpack, BCA Tracker3 Beacon, Dozer Shovel and Stealth 270 Probe	6639-772



Page 137

BACKCOUNTRY KIT

Description

	p/n
Includes BCA Stash 20 Backpack, B-1 EXT Shovel and Stealth 270 Probe	6639-771



Page 138

A. OGIO CORNICE

Application

	p/n
3.3 lbs., 37 Liter capacity, 24" height	6639-445

B. BCA STASH 20

Application

	p/n
1.8 lbs., 20 Liter capacity, 20" height	6639-825

Mountain Accessories



Page 138

HYDRATION PACK

Application
1 lb.

p/n
6639-446




Page 138

TOOL PACK

Application
1.4 lb.

p/n
5242-905



Page 138

SNOW SHOVELS

Description

- (A) BCA A-2 EXT w/Saw (Extendable Handle)
(B) BCA B-1 EXT (Extendable Handle)
(C) BCA Dozer EXT (Converts to Shovel or Hoe)

BCA online resources

p/n
5639-786
5639-770
6639-108




Page 138

POCKET SAW

Application
Saw with Pouch

p/n
4639-979



Page 139

VENTED SIDE PANELS

Description

'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '12-'13 F All Models

Side Panel Kit with Screens (Pair)


Black	5639-865
TA Green	6639-580
PC Green	5639-866
White	6639-084

Screen Set Only (Set of 7)

Side Panel Screens	5639-949
--------------------	----------

Replacement Screens (Each)

(A) Upper - RH	6606-470
(A) Upper - LH	6606-471
(B) Mid - LH	6606-485
(C) Lower, Rear - RH	6606-474
(C) Lower, Rear - LH	6606-475
(D) Lower, Front - RH	6606-472
(D) Lower, Front - LH	6606-473



Page 139

VENTED HOOD PANELS

Description	p/n
'14-'16 ZR; '12-'16 M, XF; '16 XF CT, XF CTK, BC 3000 LT; '12-'13 F All Models Hood Panel Kit with Screens (Pair)	
Black	5639-862
TA Green	6639-599
PC Green	5639-863
Orange	5639-864
White	5639-991
Screen Set Only (Pair)	
Hood Screens	5639-948
Replacement Screens (Each)	
Hood Screen - RH	6606-468
Hood Screen - LH	6606-469



Page 139

ICE SCRATCHERS

■NOTE: Ice Scratchers can be used on most Arctic Cat models. They must be mounted in a location that will not contact idler wheels or suspension arms. Mounting holes may need to be drilled in the rails.

Application	p/n
'12-'15 M, XF; '05-'11 M	5639-897
Replacement Components	
Wire - RH	1704-734
Wire - LH	1704-735
Mounting Hardware (Pair)	5639-941



Page 139

RAIL CAP WHEEL KIT


Application	p/n
'12-'14 M; '12-'15 XF; '05-'11 M	7639-174



Page 139

SWITCH GUARDS

Application	p/n
'14-'15 ZR; '12-'15 M, XF; '12-'13 F All Models	5639-580



Page 140

A. BAR RISERS

Application	p/n
'14-'16 ZR; '12-'16 M, XF; '12-'13 F w/Fixed Steering Post	
Black	
2.0"	6639-421
3.5"	6639-422
4.5"	5639-881
5.5"	5639-882
6.5"	5639-883
7.5"	5639-884
8.5"	5639-885
Unpainted	
2.0"	1605-086
3.0"	1605-063
3.5"	1605-112
4.5"	1605-035
5.5"	1605-073
6.5"	1605-034
7.5"	1605-070

■NOTE: When adding a riser 6.5" or taller, it is necessary to relocate cables. For instructions, please visit Cat Tracker Online.

B. HANDLEBAR RISERS

Application	p/n
'05-'11 M Series (Std); '06-'11 CF (Std)	
2" - Black	5639-777
3" - Black	5639-778

C. ANGLED HANDLEBAR RISERS

Application	p/n
'05-'11 M Series (Std); '06-'11 CF (Std)	
3" - Silver	5639-504



OFFSET RISERS

Application	Color	p/n
'09-'11 M Series; M8 HCR w/Telescopic Post	Black	5639-595



Page 140

MOUNTAIN HANDLEBAR

Application	p/n
'12-'16 M; '14-'15 XF CC, XF CT, XF HC; '12-'15 XF All Models	1705-506



Page 140

TELESCOPIC STEERING POST

■NOTE: Not available for CF5 - insufficient cable length.

Application	p/n
'16 M 6000, 8000; '14-'16 M 8000 HCR	6639-994
'15 M (Std) 6000; '14-'15 M (Std), XF 8000; '14-'16 ZR 6000, 8000;	6639-995
'12-'13 F, M (Std), XF 800	
'09-'11 M Series (Std), CF (Std)	5639-516



Page 140

VERTICAL STEERING POST KIT

Application	p/n
'14-'16 ZR 5000, 9000, '14-'15 M (Std), XF 9000; '12-'13 F, M (Std), XF 1100, 1100T	5639-945

■NOTE: Maximum riser height is 3.5"



Page 141

AMS A-ARM KITS

Application	p/n
'13-'15 M 38" Models	
36" White A-Arms, Black Spindles	7639-020
36" White A-Arms, TA Green Spindles	7639-021
36" White A-Arms, Orange Spindles	7639-022
36" White A-Arms, White Spindles	7639-023
'13-'15 M 38" Models	
36" Black A-Arms, Black Spindles	7639-161
36" Black A-Arms, TA Green Spindles	7639-162
36" Black A-Arms, Orange Spindles	7639-163
36" Black A-Arms, White Spindles	7639-164
'15 M 8000 HCR, XF HC 40" Models	
40" White A-Arms, TA Green Spindles	7639-025
40" White A-Arms, Orange Spindles	7639-026

Ski Stance Adjustment (36" Kits)

The '16 Pro Climb Ski has a wider saddle than the '12-'15 mountain ski. This provides a wider range of adjustability.

With '16 ProClimb Ski (6639-875, 6639-876)
Ski stance adjusts from 34.5"-38.5"

With '12-'15 mountain ski
Ski stance adjusts from 36"-37"

A



B



Page 140

HCR FIXED POST

Application	p/n
(A) '16 XF HC 6000, 8000; '15 M SP, XF HC 6000; '14-'15 M SP, XF HC 8000; '12-'13 M SP, M HCR, XF HC 800	6639-419
(B) '14-'16 ZR, '14-'15 M (Std), XF 8000; '12-'13 F, M (Std), XF 800	6639-420



7-TOOTH TRACK DRIVE KITS

Application

'15-'16 M 6000, 8000
'12-'13 M 800; '14 M 8000
'12-'13 M 1100T; '14 M 9000

p/n

6639-899
6639-898
0637-463



NARROW A-ARM KIT - 38"

Application

'12 M 40" Models (Excludes 800 HCR)

Color

Black 5639-938
PC Green 5639-939
White 5639-940

p/n



LIGHTWEIGHT FRONT AXLE KIT

Application

'05-'08 M

p/n

4639-995




MOUNTAIN STRAP

Application

'10-'11 Z1 Turbo EXT; '11 F8 EXT

p/n

5639-358



Page 141

SNOBUNJE PULLING TOOLS

Description

(A) Rattler (32" Long, 1.5 lbs)
(B) Cobra (52" Long, 2.5 lbs)
(C) Adapter Strap (60" Long)
(D) Slicktape 20 (20' Long)
(E) Cobra Adapter Strap (15" Long)

p/n

5639-639
5639-640
5639-642
5639-643
5639-641



TWO WHEEL KIT

Application

'08 M; '09-'11 CF
* '05-'07 M, '04 MC, '04-'06 KC
* Requires Spacer (p/n 1604-810)

p/n

4639-997

Utility



Page 142

GEAR BAG

Application
'16 BC 7000 XT

p/n
6639-885



Page 142

CARGO BOX

Application
'16 BC 7000 XT

p/n
6639-878



Page 142

BEARCAT GEAR BAG

Application
'15-'16 BC 2000 XT; '14-'15 BC XTE; '09-'15 BC XT
Replacement Hardware
Strap w/hook Pk/4

p/n
5639-049
0641-994



Page 142

HANDLEBAR BAG

Application
'16 BC 7000 XT, PTA 7000 XT Ltd

p/n
6639-887



Page 142

WINDSHIELD BAG

Application
'16 BC 7000 XT, PTA 7000 XT Ltd

p/n
6639-888



Page 143

TUNNEL PACK

Application
'15-'16 BC 2000 XT; '14-'15 BC XTE; '09-'15 BC XT
Replacement Hardware
Strap w/hook Pk/4

p/n
6606-252
0641-994



Page 143

TUNNEL FLARES

Application
'16 BC 7000 XT

p/n
6639-893



Page 143


CARGO BAG

Application

'16 BC 7000 XT

p/n

6639-886



Page 144

WINCH KIT

Application

'16 BC 7000 XT, PTA 7000 XT Ltd

p/n

6639-894

A



B



Page 143

THIRD SEAT

Application

(A)'16 BC 7000 XT

(B)'15-'16 BC 2000 XT; '09-'15 BC XT; '14-'15 BC XTE

p/n

6639-889

5639-063



Page 144

LIGHT BAR

Application

'16 BC 7000 XT

p/n

6639-905



Page 144

HEAVY-DUTY BUMPER

Application

'16 BC 7000 XT, PTA 7000 XT Ltd

p/n

6639-890



Page 144

SIDE BUMPERS

Application

'16 BC 7000 XT, BC 7000 XT GS, PTA 7000 XT Ltd

p/n

6639-891



Page 145

TRAIL GROOMER

Bearcat Z1 XT GS models have a standard radiator, groomer switches and outlet factory installed. All other '09-'15 Bearcat Z1 XT models require a Radiator Kit (page 47) and Groomer Harness Kit when pulling a Trail Groomer.

Description

Trail Groomer w/Mounting Plate & Ball

Application

'16 BC 7000 XT, BC 7000 XT GS

p/n

6639-895

'15 BC 5000 XT, BC 5000 XT GS; '09-'14 BC Z1 XT; '12-'14 BC Z1 XT GS

5639-891

Groomer Harness Kit*

'15 BC 5000 XT; '09-'14 BC Z1 XT

5639-876

Replacement Components

Hitch Plate w/Ball

'16 BC 7000 XT, BC 7000 XT GS

6639-896

'15 BC 5000 XT; '09-'14 BC Z1 XT

5639-931

Lift Actuator

5639-932

*Includes dash-mounted control switches, wiring harness, and rear outlet

B



BEARCAT HD SPRINGS

Recommended when hauling heavy loads or pulling a Trail Groomer.

Application

p/n

'15 BC 5000 XT, BC 5000 XT GS; '09-'14 BC Z1 XT; '12-'14 BC Z1 XT GS

Spring, RH

2704-556

Spring, LH

2704-557



Page 145

SKI SKINS

Fits 8" Saddleless Skis. 12" wide. Sold in pairs.

Application

p/n

'09-'15 BC XT; '14-'15 BC XTE; '15 BC 2000 LT; '09-'14 BC 570

5639-254



Page 145

PASSENGER HAND WARMERS

■NOTE: Not available for fan-cooled models - power output insufficient.

Application

p/n

'15 BC 5000 XT; '09-'14 BC Z1 XT

4639-970



Page 145

REAR RACK

Application

p/n

'16 BC 7000 XT

6639-892

A



B



Page 145

CARGO RACK

Application

p/n

(A) '16 BC 7000 XT

6639-880

(B) '15-'16 BC 2000 XT; '14-'15 BC XTE; '09-'15 BC XT

5639-062

A



B



SIDE RAILS

Application

p/n

'15-'16 BC 2000 XT; '14-'15 BC XTE

(A) Short

5639-060

(B) Long

5639-061

Replacement Strap, ea (5639-060)

0641-993

A



B



RECEIVER BUMPER

Application

p/n

'15-'16 BC 2000 XT; '14-'15 BC XTE

(A) Front

5639-338

(B) Rear

5639-339

A



B



A. PIVOT HITCH

Application

p/n

'15-'16 BC 2000 XT; '14-'15 BC XTE; '09-'15 BC XT

5639-387

B. HITCH

Pintle hitch not included. Accepts Pintle Hitch (p/n 4606-156)

Application

p/n

Receiver Bumper (p/n 5639-339)

5639-386



LOW RATIO GEAR SET

Application

'15 BC 5000 XT; '09-'14 BC Z1 XT

p/n

6639-190



TRANSPORT MOUNT

Application

'09-'15 BC Z1 XT

p/n

5639-457



RADIATOR KIT

Application

(A) '15 BC 5000 XT; '09-'14 BC Z1 XT (Under Seat)
(B) '15 BC 5000 XT; '09-'14 BC Z1 XT (Front)

p/n

4639-967
6639-180



WARN PORTABLE WINCH KIT

Application

Models With Standard Battery

p/n

6639-073

Replacement Components

Switch Assembly w/Harness
Power Lead, Battery
Power Lead, Extension
Hook Strap

1641-009
1641-010
1641-011
1641-012



RECEIVER WINCH

Application

(A) '09-'15 BC Z1 XT
(B) Winch Cover - Receiver Winch (5639-340)


p/n

5639-340
5639-459

Replacement Components

Fairlead, Roller
Mounting Pin w/Clip
Mounting Plate 2" Receiver
Solenoid
Switch, Handlebar

0441-403
0541-858
0641-256
0409-080
0641-249



WINCH STOW PLATE

Description

Portable Winch (6639-073)
Replacement Pin

p/n

6639-074
1641-013



REAR HARNESS

Application

'09-'15 BC Z1 XT

p/n

5639-456



BACKUP LIGHT KIT

Application

'15 BC 5000 XT; '09-'14 BC Z1 XT

p/n

5639-389



RACK MAT

Application

'15-'16 BC 2000 XT; '14-'15 BC XTE

p/n

5606-368



PASSENGER SEAT KIT

Includes seat assembly with backrest. Requires four mounting pins (0541-447).

Application

'15 BC 5000 XT GS; '12-'14 BC Z1 XT GS

p/n

4706-652



OVERLOAD SPRING KIT


Application

'09-'10 BC 570
'14-'16 BC XTE; '16-XF CT, BC 3000 LT

p/n

5639-106
6639-627

Tracks



Page 147

■NOTE: For more information on the 2016 Snow Exchange Program, see page 1.

MAXIMUM LUG HEIGHT

Model	Year	Height
CF	'09-'11	2.25"
	'06-'08	2.00"
F	'12-'13	2.25"
F Series	'07-'11	1.50"
FC (ACT)	'05-'06	1.70"
JR	'07-'08	1.50"
M Series	'08-'11	2.60"
M	'12-'16	3.00"
T570, TZ1	'08-'14	1.25"
XF	'12-'16	2.25"
ZR	'14-'16	2.25"
Z1	'09-'11	1.50"
136" Straight Tunnel Models		1.60"

2016 TRACK APPLICATION

Model	Year	Single-Ply	2-Ply
BC 2000 LT	'15-'16	2602-314	
BC 2000 XT, 2000 XTE	'15-'16	2602-639	
BC 3000 LT	'16		2602-512
BC 7000 XT, 7000 XT GS	'16	2602-639	
Lynx 2000	'15-'16		2602-096
Lynx 2000 LT	'15-'16		2602-100
PTA 3000	'16		2602-521
PTA 7000, 7000 LTD	'15-'16		2602-512
PTA 7000 XT LTD	'16	2602-639	
XF 7000 CT	'16		2602-512
XF 6000, 7000, 8000, 9000 CTK	'16		2602-909
XF 6000, 7000, 8000, 9000 HC	'14-'16	2602-166	
ZR 4000 LXR	'15-'16		2602-575
ZR 4000 RR	'15-'16		2602-491
ZR 5000 LXR	'14-'16		2602-575
ZR 6000, 7000, 8000, 9000 LXR, SP (129 in.)	'14-'16		2602-576
ZR 6000, 7000, 8000, 9000 LXR, SP (137 in.)	'16		2602-627
ZR 6000, 7000, 8000, 9000 RR (129 in.)	'14-'16		2602-576

2009-2015 TRACK APPLICATION

Model	Year	Single-Ply	2-Ply
BC 570	'10-'14	2602-314	
	'09		2602-163
BC 570 XT, Z1 XT	'14	2602-639	
	'11-'13	2602-358	
	'09-'10		1602-869
BC 5000 XT, 5000 XT GS	'15	2602-639	
BC Z1 XT GS	'14	2602-639	
	'12-'13		1602-869
CFR	'09-'11	2602-169	
CF SP	'09-'11	2602-170	
CFR	'09-'11		2602-047
F570	'14		2602-096
F5	'14		2602-019
F 800, 1100 LXR	'13		2602-575
F 1100T LXR	'13		2602-576
F 800, 1100, 1100T SP	'13		2602-576
F 800, 1100 LXR	'12		2602-019
F 1100T LXR	'12		2602-046
F 800, 1100, 1100T SP	'12		2602-046
F Series (Std), LXR	'09-'13		2602-019
F Series SP	'10-'11		2602-046
	'09	2602-255	
F8 EXT, Z1 Turbo EXT	'10-'11		2602-163
SP 500	'14		2602-162
	'11-'13		2602-019
	'10	2602-255	
T570, TZ1 Touring	'09-'14		2602-101
TZ1 Turbo Touring	'09-'14		2602-163
XF 6000, 7000, 8000, 9000 LXR, SP (137 in.)	'14-'15		2602-627
XF 6000, 7000, 8000, 9000 CC (141 in.)	'14-'15	2602-170	
XF 6000, 7000, 8000, 9000 CT	'14-'15	2602-169	
XF 800, 1100, 1100T LXR	'12-'13	2602-169	
XF 800, 1100, 1100T SP	'12-'13	2602-170	
XF 800, 1100T HC	'12-'13	2602-166	
XF 800, 1100, 1100T CT	'13	2602-169	
Z1 (Std), LXR	'09-'11		2602-019
Z1 Turbo (Std)	'09-'10		2602-019
Z1 Turbo LXR	'10-'11		2602-046
	'09	2602-255	
Z1 Turbo SP	'10-'11		2602-046
	'09	2602-255	

TRACKS

Tracks listed are required for use on 2007 and newer models with ACT drive and reverse but will also fit older models. All tracks listed feature an "All Open" window configuration with 2-ply construction unless noted. Pitch is measured at center of rods.

PERFORMANCE (2.52 P)

p/n	Dimensions (Studs)	Style	Duro	Weight	Clips
*1602-756	121" x .850"	A (Every 3rd Window Closed) ('03-'06 only)	60	34	Every 3rd
*1602-976	15" x 121" x 1.00"	Hacksaw	80/70	33	Every 3rd
*2602-268	15" x 121" x 1.352"	Cobra (Single-Ply)***	80	32	Every 2nd
*2602-002	15" x 121" x 1.25"	Ripsaw	80/70	36	Every 3rd
*2602-047	14" x 128" x 1.00"	Hacksaw	80/70	34	Every 3rd
*2602-019	15" x 128" x 1.00"	Hacksaw	80/70	36	Every 3rd
*2602-162	15" x 128" x 1.352"	Cobra***	80	37	Every 2nd
*2602-255	15" x 128" x 1.352"	Cobra (Single-Ply)***	80	34	Every 3rd
*2602-046	15" x 128" x 1.25"	Ripsaw	80/70	41	Every 3rd
*2602-835	15" x 128" x 1.50"	Ripsaw	80/70	42	Every 3rd
*1602-997	15" x 136" x 1.25"	Ripsaw	80/70	42	Every 3rd

PERFORMANCE (2.86 P)

*2602-575	15" x 129" x 1.00"	Ripsaw II	80/70	34	Every 2nd
2602-503	15" x 129" x 1.00"	Ripsaw II	80/70	34	Every 2nd
*2602-576	15" x 129" x 1.25"	Ripsaw	80/70	40	Every 2nd
2602-474	15" x 129" x 1.25"	Ripsaw	80/70	40	Every 2nd
2602-490	15" x 129" x 1.25"	Ripsaw II	80/70	40	Every 2nd
2602-861	15" x 129" x 1.60"	Cobra****	80/70	40	Every Other
2602-491	15" x 129" x 1.352"	Cobra***	80/70	36	Every 2nd
2602-485	15" x 129" x 1.70"	Sno Pro*****	80/70	42	Every 2nd
*2602-627	15" x 137" x 1.25"	Ripsaw II	80/70	42	Every 2nd
*2602-628	15" x 137" x 1.50"	Ripsaw	80/70	44	Every 2nd
2602-909	15" x 137" x 1.60"	Cobra****	80/70	40	Every Other
2602-669	15" x 137" x 1.75"	Backcountry X	80/70	45	Every 2nd

TOURING

2602-528	15" x 136" x 1.00"	Hacksaw 2.52 P	80/70	37	Every 3rd
*2602-101	15" x 144" x 1.00"	Hacksaw 2.52 P	80/70	40	Every 3rd
*2602-163	15" x 144" x 1.352"	Cobra 2.52 P	80	41	Every 2nd
*2602-350	15" x 144" x 1.50"	Crossover 2.52 P (Single-Ply)	80	47	Every 3rd
2602-521	15" x 146" x 1.00"	Ripsaw II 2.86 P	80/70	42	Every Other
*2602-512	15" x 146" x 1.25"	Ripsaw 2.86 P	80/70		

MOUNTAIN (3.0 P)

2602-169	15" x 141" x 1.352"	Cobra (Single-Ply)***	80	38	Every 2nd
2602-170	15" x 141" x 1.60"	Cobra (Single-Ply)	80	40	Every 2nd
2602-166	15" x 141" x 2.25"	Power Claw (Single-Ply)	80	44	Every 2nd
2602-893	15" x 141" x 2.60"	Power Claw (Single-Ply)	80	45	Every Other
2602-167	15" x 153" x 2.25"	Power Claw (Single-Ply)	80	48	Every 2nd
2602-399	15" x 153" x 2.25"	Power Claw (Single-Ply)	85	48	Every 2nd
2602-481	15" x 153" x 2.60"	Power Claw (Single-Ply)	80	56	Every 2nd
2602-482	15" x 153" x 2.60"	Power Claw (Single-Ply)	85	56	Every 2nd
2602-856	15" x 153" x 3.00"	Power Claw (Single-Ply)†	80	54	Every 2nd
2602-168	15" x 162" x 2.25"	Power Claw (Single-Ply)	80	50	Every 2nd
2602-438	15" x 162" x 2.25"	Power Claw (Single-Ply)	85	50	Every 2nd
2602-483	15" x 162" x 2.60"	Power Claw (Single-Ply)	80	58	Every 2nd
2602-484	15" x 162" x 2.60"	Power Claw (Single-Ply)	85	58	Every 2nd
2602-857	15" x 162" x 3.00"	Power Claw (Single-Ply)†	80	56	Every 2nd

UTILITY (2.52 P)

2602-314	15" x 151" x 1.25"	Ripsaw (Single-Ply)	80	45	Every 3rd
0602-962	20" x 156" x 1.00"		60	63	Fully Clipped
1602-869	20" x 156" x 1.25"		80	67	Fully Clipped

UTILITY (2.86 P)

2602-358	20" x 154" x 1.375" (Single-Ply)		80/70	58	Every 3rd
2602-639	20" x 154" x 1.375" Utility (Single-Ply)		80/70	58	Every 3rd

ICE TECH SERIES (2.52 P)**

2602-376	15" x 128" x 1.25" (272) (Single-Ply)	ICE Ripper	70	42	Every 3rd
----------	---------------------------------------	------------	----	----	-----------

ICE TECH SERIES (2.86 P)**

2602-598	15" x 129" x 1.25" (240)	ICE Ripper	80/70	42	Every 2nd
2602-672	15" x 137" x 1.22" (256)	ICE Attack XT (Single-Ply)	70	42	Every 2nd

13.5" TRACKS (2.52 P) (2006 and prior only)

*1602-502	128" x 1.00"	B (Every 3rd Window Closed)	80/60	33	Every 3rd
*1602-503	128" x 1.375"	B	80/60	39	Fully Clipped Every Other
1602-657	128" x 1.70"			80	
1602-750	144" x 1.25"	A	80/60	34	Every 3rd

MISC. TRACKS

2602-476	120 (10" x .688")				
0602-927	Kitty Cat				

* ACT Quiet Tracks are for use on '03 and newer models only.

** To protect the tunnel from possible stud damage, Tunnel Protector Kit (page 58) should be installed on models not equipped.

*** Cobra 1.352" tracks have a standard lug height of 1.25". The overall lug height including the extended "towers" is 1.352".

**** Cobra 1.60" tracks have a standard lug height of 1.50". The overall lug height including the extended "towers" is 1.60".

***** Can be installed on '14-'16 ZR; '13 F models but should not be studded. The track will contact the tunnel protectors.

† 3.00" tracks are for use on '12 and newer M models. Requires 7-tooth track drive kit (see page 43).

■NOTE: A Rail Cap Wheel Kit (7639-174) is recommended for '12-'14 M models when lowering the skid frame for a 2.60" or taller track.

■NOTE: When installing a 2.60" or taller track on '12 M models, it is necessary to lower the skid frame which will require drilling the front mounting holes. A template is available on Cat Quest (Solution #K68201226).

Wearbars

Page 149

Ski Applications					
	A	B	C	D	E
Single Runner Wearbars	'16 ProCross, ProClimb '06-'15 Saddleless Skis '03-'06 FC, SC '02-'06 ZR	ZR-Style, Parabolic, Deep Snow, Universal Plastic Ski	Blow-Molded Plastic Ski	SLP Powder Pro, Mohawk	C&A Pro Razor, BX, MTX
7/16" Diameter Round Host Bar (Pair)	p/n	p/n	p/n	p/n	p/n
Hardweld Wearbar (No Carbide Inserts)	3639-309	0639-198	1639-744	6639-928	6639-851
4" Carbide With Hardweld			1639-527		6639-852
6" Carbide With Hardweld			1639-528		
1/2" Diameter Round Host Bar (Pair)					
4" Carbide With Hardweld	3639-310	3639-978		3639-420	
6" Carbide With Hardweld	3639-311	1639-521		3639-421	5639-604
8" Carbide With Hardweld	3639-312	0639-378			5639-605
10" Carbide With Hardweld	3639-313				
5/8" Diameter Round Host Bar (Pair)					
8" Carbide With Hardweld	3639-314				
10" Carbide With Hardweld	3639-315				5639-606
10" Competition Carbide	3639-318				
Ace™ Wearbars (Pair)					
6" Carbide	6639-850				
8" Carbide	6639-799				
Shaper Wearbars					
4.5" Carbide (Pair)	4639-949				
6" Carbide (Pair)	4639-950				
7.5" Carbide (Pair)					4639-952
9" Carbide (Pair)	4639-951				4639-953

■NOTE: The accessory Saddleless Ski wearbars listed use a 4-bolt stud pattern. When using accessory wearbars on Saddleless Skis with a 3-bolt stud pattern, it will be necessary to drill another mounting hole in the ski.

Dual Wearbars	'16 ProCross, ProClimb '06-'15 Saddleless, '03-'06 FC, SC '02-'06 ZR	'16 Bearcat ProUte	ZR-Style, Parabolic, Universal Plastic Ski
Staggered Wearbars (Each)			
4-in. carbide (RH) 3-bolt (Standard)	2703-598	3703-568	
4-in. carbide (LH) 3-bolt (Standard)	2703-599	3703-569	
4-in. carbide (RH) 3-bolt (Aggressive)	2603-988		
4-in. carbide (LH) 3-bolt (Aggressive)	2603-989		
4-in. Carbide (RH) 4-Bolt (Aggressive)	2603-930		
4-in. Carbide (LH) 4-Bolt (Aggressive)	2603-931		
Dooly™ Twin Carbide Wearbars (Each)			
Hardweld Wearbar	5639-879		
4-in. Carbide With Hardweld	3639-343		3639-346
6-in. Carbide With Hardweld	3639-344	7639-149	3639-347
8-in. Carbide With Hardweld	3639-345		3639-348
Deuce™ Twin Carbide Wearbars (Each)			
4.5-in. Carbide With Hardweld	5639-251		
6-in. Carbide With Hardweld	5639-252		
9-in. Carbide With Hardweld	5639-253		

Steel Ski Wearbars	AFS (4-Bolt)	AWS (3-Bolt)
7/16" Diameter Round Host Bar (Pair)		
Hardweld Wearbar		1639-784
4" Carbide With Hardweld	0638-399	4639-013
6" Carbide With Hardweld	0638-520	

Bulk Pack Wearbars

Our most popular 4", 6", and 8" accessory carbide wearbars are available in bulk packaging, 10 pairs with nuts to a box. These are the same wearbars that we offer in Arctic Cat packaging.

Description	p/n
'16 ProCross, ProClimb; '06-'15 Saddleless Skis; '03-'06 FC, SC; '02-'06 ZR	
10 Pairs 3639-310 - 4" Carbide With Hardweld	2639-184
10 Pairs 3639-311 - 6" Carbide With Hardweld	2639-185
10 Pairs 3639-312 - 8" Carbide With Hardweld	2639-186
ZR Style, Parabolic, and Deep Snow Plastic Skis	
10 Pairs 3639-978 - 4" Carbide With Hardweld	3639-979
10 Pairs 1639-521 - 6" Carbide With Hardweld	2639-189

Stud Quantity/Inches of Turning Carbide

Sled	Trail	Performance
50-75 HP	48/4 in.	48/6 in.
75-125 HP	102/6 in.	153/8 in.
125-150 HP	153/8 in.	153/10 in.
150-180 HP	153/8 in.	153/10 in.



STEEL SKI WEARBAR APPLICATIONS

Application	Year	4" Carbide With Hard-weld p/n	6" Carbide With Hard-weld p/n
AFS	'91 & older	0638-399	0638-520
BC 340	'95-'99	0638-399	0638-520
BC 440	'95-'98	0638-399	0638-520
BC 550	'95-'97	0638-399	0638-520
Cheetah Touring	'86-'91	0638-399	0638-520
	'92-'93	4639-013	
Cheetah	'94	4639-013	
Cougar	'86-'91	0638-399	0638-520
Cougar, Cougar MC	'92-'97	4639-013	
El Tigre	'86-'89	0638-399	0638-520
EXT, EXT MC	'89-'91	0638-399	0638-520
	'92-'97	4639-013	
EXT Special	'91	4639-013	
	'92	0638-399	0638-520
EXT MC	'94-'96	0638-399	0638-520
EXT 580 Z	'93	0638-399	0638-520
EXT 600	'97-'98	4639-013	
Jag, Jag Deluxe	'92-'97	4639-013	
Jag AFS	'89-'91	0638-399	0638-520
Jag AFS LT	'90-'91	0638-399	0638-520
Jag Special	'91	4639-013	
	'92	0638-399	0638-520
Jag Z	'93-'94	0638-399	0638-520
Lynx	'91	0638-399	0638-520
	'92-'93	4639-013	
PTA	'86-'90	0638-399	0638-520
	'91-'96	4639-013	
PA	'90-'91	0638-399	0638-520
	'92-'99	4639-013	
Prowler, Prowler MC	'90	0638-399	0638-520
	'91-'95	4639-013	
Prowler Special	'91	4639-013	
	'92	0638-399	0638-520
Puma, Deluxe, 2-Up	'94-'97	4639-013	
TC	'93-'96	4639-013	
TC MC	'94-'95	4639-013	
WC, WC MC	(AFS) '91-'92	4639-013	
	(AWS) '92-'94	0638-399	0638-520
	'95-'96	4639-013	
Z 440	'95-'96	0638-399	0638-520
ZR 440	'93-'94	0638-399	0638-520
ZR 580, 700 (Steel Ski)	'93-'96	0638-399	0638-520

4 Bolt Wearbar; 0638-399, 0638-520

3 Bolt Wearbar; 4639-013

HARDWELD WEARBARS

Application	Year	p/n
4-Stroke Trail	'02	1639-744
4-Stroke Touring	'02	1639-744
	'97-'01	0639-198
BC 340	'00	1639-744
	'95-'99	1639-784
BC 440	'99-'00	0639-198
	'97-'98	1639-784
BC 550	'98-'02	0639-198
Cheetah Touring	'92-'93	1639-784
Cheetah 340, 440, 550	'94	1639-784
Cougar, Cougar 2-Up	'92-'98	1639-784
Cougar Dlx	'98	0639-198
EXT	'91-'98	1639-784
EXT Dlx	'98	0639-198
EXT Special	'91	1639-784
EXT 600	'97-'98	1639-784
EXT 600 Touring	'98	0639-198
FC	'03	3639-309
Jag	'92-'99	1639-784
Jag AFS L/T	'92-'93	1639-784
Jag Liquid	'96	1639-784
Jag Special	'91	1639-784
Lynx	'92-'93	1639-784
MC	'01-'04	0639-198
PTA 550	'02-'03	1639-744
PTA 660	'02-'03	0639-198
PTA 800	'02	0639-198
PTA	'91-'01	0639-198
	'91-'96	1639-784
PA	'00-'05	1639-744
	'92-'99	1639-784
PE	'97-'98	0639-198
PS	'96-'00	0639-198
Prowler	'91-'95	1639-784
	'90	1639-784
	'91	1639-784
Prowler Special	'94-'97	1639-784
Puma	'97-'02	0639-198
TC	'93-'95	1639-784
	'95-'96	1639-784
WC	'91	1639-784
	'91-'92	1639-784
WC EFI (AFS)	'99-'05	1639-744
Z 370	'00-'02	1639-744
Z 440	'97-'99	0639-198
	'02-'05	1639-744
Z 570	'97-'03	0639-198
ZL	'97-'01	0639-198
ZR	'96-'99	0639-198
ZR 440	'96-'99	0639-198
ZRT	'96-'02	0639-198

Traction & Control

2016 TRACK LUG HEIGHTS AND RECOMMENDED STUD LENGTH

Model	Track Length/Lugs	Woody's Stud Length	Stud Boy Stud Length	Model	Track Length/Lugs	Woody's Stud Length	Stud Boy Stud Length
Single-Ply Tracks				2-Ply Tracks			
BC 2000 LT	151" x 1.250"	1.325	1.375	BC 3000 LT	146" x 1.250"	1.325	1.375
BC 2000 XT, 2000 XTE	154" x 1.375"	1.450	1.500	Lynx 2000	128" x 1.000"	1.075	1.080
BC 7000 XT, 7000 XT GS	154" x 1.375"	1.450	1.500	Lynx 2000 LT	144" x 1.000"	1.075	1.080
PTA 7000 XT Ltd	154" x 1.375"	1.450	1.500	PTA 3000	146" x 1.000"	1.075	1.080
				PTA 7000, 7000 Ltd	146" x 1.250"	1.325	1.375
				XF 7000 CT	146" x 1.250"	1.325	1.375
				XF CTK	137" x 1.600"	1.575	
				ZR 4000 LXR	129" x 1.000"	1.075	1.080
				ZR 4000 RR	129" x 1.352"	*1.325	*1.375
				ZR 5000 LXR	129" x 1.000"	1.075	1.080
				ZR 6/7/8/9000 LXR, SP, RR	129" x 1.250"	1.325	1.375
				ZR 6/7/8/9000 LXR, SP	137" x 1.250"	1.325	1.375

* Cobra 1.352" tracks have a standard lug height of 1.25". The overall lug height including the extended "towers" is 1.352". Because the "towers" will flex, Cobra 1.352" tracks use the same length studs as a 1.25" track

** Cobra 1.60" tracks have a standard lug height of 1.50". The overall lug height including the extended "towers" is 1.60"

CAUTION

- To protect the tunnel from possible damage from the studs, install a Tunnel Protector Kit (see page 58) on models not so equipped. Do not use longer than recommended studs. Use only Arctic Cat approved Stud Templates shown on page 57.
- For Stud Length 1.325" and longer, we recommend the use of a Big Nut or Power Tower Support Nut.
- A short snowflap is required when installing studs on '07-'09 F Series, JR, Z1, and '11 CF (see page 58).

Single-Ply Track Application

■NOTE: '09-'16 Track applications shown on page 49.

⚠ WARNING

When installing studs on a single-ply track, it is important to use Arctic Cat-approved studs (proper head diameter). If approved studs (proper head diameter) are not used, studs could tear free of the track causing possible injury or even death.

■NOTE: A Rear Wheel Kit is recommended when installing studs on '12-'13 F; '12-'15 XF; '14-'16 ZR Models (See page 33).

Woody's

Page 150

GRAND MASTER™ TRACTION KITS

60° Carbide Tip, 5/16" Thread, 1.20" Head.

Application	Qty	p/n
'13-'15 XF CT; '12-'13 XF LXR 141" x 1.352" 3.0 P		
1.325" Studs	94/Pk	5639-144
'14-'15 XF CC; '12-'13 XF SP 141" x 1.60" 3.0 P		
1.575" Studs	94/Pk	6639-198
'11-'16 BC XT 154" x 1.375" 2.86 P		
1.450" Studs	108/Pk	5639-626
'09 F SP, Z1 Turbo LXR, SP; '10 SP 500 128" x 1.25"		
1.325" Studs	102/Pk	5639-230
1.325" Studs	153/Pk	5639-231

WOODY'S TORQUE SPECIFICATION

Grand Master	30 ft. lbs.
Gold Digger Traction Master	15 ft. lbs.
Signature Series	15 ft. lbs.

Torque should be checked after each ride.

GRAND MASTER™ STUDS

60° Carbide Tip, 5/16" Thread, 1.20" Head.

Description	Qty	p/n
1.325" With Big Nut	500/Pk	5639-426
1.575" with Big Nut	500/Pk	6639-492

GRAND MASTER™ SUPPORT PLATES

Description	Qty	p/n
Single, Square 1.50"	500/Pk	5639-427
Double	51/Pk	5639-486

2-Ply Track Application



Page 151

GOLD DIGGER® TRACTION MASTER®

60° Carbide Tip, 5/16" Threads, 1" Head. Support Plates sold separately.

Description	Qty	p/n
1.075 Stud With Nyloc Nut	90/Pk	6639-125
	96/Pk	6639-486
	102/Pk	3639-067
	135/Pk	6639-126
	144/Pk	6639-487
	153/Pk	4639-748
	1000/Pk	1639-118
1.175 Stud With Nyloc Nut	90/Pk	6639-127
	96/Pk	6639-488
	102/Pk	3639-069
	135/Pk	6639-128
	144/Pk	6639-489
	153/Pk	4639-749
	1000/Pk	1639-958
1.325 Stud With Big Nut	90/Pk	6639-129
	96/Pk	6639-490
	102/Pk	3639-362
	135/Pk	6639-130
	144/Pk	6639-491
	153/Pk	4639-750
	1000/Pk	1639-519
1.450 Stud With Big Nut	102/Pk	5639-913
	153/Pk	5639-914
	1000/Pk	5639-915
1.575 Stud With Big Nut	96/Pk	7639-071
	144/Pk	7639-072

Page 151

SIGNATURE SERIES STAINLESS STEEL

60° Carbide Tip, 5/16" Threads, 15/16" Head. Support Plates sold separately.


Description	Qty	p/n
1.075 Stud With Nyloc Nut	90/Pk	6639-119
	96/Pk	6639-480
	102/Pk	3639-915
	135/Pk	6639-120
	144/Pk	6639-481
	153/Pk	4639-739
	1000/Pk	3639-917
1.175 Stud With Nyloc Nut	90/Pk	6639-121
	96/Pk	6639-482
	102/Pk	3639-919
	135/Pk	6639-122
	144/Pk	6639-483
	153/Pk	4639-740
	1000/Pk	3639-921
1.325 Stud With Big Nut	90/Pk	6639-123
	96/Pk	6639-484
	102/Pk	3639-923
	135/Pk	6639-124
	144/Pk	6639-485
	153/Pk	4639-741
	1000/Pk	3639-925
1.450 Stud With Big Nut	102/Pk	3639-927
	153/Pk	4639-742
	1000/Pk	3639-929

Page 150

SIGNATURE SERIES TRACTION KITS

Includes Signature Series Studs, Support Plates, Standard or Big Nuts, Template, Drill, and Track Marker.


Application	Qty	p/n
'14-'16 ZR LXR (Excludes 5000), ZR SP, ZR RR; '13 F SP		
129" x 1.25" 2.86 P		
1.325" Studs, Square Plates	90/Pk	6639-133
1.325" Studs, Square Plates	135/Pk	6639-134
1.325" Studs, Round Plates	90/Pk	6639-858
1.325" Studs, Round Plates	135/Pk	6639-859
'16 ZR LXR, SP; '14-'15 XF LXR, XF SP		
137" x 1.25" 2.86 P		
1.325" Studs, Square Plates	96/Pk	6639-454
1.325" Studs, Square Plates	144/Pk	6639-455
1.325" Studs, Round Plates	96/Pk	6639-856
1.325" Studs, Round Plates	144/Pk	6639-857
'15-'16 ZR 4000; '14-'16 ZR 5000 LXR; '13 F 800 LXR, F 1100 LXR		
129" x 1.00" 2.86 P		
1.075" Studs, Square Plates	90/Pk	6639-131
1.075" Studs, Square Plates	135/Pk	6639-132
1.075" Studs, Round Plates	90/Pk	6639-860
1.075" Studs, Round Plates	135/Pk	6639-861
'16 XF CTK		
137" x 1.60" 2.86 P		
1.575" Traction Master Studs, Round Plates	96/Pk	7639-069
1.575" Traction Master Studs, Round Plates	144/Pk	7639-070
'14 SP 500; '12 F 800 SP, 1100 SP, 1100T LXR, SP; '10-'11 F SP, Z1 Turbo LXR, SP		
128" x 1.25" 2.52 P		
1.325" Studs, Square Plates	102/Pk	5639-781
1.325" Studs, Square Plates	153/Pk	5639-782
'12 F 800, 1100 LXR; '07-'11 F; '09-'11 CFR, Z1, Z1 Turbo; '11-'13 SP 500		
128" x 1.00" 2.52 P		
1.075" Studs, Square Plates	102/Pk	4639-550
1.075" Studs, Square Plates	153/Pk	4639-551
'14 ZR 6000 R; '11-'13 SP 600 SX		
129" x 1.70" 2.86 P		
1.860" Studs, Square Plates	90/Pk	5639-637



Page 151

DIGGER SUPPORT PLATES

Description	Color	Qty	p/n
1.250" Square	Unpainted	90/Pk	6639-164
		96/Pk	6639-497
		102/Pk	3639-093
		135/Pk	6639-165
		144/Pk	6639-498
		153/Pk	4639-752
		1000/Pk	0639-907
1.250" Square	Black	90/Pk	6639-168
		96/Pk	6639-501
		102/Pk	4639-257
		135/Pk	6639-169
		144/Pk	6639-502
		153/Pk	4639-753
		1000/Pk	4639-259
1.250" Square	Green	90/Pk	6639-170
		96/Pk	6639-503
		102/Pk	3639-388
		135/Pk	6639-171
		144/Pk	6639-504
		153/Pk	4639-754
		1000/Pk	2639-857
1.250" Square	Orange	90/Pk	6639-172
		96/Pk	6639-505
		102/Pk	3639-390
		135/Pk	6639-173
		144/Pk	6639-506
		153/Pk	4639-755
		1000/Pk	2639-861
1.375" Round	Unpainted	90/Pk	6639-166
		96/Pk	6639-499
		102/Pk	3639-091
		135/Pk	6639-167
		144/Pk	6639-500
		153/Pk	4639-751
		1000/Pk	3639-005
1.375" Round	Black	90/Pk	6639-552
		96/Pk	6639-553
		102/Pk	6639-554
		135/Pk	6639-555
		144/Pk	6639-556
		153/Pk	6639-557
		1000/Pk	6639-558
1.375" Round	Green	90/Pk	6639-559
		96/Pk	6639-560
		102/Pk	6639-561
		135/Pk	6639-562
		144/Pk	6639-563
		153/Pk	6639-564
		1000/Pk	6639-565
1.375" Round	Orange	90/Pk	6639-566
		96/Pk	6639-567
		102/Pk	6639-568
		135/Pk	6639-569
		144/Pk	6639-570
		153/Pk	6639-571
		1000/Pk	6639-572



Page 151

DOUBLE DIGGER™ SUPPORT PLATES

Description	Qty	p/n
5/16"	12/Pk	2639-134
	48/Pk	2639-135

Woody's Limited Warranty

International Engineering & Manufacturing, Inc. warrants each product manufactured by it to be free from defects in material and workmanship under use for the purpose for which it is intended. The Company shall not be liable for damage or delays caused by defective materials or workmanship; is limited to the repair or replacement at its factory of defective article or part thereof, which may be returned to the factory, transportation charges, prepaid within one (1) year after delivery to the original purchaser. Proof of purchase is also required. The Company shall be the sole judge of the existence of any defect in the article so returned. No claims for charges incurred in the removal, disassembly or reinstallation of such article shall be allowed. Product manufactured for consumer use on snowmobiles is designed for snow or ice only, use on any other surface voids warranty.

This Warranty shall not cover any article which has been misused or neglected or damaged by accident or any article which has been altered outside the Company's factory. The Warranty for studs is void unless the studs are installed with Woody's installation tools, support plates and lock nuts; according to the recommendations set forth in Woody's Instructions and Template Patterns. This Warranty does not cover bending, chipping, flaking or carbide pin breakage or pin loss from stud wear, stud replacement labor or shipping.

The Company shall, in no event be liable for consequential damage or contingent liability arising out of any total or partial failure to function of any article manufactured by it or of any equipment on or in which it is used. Failure of a user to give notice to claim as to defect claimed under the provisions of the Warranty within one (1) year after delivery to original use, such claim shall constitute a waiver by consumer of all claims with respect to goods and equipment.

No express, implied, or statutory warranty other than that herein set forth is made or authorized to be made by the Company. All returned warranties will not be accepted without a return authorization number.

Call our customer service department for a Return Authorization Number. This number must be visible on the outside of the box. The product must be inspected by a Woody's technician to determine if the product is defective due to material, quality or workmanship before a final warranty determination is made. Proof of purchase is required. All returns to the manufacturer are for exchange only.



Page 151

BIG NUT

Recommended when using studs 1.325" and longer.

Description	Qty	p/n
Short - 1.325" Studs	90/Pk	6639-160
	96/Pk	6639-509
	102/Pk	4639-736
	135/Pk	6639-161
	144/Pk	6639-510
	153/Pk	4639-737
	1000/Pk	4639-738
Tall - 1.450" and longer Studs	90/Pk	6639-162
	96/Pk	6639-511
	102/Pk	4639-794
	135/Pk	6639-163
	144/Pk	6639-512
	153/Pk	4639-795
	1000/Pk	4639-796



STUD BOY TORQUE RECOMMENDATION

Tighten the stud assembly until the stud and backer plate bottom out against each other. Be careful not to over-tighten the lock nut. This will strip the threads. Studs should be checked after each ride.

2-Ply Track Application

Page 151

POWER POINT™ TRACTION KITS

Application	Qty	p/n
'14-'16 ZR LXR (Excludes 5000), ZR SP, ZR RR; '13 F SP 129" x 1.25" 2.86 P		
1.375" Studs	90/Pk	6639-141
1.375" Studs	135/Pk	6639-142
'16 ZR LXR, SP; '14-'15 XF LXR, XF SP 137" x 1.25" 2.86 P		
1.375" Studs	96/Pk	6639-458
1.375" Studs	144/Pk	6639-459
'15-'16 ZR 4000; '14-'16 ZR 5000 LXR; '13 F 800 LXR, F 1100 LXR 129" x 1.00" 2.86 P		
1.080" Studs	90/Pk	6639-139
1.080" Studs	135/Pk	6639-140
'14 SP 500; '12 F 800 SP, 1100 SP, 1100T LXR, SP; '10-'11 F SP, Z1 Turbo LXR, SP 128" x 1.25" 2.52 P		
1.375" Studs	102/Pk	5639-783
1.375" Studs	153/Pk	5639-784
'15-'16 Lynx 2000 LT; '08-'14 T570, TZ1, TZ1 LXR 144" x 1.00" 2.52 P		
1.080" Studs	114/Pk	5639-146
'14 ZR 6000 R; '11-'13 SP 600 SX 129"x 1.70" 2.86 P		
1.875" Studs	90/Pk	5639-636



Page 151

POWER POINT™

60° Carbide Tip, 5/16" Thread, 1" Head. Support Plates sold separately.


Description	Qty	p/n
1.080 With Nyloc Nut	90/Pk	6639-135
	96/Pk	6639-493
	102/Pk	5639-072
	135/Pk	6639-136
	144/Pk	6639-494
	153/Pk	5639-073
1.375 With Nyloc Nut	90/Pk	6639-137
	96/Pk	6639-495
	102/Pk	5639-078
	135/Pk	6639-138
	144/Pk	6639-496
	153/Pk	5639-079
1.500 With Nyloc Nut	102/Pk	5639-081
	153/Pk	5639-082



Page 151

POWER PLATE™ BACKERS

Description	Qty	p/n
1.270"	90/Pk	6639-174
	96/Pk	6639-507
	102/Pk	5639-093
	135/Pk	6639-175
	144/Pk	6639-508
	153/Pk	5639-094
	1000/Pk	5639-095



Page 151


POWER TOWER SUPPORT NUTS

Recommended when using studs 1.375" and longer.

Description	Qty	p/n
.750"	90/Pk	6639-176
	96/Pk	6639-513
	102/Pk	5639-096
	135/Pk	6639-177
	144/Pk	6639-514
	153/Pk	5639-097
	1000/Pk	5639-098

Stud Boy Limited Warranty

Liberty Products, Inc. warrants each product manufactured by it to be free of defects in workmanship and material while used for the purpose for which it is designed. Liberty Products, Inc. shall not be liable for damages or delays as a result of defects caused by defective workmanship or materials. Warranty is limited to the repair or replacement at Liberty Products of any defective part or product, within one (1) year of the delivery to the original purchaser, proof of purchase must accompany the product returned (freight prepaid). Liberty Products, Inc. shall be the sole judge of any defect, which might be claimed on the returned product. No other charges may be claimed in conjunction with the removal, reinstallation of such product. These products are designed and manufactured for use on snowmobiles on snow and ice only, use on other surfaces voids warranty. Warranty will be void if product has been misused, neglected, damaged or modified outside of Liberty Products, Inc. Does not cover bending, chipping, flaking or carbide breakage or loss from wear. Liberty Products, Inc. will not be liable for consequential damage or contingent liability arising from any total or partial failure to function of any product manufactured by it or any equipment on or in which it is used. No further warranty of any type is intended or implied or will be authorized to be made by Liberty Products, Inc.



Page 152

STUD TEMPLATES

Application	p/n
'16 ZR, XF CTK 137"; '14-'16 ZR 129"; '14-'15 XF 137"; '13 F 129" 2.86 P (2-Ply)	6639-532
'15-'16 Lynx 2000; '12-'14 F5, F570; '12 F 128"; '11-'14 SP 500; '07-'11 F; '09-'11 CFR, Z1 128" 2.52 P (2-Ply)	4639-443
'15-'16 Lynx 2000 LT; '08-'14 T570, TZ1, TZ1 LXR; '10-'11 Z1 Turbo EXT; '11 F8 EXT 144" 2.52 P (2-Ply)	5639-160
'15-'16 BC 2000 LT; '09-'10 BC XT 156" (2-Ply); '10-'14 BC 570 151" (Single-Ply)	5639-461



Page 152

STUD DRILL

Description	p/n
5/16"	1639-629



Page 152

TRACK MARKER

Description	p/n
Track Marker	1639-520



Page 152

TUNNEL PROTECTOR KIT

Required when installing studs on the models listed below. On liquid-cooled models not listed, the heat exchanger acts as a tunnel protector.

Application	p/n
'15-'16 ZR 4000; '14-'16 ZR 5000, 6000, 8000, 9000; '13 F 800, 1100, 1100T	6639-075
'12 F 800, 1100, 1100T*	6639-178
'16 ZR, XF CTK 137"; '14-'15 XF, XF CC, XF CT 6000, 8000, 9000; '13 XF, XF CT 800, 1100, 1100T	6639-118
'12 XF 800, 1100, 1100T*	6639-179
'12-'16 M HCR	6639-207
'15-'16 Lynx 2000, Lynx 2000 LT, BC 2000 LT; '08-'14 F570, T570; '09-'14 BC 570	4639-771
'15 BC 5000 XT, BC 5000 XT GS; '09-'14 BC Z1 XT; '12-'14 BC Z1 XT GS	5639-143
'09-'11 CF, CFR	4639-968
'06-'08 CF	4639-338

*'12 F, XF application includes models with a Tunnel Upgrade Kit installed.

'14-'16 ZR 7000 and XF 7000 models have Standard Tunnel Protectors.

A



B



SHORT SNOWFLAP

Required when installing studs on the models listed below.


Application

(A) '09-'11 CF
(B) '07-'08 JR; '07-'09 F Series; '09 Z1, Z1 Turbo

p/n

5639-232
4706-462

General Maintenance



Page 153

CAT CADDY


Set of 3.

Description

- (A) Plastic - Black
 (A) Plastic - Green
 Replacement Wheel - Push-in (Each)
 (B) Aluminum - Black
 Replacement Wheel - Threaded (Each)

p/n

5639-873
 5639-874
 0641-264
 4639-766
 0641-535



Page 153

JACK STAND

Description

- (A) 31" High Black/Green
 (B) Side Plates, Pair

p/n

6639-208
 6639-209



Page 153

SLED STANDS

Description

- (A) Handlebar Stand
 (B) Steering Post Stand

p/n

5639-152
 5639-946



Page 153

FRONT END LIFT

Description

Front End Lift

p/n

5639-151



Page 154

SUPERCLAMP II - FRONT

Includes screw-style deck hook. Sold individually.

Description

Front Clamp w/Deck Hook

p/n

6639-923



Replacement Parts

- (A) Deck Hook, Screw-Style - 1/2" Thread (Each)
 (B) Deck Hook, Channel-Style (Each)

p/n

6639-925
 6639-926



Page 154

SUPERCLAMP II - REAR

Includes screw-style deck hook. Sold individually.

Description

Rear Clamp w/Deck Hook

p/n

6639-924



Page 154

SUPERGLIDES

Includes eight 29" plates with mounting hardware.

Description	p/n
Superglides w/Hardware (8/pk)	6639-927



Page 155

A. RATCHET TIE-DOWNS

1.125" x 102" 1,200-lb Rating. Sold in pairs.

Description	p/n
Black	5639-424
Black/Green	6639-807

B. DELUXE TIE-DOWNS

1.125" x 78", 1,200-lb Rating

Sold in pairs.

Description	p/n
Black	5639-423
Black/Green	6639-806

C. STANDARD TIE-DOWNS

1" x 69", 1,000-lb Rating

Sold in pairs.

Description	p/n
Black	5639-411
Green	5639-415



Page 155

A. TOW STRAP

Description	p/n
Tow Strap	4639-247

B. TOW ROPE

Description	p/n
Tow Rope	4636-577



Page 155

RACING TAPE

2" x 60-yd. rolls.

Description	p/n
Black	4639-579
Green	4639-580
Orange	5639-103



Page 155

TOUCH-UP PAINT

Hood Paint	Application	1/2 oz.	12 oz.
Black, Gloss	Hood, Gloss	0652-100	0652-022
Black, Flat	'13 F, M, XF, TZ1, TZ1 Turbo, BC Z1 XT Ltd	0652-187	0652-188
Black Metallic (Base Coat)+	'15 BC XT Ltd	0652-156	0652-157
Apple Green Metallic	'10 F Series LE, TZ1 Turbo LE, Z1 Turbo LE	0652-152	0652-153
Cat Green	'00-'04 ZR; '01-'04 Z; '03-'04 FC; '04 MC	0652-099	0652-067
Orange (Top Coat Only)*	'11 CF SP; '07-'08 F; '06-'08 CF; '05-'08 M; '06-'07 Z; '05-'06 FC; '04-'06 KC	0652-105	0652-106
Pearl Cat Green	'05-'06 FC, SC, Z, ZR; '05-'07 M; '06-'07 CF; '09-'11 M8 HCR	0652-115	0652-117
Pearl White (Top Coat Only)***	'12 F, M, XF Ltd	0652-175	0652-176
Pearl White (Base Coat)	'12 F, M, XF Ltd	0652-181	0652-182
Sublime Green (Base Coat)**	'11 M8 Ltd, CF Ltd, F8 Ltd, Z1 Turbo Ltd	0652-164	0652-165
Sunset Orange	'14 TZ1	0652-148	0652-149
White Metallic (Top Coat Only)*	'08-'11 M Series SP; '11 CFR, TZ1 LXR, TZ1 Turbo LXR	0652-133	
Gold Metallic (Top Coat Only)	Hood	0652-173	0652-174
Clear Metallic Top Coat	Hood	0652-158	0652-159
White (Base Coat)	Hood	0652-119	0652-120
Clear (Top Coat Only)	Hood (12 oz. Overspray Leveler)	0652-109	0652-166
Metal Paint		1/2 oz.	12 oz.
Black	Metal Parts	0652-110	0652-024
Bearcat Blue	'14 BC	0652-203	0652-204
Cat Green	'98-'11	0652-111	0652-077
Orange	'08-'16	0652-141	0652-142
Orange Metallic (Top Coat Only)****	'12 F, M, XF Ltd	0652-183	0652-184
Orange Metallic (Base Coat)	'12 F, M, XF Ltd	0652-179	0652-180
Pearl Cat Green	'08-'13	0652-144	0652-145
Pearl White (Top Coat Only)***	'12 F, M, XF Ltd	0652-177	0652-178
Pearl White (Base Coat)	'12 F, M, XF Ltd	0652-181	0652-182
Platinum	'02-'11	0652-112	0652-096
Sunset Orange	'14 TZ1	0652-148	0652-149
Team Arctic Green	'14-'16 ZR, M, XF	0652-199	0652-200
White	'14-'16 ZR, M, XF; '13 F, M, XF Ltd	0652-189	0652-190
Black	High Temp		0652-052

* You must first apply White (Base Coat) before applying color.

** Sublime Green (Base Coat) requires the use of Gold Metallic (Top Coat)

*** You must first apply Pearl White (Base Coat) before applying color.

+ Black Metallic (Base Coat) requires the use of Clear Metallic (Top Coat)

**** You must first apply Orange Metallic (Base Coat) before applying color.

■NOTE: Models not listed have non-paintable, color-molded plastic

Oil & Care

■ **NOTE:** Visit www.arcticcatlubricants.com for more oil information.

2016 MODEL OIL APPLICATION CHART

Model	C-Tec2	C-Tec4	APV	Formula 50	Capacity
ZR 120		X			0.6L (20.3 US oz)
2000 Models	X		X	X	3.9 L (4.2 US qt)
3000 Models		X			3.8 L (4.1 US qt)
4000 Models	X		X		3.7 L (3.9 US qt)
5000 Models		X			3.1 L (3.28 US qt)
6000 Models	X				3.1 L (3.6 US qt)
7000 Models (Except Bearcat)		X			3.8 L (4.1 US qt)
Bearcat 7000		X			2.2 L (2.3 US qt)
8000 Models	X		X		3.7 L (3.9 US qt)
9000 Models		X			3.1 L (3.28 US qt)

2016 GEARCASE/CHAINCASE FLUID APPLICATION CHART

Model	Capacity
2000/3000 Models	15 fl oz
6000/8000 Models	15 fl oz
4000/5000/7000/9000 Models (Except Bearcat 7000)	12 fl oz
Bearcat 7000	27 fl oz



Page 156

C-TEC2 SYNTHETIC OIL

Application

48 oz.
2.5 Gallon
16 Gallon Drum
55 Gallon Drum

p/n

6639-520
6639-521
6639-522
6639-523



Page 156

APV SYNTHETIC OIL

Description

Quart
Gallon
2.5 Gallon
16 Gallon Drum
55 Gallon Drum

p/n

4639-349
5639-469
4639-347
2639-510
2639-509



Page 156

FORMULA 50 OIL

Description

Quart
Gallon
2.5 Gallon
16 Gallon Drum
55 Gallon Drum

p/n

5639-475
5639-476
5639-477
5639-478
5639-479



Page 157

C-TEC4 SYNTHETIC OIL

Description

Quart
Gallon
16 Gallon Drum
55 Gallon Drum

p/n

6639-524
6639-525
6639-526
6639-527



Page 157

C-TEC Oil Change Kit

Description

1100 cc Twin Engine
1049 cc Triple Engine
700 cc Twin Engine

p/n

6639-528
6639-529
7639-042



Page 158

SYNTHETIC CHAIN LUBE

Description

8 oz.
15 oz.
2.5 Gallon

p/n

5639-038
6639-539
6639-117



Page 158

ARCTIC CAT CHAIN LUBE

Description

8 oz.
15 oz.
2.5 Gallon

p/n

4639-363
6639-538
1639-247



Page 158

SYNTHETIC SHOCK OIL

Description

Lt Wt - Quart
Med/Lt Wt - Quart
Med Wt - Quart

p/n

4639-367
4639-369
4639-368



Page 158

SEMI-SYNTHETIC SHOCK OIL

Description

Quart

p/n

5639-530



Page 158

ARCTIC CAT SHOCK OIL

Description

Quart

p/n

4639-366



FOX FLOAT FLUID

Specially made for use in the air chamber of FOX FLOAT Air Shox.

Description

8 oz.

p/n

4639-012



Page 158

SYNTHETIC ACT GEARCASE FLUID

Description

3 oz. ACT Non-Reverse
12 oz. ACT w/Reverse
15 oz. ACER (Engine) Reverse
Gallon

p/n

4639-361
4639-628
5639-219
5639-632

■NOTE: ACT Drive Gasket Sets (See pg. 69)



Page 158

ACT DRIVE FLUSH FLUID

Description

6 oz.
Gallon

p/n

4639-333
5639-847



Page 159

ARCTIC CAT ANTIFREEZE (60/40)

Description
Gallon

p/n
6639-916



Page 159

ENGINE STORAGE PRESERVER

Description
12 oz.

p/n
0436-888



Page 159

FUEL DE-ICER

Description
12 oz.

p/n
0436-906



Page 159

DOT 4 BRAKE FLUID

Description
12 oz.

p/n
5639-848



Page 159

FUEL STABILIZER

Description
8 oz.

p/n
0436-907



Page 159

SPRAY AND RINSE CLEANER

Description
24 oz.
Gallon

p/n
5639-872
5639-789



Page 159

FUEL INJECTOR & CARBURETOR CLEANER

Description
12 oz.

p/n
0436-904



Page 159

CAT CLEANER

Description
22 oz.

p/n
4639-371



Page 159

INSTANT DETAILER

Description
16 oz.

p/n
5639-849



Page 159

ARCTIC CAT ALL-TEMP GREASE

Description
14 oz.

p/n
4639-365

MISCELLANEOUS GREASE

Description
Electric Start 2 cc
High Temperature .5 oz.
Dielectric 2.7 oz.

p/n
1056-272
1056-077
1056-287



CHAIN LUBRICANT

Description
12 oz.

p/n
0436-903



HIGH OCTANE RACE FUEL

Description

110 Fuel
5 Gallon Pail
54 Gallon Drum

p/n
6639-821
6639-822

114 Plus Fuel
5 Gallon Pail
54 Gallon Drum

p/n
6639-823
6639-824

DRUM PUMP (NOT SHOWN)

Application

16 to 55 Gallon Drums

p/n
1639-249



VEHICLE WASH/CLEANER

Description

Gallon
5 Gallon
30 Gallon

p/n
4639-631
4639-630
4639-629



ALL PURPOSE CLEANER

Description

Gallon
5 Gallon
30 Gallon

p/n
4639-634
4639-633
4639-632



HEAVY DUTY CLEANER/DEGREASER

Description	p/n
Gallon	4639-637
5 Gallon	4639-636
30 Gallon	4639-635

CLEANING KIT

Kit includes two gallons each of the following cleaners: Vehicle Wash/Cleaner, All Purpose Cleaner, Heavy Duty Cleaner/Degreaser.

Description	p/n
Cleaning Kit	4639-666



WATER/STAIN REPELLENT

Description	p/n
Water/Stain Repellent	4912-152

Misc Accessories



Page 160

CTEK BATTERY MAINTAINER

Description

12V 800 mA (Includes leads A, B, & D on this page)

p/n

5639-418



Page 160


CTEK BATTERY CHARGER/MAINTAINER

Description

12V 3.3 amp (Includes leads A, B, & D on this page)

p/n

5639-419



Page 160

CTEK BATTERY LEADS

■NOTE: Comfort Indicators feature a three LED battery condition indicator.

Description

- (A) Ring Terminals
- (B) Alligator Clips
- (C) Outlet
- (D) Style 21 Adapter
- (E) Comfort Indicator - Ring Terminals
- (F) Comfort Indicator - Style 21

p/n

5639-420
5639-421
5639-422
5639-484
5639-485
5639-397



YUASA BATTERY MAINTAINER

3 color LED displays your charge status at a glance. Includes quick connect adapter and alligator clips.

Description

12V 1 amp

p/n

6639-862



YUASA BATTERY LEADS

Description

Ring Terminals

p/n

5639-162




ACCESSORY ADAPTER

Description

2-Outlet
3-Outlet

p/n

1639-623
1639-624




DRIVE BELT HOLDER

Description

Drive Belt Holder

p/n

0636-659



SPARK PLUG HOLDER

Description
Plug Holder

p/n
4639-549



SPARK PLUG CADDY

Description
Green

p/n
1639-618



TEMPERATURE GAUGE

Application
'99-'07 LC Models Except CF, F, FC, JR, M, SC, 4-Stroke

p/n
1639-217



RAIL BRACE KIT

Includes RH & LH rail braces and mounting hardware.

Application
'12-'13 M HCR 153"
'12-'13 M HCR 162"
'12-'14 M 153" & 162", XF 141" - Black
'12-'14 M 153" & 162", XF 141" - Unp'd
'14-'15 M HCR 153"
'16 M 153"

p/n
5639-997
5639-086
5639-981
5639-983
5639-827
7639-147



SNO PRO HANDLEBARS

Includes grips and heating elements.

Application	Color	p/n
Heavy-Duty .095 Wall		
'14-'15 ZR 6000 R; '05-'13 Sno Pro	Black	1705-451
	Green	1705-155
Standard .083 Wall		
'05-'13 Sno Pro	Black	1705-450
	Green	1705-042
'11-'14 Sno Pro 500	Black	1705-482

THROTTLE LIMITER KITS

Application	p/n
'15-'16 ZR 4000 RR - 50%	0709-094
'10-'14 Sno Pro 500 - 50%	0709-089
'08-'13 Sno Pro 600 - 50%	1705-359

ALUMINUM THROTTLE BLOCK

Application	p/n
'10-'14 Sno Pro 500	0709-084



SWAY BAR KIT

Application	p/n
'15-'16 BC 2000 XT, BC 2000 XTE; '09-'14 BC 570 XT; '10-'14 BC Z1 XT	5639-441



HOOD LATCH REPAIR KIT

Includes two pins.

Application	p/n
'05-'11 CF, CFR, M Series	5639-498



FUEL TANK


■NOTE: Long tank can be used on electric start models.

Application	p/n
12 Gallon - Long	
'12-'13 F, XF, XF HC, M 800 (Accepts Battery)	6639-416
11.5 Gallon - Short	
'15 M (Std) 6000; '14-'15 ZR, M (Std), XF 8000; '12-'13 F, XF, XF HC, M 800 (w/o Battery)	6639-417

FUEL TANK, NATURAL

For competition use.

Application	p/n
'14-'16 ZR, M, XF 7000 Models	6639-832



SPLIT AIRBOX KIT

Two-piece design provides easier access to engine components.

Application	p/n
'07-'08 JR; '08-'11 TZ1; '09-'11 BC Z1 XT, Z1	5639-934



SPARK PLUG CAPS

Description	p/n
(A) Silicone Rubber - Black	3006-367
(B) Standard Type - Black	3003-175



TOOL BAG

Description	p/n
Tool Bag	5639-834



FUEL PUMP REPAIR KITS

Description	p/n
Rectangular Mikuni	0636-272
Round Mikuni	0636-276
Pentagon Mikuni	1639-191

SILICONE GASKET MAKER

Excellent for sealing around belly pan area and air box seams.

Description	p/n
Ultra Black Silicone Gasket Maker 70 ml	1639-834

HIGH TEMP SILICONE SEALANT

Recommended for sealing exhaust flanges, gaskets and crankcase halves of all Arctic Cat liquid-cooled engines.

Description	p/n
High Temperature Silicone 90 ml	0636-069

LOCTITE

Description	p/n
Loctite 242 Blue 10 ml	0641-466
Loctite 242 Blue 50 ml	0641-467
Loctite 263 Red 50 ml	0641-263
Loctite 271 Red 10 ml	0641-471
Loctite 271 Red 50 ml	0641-472
Loctite 609 Green Retaining 50 ml	0641-475

HANDLEBAR GRIP ADHESIVE

Description	p/n
Loctite 498 1 oz.	1048-058
Grip-It Glue 1 oz.	0441-510

CRANKCASE SEALANT

This sealant is recommended for sealing all Arctic Cat fan-cooled engine crankcase halves.

Description	p/n
Three-Bond Gasket Sealant	0636-070

CRANKCASE SEALANT

This sealant is recommended for Arctic Cat 2-Stroke liquid-cooled and 4-Stroke engines.

Description	p/n
Sealant, 100 gram tube	1048-070



NGK® SPARK PLUGS

Iridium Spark Plugs

NGK p/n	AC p/n	NGK p/n	AC p/n
BR10EIX (Solid)	0217-804	CR7EIX	0217-734
BR8EIX (Solid)	0217-735	DR7EIX	0217-736
BR9EIX	0217-729	MR8AI-9 (Solid)	0217-806
CR6EIA-9	0217-733		

Standard Spark Plugs

NGK p/n	AC p/n	NGK p/n	AC p/n
AB7	0217-728	BR8HS-10	0217-743
AB8	0217-808	BR9ECS-5	0217-786
B2LM	0217-778	BR9ES	0217-035
B4LM	0217-770	BR9ES (Solid)	0217-700
B6L	0217-789	BR9EYA	0217-709
B6S	0217-765	BR9HS-10	0217-756
B7HS	0217-044	BU8H	0217-744
B8ES	0217-029	BUHW	0217-751
B8HS	0217-043	BUHW-2	0217-750
B9ES	0217-015	CMR7A	0217-776
B9HS-10	0217-791	CPR8EA	0217-799
BKR6EKU	0217-793	CR10EK	0217-787
BM7A	0217-781	CR6E	0217-632
BMR4A	0217-767	CR6HS	0217-792
BMR6A	0217-753	CR6HSA	0217-725
BP4HS	0217-761	CR7E	0217-708
BP5HS	0217-783	CR7HS	0217-788
BP8H-N-10	0217-746	CR7HSA	0217-726
BPM6A	0217-763	CR8E	0217-705
BPM7A	0217-749	CR8EB	0217-813
BPM7Y	0217-764	CR8EK	0217-711
BPM8Y	0217-752	CR9E	0217-738
BPMR4A	0217-772	CR9EH-9	0217-766
BPMR6A	0217-773	CR9EK	0217-755
BPMR7A	0217-741	D7EA	0217-795
BPR2ES	0217-747	D8EA	0217-796
BPR4ES	0217-809	D8HA	0217-794
BPR4HS	0217-785	D9EA	0217-784
BPR5ES	0217-704	DCPR6E	0217-779
BPR5HS	0217-702	DCPR7E	0217-717
BPR6EFS	0217-748	DCPR8E	0217-774
BPR6ES	0217-703	DP8EA-9	0217-782
BPR6HS	0217-777	DPR6EA-9	0217-754
BPR7HS	0217-716	DPR7EA-9	0217-730
BPR9ES	0217-762	DPR8EA-9	0217-737
BPZ8H-N-10	0217-769	DPR8Z	0217-775
BPZ8HS-10	0217-757	DPR9EA-9	0217-790
BR10ES (Solid)	0217-634	DR7EA	0217-713
BR10EYA	0217-714	DR8EA	3304-919
BR6FS	0217-742	DR8ES	0217-771
BR6HS	0217-027	DR8ES-L	0217-740
BR7ES	0217-745	IZFR5G	0217-759
BR7HS	0217-768	KR8AI	0217-719
BR7HS-10	0217-758	LFR5A-11	0217-760
BR8ES	0217-034	LFR6A-11	0217-780
BR8ES	0217-701	PZFR6H	0217-641
BR8HS	0217-739		



GASKET SETS

Application

340 F/C Twin	'79-'00 0636-128
370 F/C Twin	'99-'08 1639-123
440 F/C Twin (Except those listed below)	'97-'06 0639-441
440 F/C Twin ('99 Z 440; '00-'03 Z 440 SP)	'99-'03 1639-605
440 F/C Twin	'80-'96 0636-095
440 L/C Twin	'90-'00 0636-635
440 L/C Twin w/Reed	'97-'00 0639-224
500 F/C Twin (56 H.P.)	'86-'91 0636-093
500 F/C Twin (48 H.P.)	'85-'87 0636-094
500 L/C Twin, Non-APV "Laydown" (SP 500, ZR 4000)	'04-'16 3639-539
500 L/C Twin, APV "Laydown"	'03-'06 2639-972
500 L/C Twin, APV	'01-'02 1639-988
500 L/C Twin, Non-APV	'98-'02 0639-115
530 L/C Twin	'87-'91 0636-097
	'80-'85 0636-098
550 L/C Twin	'91-'05 0636-812
570 F/C Twin	'02-'16 2639-147
580 L/C Twin	'91-'04 0636-812
600 L/C Twin, C-Tec2 (Top End)	'14-'16 6639-613
600 L/C Twin, C-Tec2 (Complete)	'14-'16 6639-614
600 L/C Twin, APV "Laydown"	'04-'09 3639-538
600 L/C Twin, APV	'01-'03 1639-989
600 L/C Twin, Non-APV	'98-'02 0639-115
600 L/C Triple, APV	'01-'02 1639-990
600 L/C Triple	'95-'00 0638-938
650 L/C Twin	'88-'90 0636-409
660 L/C Triple (4-Stroke)	'02 3006-296
660 L/C Triple (4-Stroke) Turbo	'05-'07 3006-961
700 L/C Twin, APV "Laydown"	'03-'06 2639-973
700 L/C Twin	'91-'96, 0636-813
	'99-'00
800 L/C Twin, APV "Laydown" (Complete)	'10-'16 5639-520
800 L/C Twin, APV "Laydown" (Top End)	'10-'16 6639-848
	'07-'09 4639-664
800 L/C Twin, APV	'01-'04 1639-991
800 L/C Triple	'95-'01 0638-205
900 L/C Twin, APV	'03-'06 1639-991
900 L/C Triple	'93-'97 0638-205
1000 L/C Twin, APV "Laydown"	'07-'11 4639-663
1000 L/C Triple	'98-'02 0638-205
1049 L/C Triple (4-Stroke)	'14-'16 6639-881
1100 L/C Twin (4-Stroke)	'07-'16 4639-619
1100 L/C Twin (4-Stroke Turbo)	'09-'16 5639-269

ACT DRIVE GASKET SETS

Application

CF, M Series
F Series

Year p/n

'08	2602-267
'07	2602-191
'07-'08	2602-192

ACT DRIVE CASE SEALANT


This sealant is recommended for ACT drive cases.

Description

Sealant, 70 ml

p/n

1048-063




CHOKE LEVER REPAIR KIT

Application

Single or Dual Carburetor
Triple Carburetor
'01-'02 Triple Models

p/n

0636-062
0638-630
1639-835



OVERLOAD SPRING TOOL

Description

Overload Spring Tool

p/n

0744-022



TRACK CLIP TOOL

Description

Track Clip Tool

p/n

0744-068



EXHAUST SPRING TOOL

Description

Spring Tool - 16"

p/n

6639-904



TRACK TENSION TOOL

Maintain your track tension for optimum performance. Consult the owners manual for specific adjustment recommendations.

Description

Track Tension Tool

p/n

7639-153



HI-TEMP CAM ROLLER

Set of 6.

Application

ACT Driven Pulley

p/n

5639-990

120



HAND WARMER KIT

Includes external hand warmer elements, wiring, and switch.

Application
'01-'16 120 Models

p/n
2639-019



PERFORMANCE UPGRADE KIT

Includes camshaft, valve springs, carburetor jets, and gaskets. Complies with ISR stock class rules.

Application
'10-'16 120 Models (Yamaha)

p/n
6639-883



REV LIMITER

Electronically restricts engine RPM to 6,800 RPM. Complies with ISR stock class rules.

Application
'10-'16 120 (Yamaha)
'00-'09 120 (Suzuki)

p/n
6639-920
6639-919

A



B



WHEEL KITS

Description

- (A) Ski Wheel Kit
(includes two 8" wheels and mounting hardware)
(B) Rear Suspension Wheel Kit (Black)
(includes six idler wheels and mounting hardware)

Year **p/n**
'01-'16 1639-795
'01-'16 5639-346




HEAVY DUTY SHOCK KIT

Includes two shock assemblies with springs.

Application
'01-'05 120 Models

p/n
4639-137

Upgrade Kits



DRIVEN CLUTCH KITS

Includes "Big Fin" driven clutch assembly.

Application

'12-'13 F 800; '13 F 800 RR
'12-'13 F 1100T, XF 1100T; '13 F 1100T RR
'12-'13 M 800, XF 800 HC
'12-'13 M 1100T, XF 1100T HC
'12-'13 XF 800

p/n

0637-444
0637-445
0637-442
0637-446
0637-443



CLUTCH GUARD KITS


Includes one-piece clutch guard and brake disc cover.

Application

'12-'13 F 800, M 800, XF 800
'12-'13 F 1100, 1100T, M 1100, 1100T, XF 1100, 1100T; '14 ZR 9000, M 9000, XF 9000

p/n

0637-470
0637-435



DRIVE CLUTCH SPACER


Improved belt durability can be achieved by decreasing the tension and pinch on the belt as RPMs rise after full shift is reached with the clutches.

Application

'14-'15 9000; '12-'13 1100T All Models

p/n

0646-861



GEARING KITS

Lower gear ratios are recommended for aggressive riders. Lower gearing increases belt speed decreasing the load on the drive belt.


Application

'12-'13 F 800 LXR, SP
'12-'13 F 1100T LXR, SP
'12-'13 M 800
'12-'13 XF 1100T LXR, SP
'12-'13 XF 800 HC
'12-'13 XF 1100T HC
'13 F 800 RR
'13 F 1100T RR
'13 XF 800 LXR, SP
'13 XF 800 CT
'13 XF 1100T CT

p/n

1702-332*
1702-327
1702-335
1702-336*
1702-335
1702-337
1702-332
1702-327
1702-331*
1702-331*
1702-336*

*Includes drive chain



DRIVEN SHAFT KITS


Upgrade the 12-'14 driven shaft to '15 specifications for increased chaincase durability. Includes driven shaft assembly, bearings, snap rings, and mounting hardware. Designed for use with the existing Arctic Cat clutch.

Application

'12-'13 F, M, XF 1100; 1100T; '14 ZR, M, XF 9000
'12-'13 F, M, XF 800; '14 ZR 6000, 8000, M 8000, XF 8000
'14 ZR, M, XF 7000

p/n

1702-466
1702-467
1702-468



BORG WARNER GEARING KITS


Upgrade the '12-'15 sprockets and chain to '16 specifications for increased durability. Includes top and bottom sprockets, chain, and tensioner arm assembly.

Application

'12-'13 F 1100T; '14-'15 ZR 9000 129" (21/38)
'14 XF 9000; '15 ZR 9000 137" (21/41)
'12-'13 XF 1100T 141", M 1100T 153"-162";
'14-'15 XF 9000 141", M 9000 153"-162" (21-49)

p/n

1702-456
1702-457
1702-458



EXVOLUTE TRACK DRIVE AND SLIDE RAILS


High horsepower, modified, or traction-improved models can realize improved performance and durability with the addition of the exvolute track drive. Includes a complete track drive assembly and unpainted suspension rails.

Application

'12 F 800, F 1100T (2.52 Pitch)
'13 F800, F 1100T (2.86 Pitch)
'13 F 800 RR, F 1100T RR (2.86 Pitch)

p/n

0637-457
0637-447
0637-448



FRONT ARM REINFORCEMENT

Includes two tunnel reinforcement brackets and two front arm bumpers with retaining plates.

Application

'13 F, M, XF All Models

p/n

0637-467



STEERING POST MOUNTING BRACKET

Includes steering stop bracket with reinforcement, and steering post brace.

Application

'14 ZR; '12-'14 M, XF; '12-'13 F All Models

p/n

2707-496



TUNNEL KITS

Converts '12 F and XF models to a '13 style flat-top tunnel. Includes rear tunnel, bumper, taillight housing, and snowflap.

Application

'12 F 800, F 1100, F 1100T

'12 XF 800, XF 1100, XF 1100T

Color

Unpainted
Black
Pearl White
Unpainted
Black
Pearl White

p/n

0637-387
0637-388
0637-389
0637-391
0637-392
0637-393



DEEP SNOW KIT

Reinforces the side panel and belly pan to reduce snow ingestion. Includes side panel screen.

Application


'12 F 800, F 1100, F 1100T, M 800, M 800 HCR, M 1100,
M 1100T, M 1100T HCR, XF 800, XF 800 HC, XF 1100,
XF 1100T, XF 1100T HC

p/n


0637-379

Helmet Parts

HELMET PART APPLICATION CHART

Helmet	Visor	Breath Deflector	Chin Curtain/Vent	Ratchet Components
Modular 		Breath Box XS-M 5252-561 L-2XL 5252-553  Breath Box Straps (pair) XS-M 5252-574 L-2XL 5252-575 	Chin Curtain XS-M 5252-562 L-2XL 5252-554 	Ratchet Kit 5252-560 
TXI 	Black (Gloss) 4212-101  Visor Screws (12/pkg) 4222-803		Chin Curtain 4212-290  Chin Vent 4222-801  Chrome Chin Vent 4252-032 	Ratchet Kit 4212-919  Ratchet Shield Screws (10/pkg) 4212-801
PFP & PFP Youth 		4982-765 		Ratchet Kit 4912-122  Ratchet Shield Screws (10/pkg) 4212-801
PFP II 				Ratchet Kit 4982-762  Ratchet Shield Screws (10/pkg) 4212-801
Crosstec 	Black (2007-2009) 4272-999 	(XS-M) 4282-860 (L-2XL) 4282-861 	Standard 4262-912  Extended 4282-900 	Ratchet Kit 4262-911  Ratchet Disc Set 4282-901 Top Ratchet Bar 4282-902 


HELMET PART APPLICATION CHART

	Misc.	Shield	Electric Shield/Cords
Modular 		Repl. Sunshield - Orange 5252-558 	 Repl. Elec. Shield Only 5252-552 Repl. Elec. Coil Cord 4202-922 Repl. Elec. Dash Cord 4202-923
TXI 	Vent Cover Kit 4222-800  Chrome Vent Cover Kit (Side Vents Only) 4252-033 '02-'15 Eyeport Foam Piece 4212-292 	Clear 4212-845 Smoke 4212-846 Yellow 4212-847 Chrome Frame/Clear 4232-880 Chrome Frame/Smoke 4232-881 Chrome Frame/Yellow 4232-882 Chrome Frame/Silver Mirror 4232-883 	Elec. Shield Kit 4212-848  Repl. Elec. Shield Only 4212-849 Repl. Elec. Coil Cord 4202-922 Repl. Elec. Dash Cord 4202-923 Elec. Shield Cord Converter (TXi coil cord to PFP dash) 4222-511 Accessory Ext. Harness - 24" 1686-457 Accessory Ext. Harness - 66" 1436-643
PFP & PFP Youth 	Chin Vent 4992-735 	Clear 4212-810 Smoke 4212-811 Amber/Yellow 4212-812 	Elec. Shield Kit 5222-500  Repl. Elec. Shield Only 5222-501 Repl. Elec. Coil Cord 4202-922 Repl. Elec. Dash Cord 4202-923 Elec. Shield Cord Converter (TXi coil cord to PFP dash) 4222-511 Accessory Ext. Harness - 24" 1686-457 Accessory Ext. Harness - 66" 1436-643
PFP II 		Clear 4972-463 Smoke 4972-464 	
Crosstec 	Front Light Lens 4282-904  Front Light Button 4282-903  Repl. Chinbar 4272-998 Chinbar Lock Plate 4282-223 Chin Pad 4262-933 Rear LED Assembly 4262-901  Rear LED Cover 4262-902 	Clear Repl. Shield 4282-859  Sun Shield - Smoke 4262-713 Sun Shield - Yellow 4262-714 Sun Shield - Orange 4262-715 Sun Shield Knob w/screw 4272-997	Elec. Shield Kit ('02-'09) 4282-869 Elec. Shield Only ('02-'09) 4282-865  Elec. Shield Coil Cord 4202-922 Elec. Shield Power Cord 4202-923 VRE Music Adapter Cord 4262-906 Cat Comm MP3/Satellite Radio Cord - 80" 4292-950 VRE Mic. Assy 4262-903 VRE Mic. Foam Assy 4262-904 Headset Speaker (Each) 4262-905 Accessory Ext. Harness - 24" 1686-457 Accessory Ext. Harness - 66" 1436-643 Magnetic Power Cord 4262-907 Crosstec/TXI Retrofit Headset Elec. Shield Cord 4262-716 VRE Headset Elec. Shield Cord 4262-717

HELMET PART APPLICATION CHART

Helmet	Visor p/n	Misc.	Rear LED Light
Sno Pro MX (2014-2015) 	Black (Gloss, No Graphics) 5242-379	Breath Deflector 5242-620	
Team Arctic MX (2014-2015) 	Black (Gloss, No Graphics) 5242-609 Black (Flat, No Graphics) 5242-600 Team Arctic Green Graphics - Flat 2014 5242-410 Team Arctic Orange Graphics - Flat 2014 5242-400 Team Arctic Black Graphics - Flat 2014 5242-390	Breath Deflector 5242-621	
Sno Pro MX (Pro-X 2010-2013) 	Black (Gloss, No Graphics) 5212-600	Vent, Mouth 5232-409	
Team Arctic MX (Moto X 2010-2013) 	Black (Gloss, No Graphics) 5212-601 Team Arctic Green Graphics (2013) 5232-390 Team Arctic Black Graphics (2013) 5232-370 Team Arctic Orange Graphics (2013) 5232-380	Breath Deflector 5212-599	

Neck Brace Parts



Parts/Components List		QTY
1	BHCS M4 18	2
2	Serrated Washer	2
3	Front Top Plastic	1
4	Front Top Screwplate	2
5	M3 Bolt	2
	Front Lower Plastic	
7	5232-812 / 5232-813	1
8	5232-808 / 5232-809 / 5232-810 / 5232-811	2
9	5232-808 / 5232-809 / 5232-810 / 5232-811	6
10	5232-808 / 5232-809 / 5232-810 / 5232-811	5
11	5232-814 / 5232-815	2
12	5232-814 / 5232-815	2
13	5232-814 / 5232-815	2
14	5232-814 / 5232-815	1
15	5232-814 / 5232-815	2

Parts/Components List		QTY
16	5232-814 / 5232-815	4
17	5232-814 / 5232-815	1
18	10° Strut	1
19	Thoracic	1
20	Shim	2
21	5232-814 / 5232-815	1
22	5232-812 / 5232-813	1
23	5232-807	2
24	5232-807	2
25	5235-807	2
26	5232-807	2
27	5232-807	2
28	5232-807	2
29	Front Screw Plate	1

High Altitude Kits

Models	Altitude	p/n	Components
Lynx 2000 & 2000 LT Bearcat 2000 LT	5-9,000'	5639-489	(2) 6505-029 Pilot Jet 35 (3) 0746-695 Cam Arm (W) P1 67g ** (1) 0748-700 Driven Cam - 36° (N) *
	9,000'+	5639-490	(2) 6505-029 Pilot Jet 35 (3) 0746-669 Cam Arm (W) P1 60g ** (1) 0748-700 Driven Cam - 36° (N) *
Bearcat 2000 XT Bearcat 2000 XTE	5-9,000'	5639-627	(2) 6505-029 Pilot Jet 35 (3) 0746-670 Cam Arm (W) P1 65g ** (1) 0748-700 Driven Cam - 36° (N) *
	9,000'+	5639-490	(2) 6505-029 Pilot Jet 35 (3) 0746-669 Cam Arm (W) P1 60g ** (1) 0748-700 Driven Cam - 36° (N) *
Bearcat 3000 LT Pantera 3000	5-9,000'	7639-175	(3) 0746-663 Cam Arm (W) P2 52g **
	9,000'+	7639-176	(3) 0746-792 Cam Arm (W) P2 47g **
Bearcat 7000 XT/GS Pantera 7000 XT LTD	5-9,000'	7639-118	(3) 0646-883 Cam Arm (T) F7 58g (1) 0646-470 Drive Spring - 60/240 LB
	9,000'+	7639-119	(3) 0646-863 Cam Arm (T) F7 54g (1) 0646-470 Drive Spring - 60/240 LB
Pantera 146 7000/LTD XF 7000 146 Crosstour XF 7000 Crosstrek ZR 7000 Models	5-9,000'	7639-156	(3) 0646-929 Cam Arm (T) J15 56g (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-886 Driven Cam (T) 48S
	9,000'+	7639-157	(3) 0646-930 Cam Arm (T) J15 52g (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-886 Driven Cam (T) 48S
ZR 4000	5-9,000'	6639-870	(3) 0746-702 Cam Arm (W) P1 58.0g ** (1) 0748-770 Driven Cam - 36 Mach
	9,000'+	6639-871	(3) 0746-668 Cam Arm (W) P1 55g ** (1) 0748-770 Driven Cam - 36 Mach
ZR 4000RR	5-9,000'	6639-634	(3) 0746-843 Cam Arm - P1 56.5g **
	9,000'+	6639-609	(3) 0746-843 Cam Arm - P1 56.5g ** (1) 0748-770 Driven Cam - 36 Mach
ZR 5000	5-9,000'	7639-142	(3) 0646-868 Cam Arm (T) J13 54g (1) 0646-468 Drive Spring - 35/215 LB
	9,000'+	7639-143	(3) 0646-915 Cam Arm (T) J13 50g (1) 0646-468 Drive Spring - 35/215 LB
ZR 6000 Models XF 6000 Crosstrek	5-9,000'	7639-155	(3) 0646-867 Cam Arm (T) J14 60g (1) 0646-875 Drive Spring - 85/225 LB
	9,000'+	7639-158	(3) 0646-916 Cam Arm (T) J13 56g (1) 0646-875 Drive Spring - 85/225 LB
ZR 8000 Models XF 8000 Crosstrek	5-9,000'	7639-159	(3) 0646-904 Cam Arm (T) J14 68g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-898 Driven Cam (T) 48S ER3
	9,000'+	7639-160	(3) 0646-903 Cam Arm (T) J14 64g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-898 Driven Cam (T) 48S ER3
XF6000 HC	3-6,000	7639-166	(3) 0646-872 Cam Arm (T) J14 62g (1) 0646-875 Drive Spring - 85/225 LB (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-898 Driven Cam (T) 48S ER3
	6-9,000	7639-186	(3) 0646-867 Cam Arm (T) J14 60g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-876 Driven Spring - 180/240 LB (1) 0648-898 Driven Cam (T) 48S ER3
	9,000'+	7639-167	(3) 0646-902 Cam Arm (T) J14 56g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-876 Driven Spring - 180/240 LB (1) 0648-898 Driven Cam (T) 48S ER3
XF7000 HC SP	3-6,000'	7639-172	(3) 0646-888 Cam Arm (T) J13 60g (1) 0646-468 Drive Spring - 35/215 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-886 Driven Cam (T) 48S
	6-9,000'	7639-187	(3) 0646-916 Cam Arm (T) J13 56g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-886 Driven Cam (T) 48S
	9,000'+	7639-173	(3) 0646-874 Cam Arm (T) J13 52g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-886 Driven Cam (T) 48S
XF8000 HC Models	3-6,000'	7639-169	(3) 0646-905 Cam Arm (T) J14 70g (1) 0646-876 Drive Spring - 85/235 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-898 Driven Cam (T) 48S ER3
	6-9,000'	7639-185	(3) 0646-904 Cam Arm (T) J14 68g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-876 Driven Spring - 180/240 LB (1) 0648-898 Driven Cam (T) 48S ER3
	9,000'+	7639-170	(3) 0646-903 Cam Arm (T) J14 64g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-876 Driven Spring - 180/240 LB (1) 0648-898 Driven Cam (T) 48S ER3

XF9000 HC	3-6,000	7639-188	(3) 0646-866 Cam Arm (T) J13 86g (1) 0646-473 Drive Spring - 120/265 LB (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-905 Driven Cam (T) 56-48-.20
	6,000'+	7639-189	(3) 0646-866 Cam Arm (T) J13 86g (1) 0646-473 Drive Spring - 120/265 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-905 Driven Cam (T) 56-48-.20
M6000 Models	0-3,000'	7639-165	(3) 0646-869 Cam Arm (T) J14 66g (1) 0646-875 Drive Spring - 85/225 LB (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-898 Driven Cam (T) 48S ER3
	3-6,000'	7639-166	(3) 0646-872 Cam Arm (T) J14 62g (1) 0646-875 Drive Spring - 85/225 LB (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-898 Driven Cam (T) 48S ER3
	9,000'+	7639-167	(3) 0646-902 Cam Arm (T) J14 56g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-876 Driven Spring - 180/240 LB (1) 0648-898 Driven Cam (T) 48S ER3
M7000	0-3,000'	7639-171	(3) 0646-889 Cam Arm (T) J13 64g (1) 0646-468 Drive Spring - 35/215 LB (1) 0648-859 Driven Spring - 140/230 LB (1) 0648-901 Driven Cam (T) 58-49-.15
	3-6,000'	7639-172	(3) 0646-888 Cam Arm (T) J13 60g (1) 0646-468 Drive Spring - 35/215 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-886 Driven Cam (T) 48S
	9,000'+	7639-173	(3) 0646-874 Cam Arm (T) J13 52g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-886 Driven Cam (T) 48S
M8000 Models	0-3,000'	7639-168	(3) 0646-906 Cam Arm (T) J14 72g (1) 0646-876 Drive Spring - 85/235 LB (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-904 Driven Cam (T) 66-49-.20 ER3
	3-6,000'	7639-169	(3) 0646-905 Cam Arm (T) J14 70g (1) 0646-876 Drive Spring - 85/235 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-898 Driven Cam (T) 48S ER3
	9,000'+	7639-170	(3) 0646-903 Cam Arm (T) J14 64g (1) 0646-471 Drive Spring - 85/255 LB (1) 0648-876 Driven Spring - 180/240 LB (1) 0648-898 Driven Cam (T) 48S ER3
M9000	3-6,000	7639-188	(3) 0646-866 Cam Arm (T) J13 86g (1) 0646-473 Drive Spring - 120/265 LB (1) 0648-857 Driven Spring - 140/200 LB (1) 0648-905 Driven Cam (T) 56-48-.20
	9,000'+	7639-189	(3) 0646-866 Cam Arm (T) J13 86g (1) 0646-473 Drive Spring - 120/265 LB (1) 0648-861 Driven Spring - 155/240 LB (1) 0648-905 Driven Cam (T) 56-48-.20

(W)=Wide (T)=Team *w/Bearing Assembly **w/Set Screw

■NOTE: For more information on the 2016 Snow Exchange Program (New Vehicle Take-Off), see page 1.

■NOTE: M6, M7, M8 models have been set up at the factory to operate at an altitude of 6,000 to 9,000 feet.

Optional Rear Suspension Springs (2016)

Model	Standard	Optional	Spring Type
BC 2000, Lynx LT, Pantera 7000	1704-146/147	L 1704-678/679 H 1704-360/361	SQUARE SQUARE
ZR 4000/Lynx	1704-504/505	L 1704-576/577 H 1704-710/711	SQUARE SQUARE
ZR 6000/XF 6000, ZR 8000, ZR 9000 RR/Sno Pro	1704-576/577	L 2704-026/027 H 2704-560/561	SQUARE SQUARE
BC 2000 XT	1704-852/853	L 1704-562/563 H 1704-842/843	SQUARE SQUARE
BC 3000 XT	2704-630/631	L N/A H 1704-842/843	SQUARE
BC 7000 XT/GS, Pantera 7000 XT	2704-722/723	L 1704-852/853 H 2704-556/557	SQUARE SQUARE
XF LXR 141"	2703-502	L 2703-386* H 2704-010*	COIL COIL

* Coil over shock


Springs (Rear Suspension Front Arm)

P/N	Wire Diameter	Free Length	Rate Lb/Inch	Coils	I.D.	Tab
0603-860	0.336	9.5	110	8.5	2.2/2.8	Yes
0604-587	0.375	7.0	250	8.0	2.3/2.4	No
0604-624	0.312	5.0	130	7.0	2.3/2.4	Yes
0604-740	0.331	7.0	170	8.0	2.3/2.4	No
0704-523	0.283	8.0	110	10.0	1.875	Yes
0704-855	0.360	7.0	180	6* / 8**	1.908	Yes
1603-018	0.336	9.5	90	10.0	2.2/2.4	Yes
1603-267	0.312	8.0	110	7.5	2.2/2.4	Yes
1603-527	0.295	8.95	110	11.8**/9.8*	1.87	Yes
1604-788	0.306	7.0	110	7.0	2.48	No
1703-072	0.343	9.5	140	7.7*/9.7**	1.9	Yes
1703-801	0.343	9.5	140	7.58*/9.58**	1.87	Yes
1703-894	0.343	9.5	140	10.02**/8.02*	1.85/1.90	No
1704-236	0.295	7.75	110	5.0*/7.0**	1.87	No
1704-259	0.283	7.38	110	7.94**/5.94*	1.870	Yes
1704-461	0.312	7.75	135	7**/5*	1.870	No
1704-465	0.331	9.0	125	9.26**/7.26*	1.85 - 1.90	No
1704-491	0.343	8.0	190	7.8**/5.8*	1.870	No
1704-736	0.312	8.3	90	9.8**/7.8*	2.350	No
1704-737	0.331	8.25	100	9.1**/11.1**	1.870	No
2604-059	0.360	7.5	180	8.5	1.9	Yes
2604-565***	0.316	8.0	110	8.0	1.870	No
2704-228	0.312	7.75	90	9.8**/7.8*	1.870	No
2704-229	0.331	7.75	160	9.6**/7.6*	1.870	No

* Active Coils ** Total Coils *** Titanium

Springs (Rear Suspension)

The wire diameter and length of the spring have a large influence over the valving of the shock. A longer spring in areas (D) and (E) can be selected if cut off to match the original spring. The replacement springs must match the original spring in areas (D) and (E).



(A) Long spring leg is bent inward (B) Short spring leg is bent inward
 (C) Cut to correct length (D) Coil over shock (E) Titanium
 (F) Requires Plastic Sleeves (p/n 2604-379). Can't be used on '07-'08 models

P/N	Wire Diameter (A)	Angle (B)	Coils	Coil Width (C)	Length (D)	Length (E)	Spring Type
0604-288/289	.460	60°	9.00	4.75	17.5	4.5	Round
0604-314/315 (B)	.460	90°	9.00	5.03	17.5	5.5	Round
0604-492/493	.406	90°	8.75	4.32	15.75	5.5	Round
0604-592/593	.460	83°	8.75	4.80	15.75	5.5	Round
0604-970/971 (A)	.421	90°	8.75	4.43	15.9	5.7	Round
0704-822/821	.452	90°	8.75	4.45	18.75	5.5	Round
0704-856/857 (B)	.437	90°	8.75	4.59	20.0	5.7	Round
0704-886/887 (B)	.460	77°	8.75	4.85	20.0	5.5	Round

P/N	Wire Diameter (A)	Angle (B)	Coils	Coil Width (C)	Length (D)	Length (E)	Spring Type
0704-888/889 (B)	.437	75°	8.75	4.60	18.0	5.5	Round
0704-890/891	.359	90°	5.75	3.00	15.62	5.12	Square
0704-892/893	.405	75°	8.75	4.32	19.0	5.5	Square
0704-902/901	.405	80°	7.75	3.92	19.0	5.5	Square
0704-908/909	.437	75°	8.75	4.60	18.5	5.5	Round
0704-926/927 (F)	.375	80°	5.75	3.00	18.5	5.12	Square
0704-934/935 (F)	.405	90°	5.75	3.00	18.5	5.12	Square
0704-938/939	.452	90°	8.75	4.53	16.0	5.7	Round
0704-944/945 (B)	.452	75°	8.75	4.62	18.75	5.5	Round
0704-986/987	.406	90°	8.75	4.32	18.1	5.7	Round
0704-994/995 (B)	.452	75°	8.75	4.60	18.0	5.5	Round
1604-064/065	.421	75°	8.75	4.45	18	5.50	Round
1604-739/740 (B)	.437	75°	8.75	4.60	16.00	5.5	Round
1704-044/045	.405	75°	8.75	4.32	18.50	5.5	Square
1704-072/073	.406	90°	7.75	3.88	17.50	4.50	Round
1704-074/075	.460	83°	8.75	4.53	16.0	5.70	Round
1704-083/082	.460	75°	8.75	4.83	18.00	5.50	Round
1704-088/089	.460	90°	8.75	4.53	16.00	6.70	Round
1704-135/134	.452	77°	8.75	4.97	22.00	8.00	Round
1704-146/147	.405	70°	8.75	4.32	18.50	5.5	Square
1704-148/149	.437	75°	7.75	4.25	18.50	5.5	Square
1704-182/183	.406	90°	8.75	4.32	17.50	5.50	Round
1704-184/185	.421	90°	8.75	4.43	18.10	5.70	Round
1704-260/261	.405	70°	7.75	3.85	18.50	5.5	Square
1704-289/288	.460	77°	8.75	4.84	22.00	8.00	Round
1704-290/291	.460	83°	8.75	4.53	21.00	5.70	Round
1704-292/293	.437	83°	8.75	4.59	16.00	5.70	Round
1704-302/303	.437	77°	8.75	4.52	22.00	8.00	Round
1704-352/353	.375	80°	7.75	3.80	18.50	5.5	Square
1704-354/355	.375	75°	8.75	4.32	18.50	5.5	Square
1704-360/361	.405	70°	5.75	4.00	18.50	5.5	Square
1704-382/383	.359	90°	5.75	3.00	15.62	4.6	Square
1704-384/385	.375	90°	5.75	3.00	15.62	4.6	Square
1704-418/419	.490	60°	9.0	5.02	17.50	4.50	Round
1704-444/445 (F)	.437	90°	6.75	3.65	18.50	5.5	Square
1704-504-505	.405	85°	6.75	3.65	18.50	5.5	Square
1704-560/561	.405	85°	6.75	3.65	18.50	5.48	Square
1704-562/563	.405	70°	6.75	4.50	18.50	5.5	Square
1704-566/567	.405	85°	6.75	3.65	18.50	5.36	Square
1704-576/577	.405	94°	6.75	3.65	18.50	5.5	Square
1704-678/679	.405	78°	6.75	4.00	18.50	5.5	Square
1704-710/711	.405	75°	6.75	3.65	18.50	5.5	Square
1704-808/809	.405	90°	8.00	3.87	18.50	5.5	Square
1704-842/843	.437	80°	7.75	4.50	18.50	5.50	Square
1704-852/853	.437	75°	7.75	4.50	18.50	5.50	Square
1704-916/917	.405	120°	5.9	3.20	15.62	5.50	Square
1704-936 (D)	.406	N/A	12.06	N/A	12.75	N/A	Round (210 lb)
2604-566/567 (E)	.488	85°	5.75	4.00	18.75	5.5	Round
2604-588/589	.421	77°	8.75	4.52	22.0	7.70	Round
2604-898/899 (E)	.465	80°	5.00	3.40	18.75	5.5	Round
2703-386 (D)	.393	N/A	13.00	N/A	13.00	N/A	Coil (160 lb)
2703-387 (D)	.393	N/A	12.00	N/A	13.00	N/A	Coil (190 lb)
2703-502 (D)	.380	N/A	10.48	N/A	13.00	N/A	Round (175 lb)
2703-905 (D)	.375	N/A	10.48	N/A	13.00	N/A	Round (175 lb)
2703-896 (D)	.421	N/A	12.00	N/A	12.40	N/A	Coil (260 lb)
2703-949 (D)	.357	N/A	11.00	N/A	13.00	N/A	Coil (145 lb)
2704-010 (D)	.406	N/A	13.00	N/A	12.75	N/A	Coil (210 lb)
2704-224/225	.437	105°	8.80	3.75	15.62	4.70	Square
2704-380	.437	92°	6.80	3.75	15.62	4.70	Square
2704-381	.437	92°	6.80	3.75	15.62	4.70	Square
2704-382	.405	89°	6.75	3.65	15.62	4.70	Square
2704-383	.405	89°	6.75	3.65	15.62	4.70	Square
2704-384/385	.405	115°	6.891	3.65	15.60	4.70	Square
2704-560/561	.405	80°	6.75	3.75	18.50	5.50	Square
2704-556/557	.437	80°	6.75	4.50	18.50	5.50	Square

Springs (Ski)

P/N	Wire Diameter	Free Length	Rate Lb/Inch	Coils	Tab	Color
0603-152	0.281	11.35	43-53	13.5	Yes	Black
0603-173	0.312	2.0	750	3	No	Black
0603-260	0.312	11.35	70	13.5	Yes	Black
0603-277	0.312	8.75	70-83	9	Yes	Black
0603-278	0.328	8.25	85-100	9	Yes	Black
0603-279	0.281	9.25	40	10	Yes	Black
0603-425	0.312	11.35	70	13.5	No	Black
0603-602	0.280	11.40	70	13	Yes	Black
0603-650	0.330	9.14	150	9	Yes	Black
0603-718	0.312	11.3	110	14	Yes	Black
0603-860	0.312	9.5	110	7.5	Yes	Black
0703-418	0.312	9.14	110	10	Yes	Green
0703-482	0.312	9.5	110	8	Yes	Green
0703-579	0.312	8.38	90	9	Yes	Green
0703-592	0.331	10.5	90	8	Yes	Green
0703-597	0.331	9.50	110	10.5	Yes	Green
0703-598	0.331	9.50	110	10.5	Yes	Green
0703-599	0.312	8.38	90	9	Yes	Green
0703-619	0.312	12.25	95	14.9	Yes	Green
0703-744	0.331	13.0	120	12.44*/14.44**	No	Black
0703-745	0.120	2.0	20	1.787*/3.787**	No	Green
0703-802	0.243	8.0	85	12.50**/10.50*	No	Green
0703-872	0.331	10.5	90	8	Yes	Platinum
0703-937	0.343	10.5	110	9	Yes	Platinum
1603-240	0.312	11.3	110	14	Yes	Green
1603-392	0.312	14.125	121	16	Yes	Green
1603-410	0.312	9.50	110	13	Yes	Green
1603-506	0.295	12.61	80/120	11.11*/13.11**	Yes	Platinum
1603-527	0.295	9.00	110	9.8*/11.8**	Yes	Black
1603-599	0.306	13.0	110	14	Yes	Black
1603-602	0.306	11.5	77/205	14*/16**	Yes	Platinum
1603-611	0.331	11.4	60/175	11*/14**	Yes	Platinum
1603-612	0.331	11.4	60/175	11*/14**	Yes	Green
1603-860	0.306	13.0	110	14	Yes	Green
1603-938	0.312	14.125	121	17.0**/15.0*	Yes	Yellow
1703-014	0.312	9.36	90	6.5*/8.5**	No	Green
1703-015	0.312	9.36	90	6.5*/8.5**	No	Platinum
1703-037	0.306	12.50	110	11.2*/13.2**	Yes	Black
1703-062	0.331	10.50	90	6*/8**	Yes	Yellow
1703-080	0.331	9.50	110	8*/10**	No	Orange
1703-083	0.312	9.36	90	7.75*/9.75**	No	Orange
1703-087	0.331	13.0	120	12.44*/14.44**	No	Yellow
1703-201	0.312	14.25	50	17*/19**	Yes	Yellow
1703-216	0.306	10.00	110	9.7*/11.7**	Yes	Green
1703-225	0.306	13.00	110	11.1*/13.1**	Yes	Yellow
1703-264	0.306	10.00	110	9.7*/11.7**	Yes	Red
1703-276	0.331	13.00	130	12.4*/14.4**	No	Yellow
1703-277	0.306	10.00	110	11.75	Yes	Orange
1703-279	0.312	9.50	110	10	No	Black
1703-288	0.331	9.50	110	10**/8*	No	Yellow
1703-322	0.312	9.36	90	9 3/4**/7 3/4*	No	Yellow
1703-330	0.331	9.50	110	10**/8*	No	Red
1703-345	0.331	10.50	90	8	Yes	Gold
1703-354	0.343	14.25	50	18.53**/16.53*	Yes	Silver
1703-440	0.312	14.25	50-90-150	18.5	Yes	Black
1703-441***	0.331	12.50	95	14**/12*	Yes	Black
1703-486	0.312	10.11	90	9.62**/7.62*	No	Red
1703-540	0.331	11.25	135	13.36**/11.36*	No	Yellow
1703-557	0.312	13.00	110	13.5	Yes	Silver
1703-656	0.312	9.14	110	10.0	Yes	Black
1703-660	0.331	10.50	90	8.0	Yes	Blue

P/N	Wire Diameter	Free Length	Rate Lb/Inch	Coils	Tab	Color
1703-665	0.312	10.11	90	9.62**/7.62*	No	Red
1703-692	0.312	14.125	121	17.0**/15.0*	Yes	Fire Red
1703-742	0.331	13.00	120	14.4	No	Green
1703-768	0.331	11.40	65	14.5**/12.5*	Yes	Fire Red
1703-786	0.331	12.00	120	12.82**/10.82*	Yes	Fire Red
1703-787	0.331	12.00	120	12.82**/10.82*	Yes	Cat Green
1703-858	0.312	9.36	90	9.75**/7.75*	No	Orange
1703-870	0.312	9.50	110	7.5	Yes	Viper Blue
1703-873	0.331	9.50	110	10**/8*	No	Pearl Green
1703-890	0.312	14.125	121	17**/15*	Yes	Orange
1703-900	0.312	14.25	121	17**/15*	Yes	Orange
1703-923	0.331	12.50	95	12.07*/14.07**	Yes	Platinum
1703-926	0.312	14.25	60-90-130	17.83**/15.83*	Yes	Platinum
1703-932	0.312	14.25	60-90-130	17.83**/15.83*	Yes	Orange
1703-933	0.312	14.25	60-90-130	17.83**/15.83*	Yes	Pearl Green
2603-248	0.320	10.00	110	9.25	No	Titanium
2603-373	0.375	11.50	145	9	No	Titanium
2703-001	0.331	12.50	95	12.07*/14.07**	Yes	Orange
2703-013	0.362	10.50	120	9.3**/7.3*	Yes	Viper Blue
2703-114	0.312	10.11	90	7.62*/9.62**	No	Platinum
2703-016	0.331	13.00	120	14.44**/12.44*	No	Green
2703-018	0.331	13.00	120	14.44**/12.44*	No	Orange
2703-128	0.331	12.50	95	12.07*/14.07**	Yes	Cat Green
2703-184	0.331	10.50	90	7.5	Yes	Orange
2703-226	0.362	10.50	120	7.3*/9.3**	Yes	Met. Red
2703-228	0.312	9.50	110	6.5*/8.5**	Yes	Met. Red
2703-258	0.331	12.50	95	12.07*/14.07**	Yes	White
2073-264	0.331	11.25	90	6.2*/8.2**	No	Cat Green
2703-265	0.331	11.25	90	6.2*/8.2**	No	White
2703-266	0.331	11.25	90	6.2*/8.2**	No	Orange
2703-272	0.343	11.25	110	7.0*/9.0**	No	Cat Green
2703-273	0.343	11.25	110	7.0*/9.0**	No	Platinum
2703-275	0.343	13.50	120	9.92*/11.92**	No	Orange
2703-277	0.331	11.25	90	6.2*/8.2**	No	Platinum
2703-279	0.343	11.25	110	7.0*/9.0**	No	Met. Red
2703-385	0.375	13.00	175	10.48**/8.48*	No	White
2703-386	0.362	13.00	160	9.94**/7.94*	No	White
2703-387	0.393	13.00	190	11.35**/9.35*	No	White
2703-397	0.235	6.97	85	9.58**/7.58*	No	White
2703-406***	0.357	13.00	145	10.2**/8.2*	No	White
2703-439***	0.343	11.25	110	9**/7*	No	White
2703-442***	0.343	13.50	120	11.9**/9.9*	No	Green
2703-462***	0.357	13.00	145	10.2**/8.2*	No	Copper
2703-474	3.343	11.25	120	9.50**/7.50*	No	Blue
2703-479****	0.312	10.11	90	9.6**/7.6*	No	White
2703-503***	0.343	11.25	110	9**/7*	No	Black
2703-524***	0.343	11.25	120	9.5**/7.5*	No	Platinum
2703-534***	0.343	13.50	120	11.9**/9.9*	No	White
2703-535***	0.343	13.50	120	11.9**/9.9*	No	Copper
2703-536***	0.343	13.50	120	11.9**/9.9*	No	Black
2703-592	0.357	13.00	145	10.24**/8.24*	No	Pearl Green
2703-604	0.357	13.00	145	10.24**/8.24*	No	Apple Green
2703-607	0.343	9.50	140	9.58**/7.58*	No	Bearcat Blue
2703-608	0.343	9.50	140	9.58**/7.58*	Yes	Pearl Green
2703-611	0.357	13.00	145	8.20**/6.20*	No	Pearl Green
2703-735	0.343	11.25	120	9.50**/7.50*	No	White
2703-741	0.331	11.25	90	8.2**/6.2*	No	Cr. Red
2703-754	0.343	9.50	140	9.58**/7.58*	Yes	White
2703-756	0.312	9.50	110	8.5**/6.5*	Yes	White
2703-808	0.312	13.00	95	10**/8*	No	Green
2703-819	0.357	13.00	145	10.24**/8.24*	No	Cr. Red
2703-861	0.312	13.00	95	10**/8*	No	White
2703-868	0.331	13.00	120	9.6**/7.6*	No	Green
2703-898	0.343	11.25	110	9**/7*	No	Cr. Red
2703-899	0.331	13.00	120	9.6**/7.6*	No	White
2703-949	0.357	13.00	145	10.24**/8.24*	No	Black

* Active Coils ** Total Coils *** 1.87 I.D. **** 1.87/1.90 I.D.

Drive Belt Application Guide

1967	
Panther P8, P12, P15	0100-022
1968	
Cougar	0100-022
Panther P-20 w/o Kohler Eng.	0100-032
w/Kohler Eng.	0100-022

1969	
Panther Models, P35H	0100-042
P17J, P19J, K or S, P22J or H	0100-043
P12K, P19H, P20W, P23K	0100-066
P17H	0100-080
P27H	0100-088

1970	
Panther P246, P292, P295, P340 Eng.	0100-080
P303, P299 Eng.	0100-088
P440 Eng.	0100-092
P634, P760, P793 Eng.	0100-042

1971	
Panther & Puma P303 (303cc), P340, PM340 (340cc)	0100-088
P399, PM399 (398cc), P440, PM440 (436cc)	0100-092
P650, PM650 (634cc)	0100-042
Lynx L295 (292cc), L303 (303cc), L340 (340cc)	0100-080
Ext E295 (292cc)	0100-088
E340 (339cc), E399 (398cc), E440 (436cc)	0100-092

1972	
Lynx 292AL, Panther 292AP Kawasaki KT 150B)	0100-080
Puma 340APU, Cheetah 340AC, Panther 340AP (Kawasaki TIA 340S1), Panther 303WP (Wankel KM 914)	0100-088
Puma 399APU, Cheetah 399AC, Panther 399AP (Kawasaki TIA 400S1), Cheetah 440AC, Panther 440AP (Kawasaki TIA 440S1)	0100-092
Ext (All Engines)	0227-002

1973	
Lynx 292	0100-080
Puma 440	0100-092
Cheetah 340	0227-007
Cheetah 400, 440	0227-007
Panther 340	0227-007
Panther 400, 440	0227-007
Panther Wankel	0100-088
El Tigre 250, 340	0227-011
El Tigre 400, 440	0227-011
Ext 290, 340	0227-020
Ext 440, 650	0227-020

1974	
Lynx I 292	0227-011
Lynx I 295	0227-007
Lynx II 340, 440	0227-007
Cheetah 340, 440	0227-007
Panther 295W, 340, 440	0227-007
El Tigre 295, 340, 400, 440	0227-014

1975	
El Tigre Z, 340, 440	0227-020
Pantera	0227-007
Lynx 250	0227-017
Cheetah 295	0227-016
Cheetah 340, 440	0227-007
Panther 340, 440	0227-007
Jag 340	0227-014

1976	
El Tigre 4000, 5000	0227-020
Pantera 5000	0227-020
Panther 4000	0227-007
Cheetah 4000	0227-007
Panther 5000	0227-019
Cheetah 5000	0227-019
Jag 2000, 3000	0227-014
Lynx 2500	0227-017
Arctic Z	0227-022
Cross Country Cat	0227-020

1977	
El Tigre 4000, 5000	0227-020
Pantera 5000F/A, 5000F/C	0227-020
Panther 4000	0227-007
Panther 5000	0227-019
Cheetah 4000	0227-019
Jag 3000	0227-014
Lynx 2000T, 2000S	0227-007

1978	
Lynx 2000S, 2000T	0227-007

1978 (cont)	
Jag 2000, 3000	0227-014
Panther 4000	0227-007
Panther 5000	0227-019
Cheetah 5000	0227-019
El Tigre 5000F/A, 6000L/C	0227-019
Pantera 5000F/A, 5000F/C	0227-020

1979	
Lynx 2000S, 2000T	0227-007
Jag 2000, 3000, FC/OI	0227-014
Panther 5000F/C	0227-019
El Tigre 5000F/A, 6000L/C	0227-019
Pantera 5000F/C	0227-020
Trail Cat	0227-019
El Tigre 340 & 440 Special Edition	0227-026

1980	
Lynx 2000S, 2000T	0227-007
Jag 2000, 3000, 3000F/C	0227-014
Trail Cat 3000, 4000	0227-019
Panther, Pantera, El Tigre 5000, 6000	0227-019

1981	
Jag	0227-014
Trail Cat	0227-019
Panther, Pantera	0227-019
El Tigre 5000	0227-030
El Tigre 6000	0227-032

1984	
Panther	0227-030
El Tigre 6000	0227-032

1985	
Jag	0227-100
Panther, Pantera	0227-030
Cougar	0227-030
El Tigre 6000	0227-032

1986	
Jag	0227-100
Panther, Pantera	0227-030
Cougar, Cheetah F/C	0227-030
El Tigre, Cheetah L/C	0227-032

1987	
Jag 340, 440	0227-100
Super Jag	0227-030
Panther, Pantera	0227-030
Cougar, Cheetah F/C	0227-030
El Tigre 5000, 6000	0227-032
Cheetah L/C	0227-032

1988	
Jag 340, 440, Jag Deluxe	0227-100
Super Jag, Panther	0227-030
Cougar, Pantera	0227-101
El Tigre 5000, 6000	0227-101
Cheetah Touring, L/C	0227-101
Wildcat 650	0627-004

1989	
Jag 340, Jag Deluxe	0227-100
Super Jag, Jag AFS	0227-032
Panther, Cougar	0227-032
Pantera, Cheetah Touring	0227-032
El Tigre 6000, EXT	0227-032
Wildcat 650	0627-001

1990	
Jag 340	0227-100
Jag Mountain Cat	0227-100
Panther, Jag AFS	0227-103
Cougar, Cheetah Touring	0227-103
Pantera, El Tigre EXT	0227-103
Wildcat 650	0627-006
Prowler	0227-103

1991	
Lynx	0227-030
Jag AFS, Panther	0227-103
Jag Long Track	0227-103
Super Jag	0227-103
Jag 340 Mountain Cat	0227-100
Cougar, Cheetah Touring	0227-103
Pantera, Prowler	0227-103
El Tigre EXT	0227-103
Prowler Special	0227-103
EXT Special	0227-103
Wildcat 700	0627-006

1992	
Jag, Jag Special	0227-103
Super Jag	0227-103
Jag AFS L/T	0227-103
Cheetah	0227-103
Cougar	0227-103
Lynx, Lynx Deluxe	0227-030

1992 (cont)	
Lynx Mountain Cat	0227-103
Pantera	0227-103
Prowler, Prowler Special	0227-103
EXT, EXT Special	0227-103
Panther	0227-103
Wildcat (AWS)	0627-008
Wildcat EFI (AFS)	0627-006

1993	
Jag, Jag 440 Z	0227-103
Jag AFS L/T	0227-103
Cheetah	0227-103
Cougar	0227-103
Lynx, Lynx Deluxe	0227-030
Lynx Mountain Cat	0227-103
Pantera	0227-103
Prowler, Prowler 440Z	0227-103
EXT, EXT 580 Z	0227-103
Panther	0227-103
Wildcat	0627-011
Thundercat	0627-010
ZR Models	0627-012

1994	
Puma, Puma Dlx, Puma 2-Up	0227-103
Jag, Jag 440Z	0227-103
Cheetah Models	0227-103
Cougar	0227-103
Pantera	0227-103
Prowler EFI	0227-103
EXT 580 Models	0627-012
Panther Dlx	0227-103
Wildcat EFI	0627-011
ZR Models	0627-012
Thundercat	0627-010

1995	
Puma, Puma Dlx, Puma 2-Up	0227-103
Jag, Jag Dlx	0227-103
Panther	0227-103
Bearcat 340	0627-013
Bearcat 440 & 550	0627-014
Cougar	0627-012
Prowler	0627-012
Pantera	0627-012
EXT	0627-012
EXT Powder Special	0627-010
Wildcat, Wildcat Touring	0627-010
Thundercat	0627-010
Z440	0627-012
ZR440, ZR580	0627-012
ZR700	0627-010
ZRT800	0627-010

1996	
Puma, Puma Dlx, Puma 2-Up	0227-103
Jag, Jag Dlx, Jag L/C	0227-103
Z440, Panther Dlx, Panther L/C	0627-012
Bearcat 340	0627-013
Bearcat 440 & 550	0627-014
Cougar, 2-Up, M/C	0627-012
Pantera	0627-012
EXT EFI Models	0627-012
EXT 580	0627-012
EXT 580 Powder Special	0627-010
Wildcat Models	0627-010
Thundercat, ZRT 800, ZRT 600	0627-010
ZR 580 Models, ZR440	0627-012

1997	
Puma, Puma Dlx, Puma 2-Up	0627-012
Jag, Jag Dlx	0627-012
Panther, Panther L/C	0627-012
Z440, ZL440	0627-012
Bearcat 340	0627-013
Bearcat 440 & 550	0627-014
Cougar, Cougar M/C	0627-012
Pantera	0627-012
EXT EFI Models	0627-012
Powder Special EFI	0627-012
Thundercat, ZRT 800, ZRT 600	0627-010
ZR 580, ZR440	0627-010
EXT 600, Powder Extreme	0627-010
Powder 580 Carb	0627-010

1998	
Jag 340, Panther 340	0627-012
Jag 440, Jag 440 DLX	0627-012
Z 440, Panther 440	0627-012
Panther 550	0627-021
Bearcat 340	0627-013
Bearcat 440, Bearcat WT	0627-014
Cougar, Cougar Dlx, Cougar M/C	0627-021
Pantera 580	0627-021
Pantera 800	0627-020
EXT EFI	0627-020
EXT EFI DLX	0627-021
EXT 600, EXT 600 Touring	0627-020

1998 (cont)	
Powder Special, Powder Special EFI	0627-020
Powder Extreme	0627-020
Thundercat, Thundercat M/C	0627-020
ZRT 600, ZRT 800	0627-020
ZR 600, ZR 600 EFI	0627-020
ZL 440	0627-021
ZL 500, ZR 500	0627-020
ZR 440	0627-020

1999	
Jag 340 DLX, Panther 340	0627-012
Jag 440, Jag 440 DLX	0627-012
Panther 440	0627-012
Panther 550	0627-021
Bearcat 340, Bearcat 440 I	0627-013
Bearcat 440 II, Bearcat WT	0627-014
Pantera 580 EFI	0627-021
Pantera 800	0627-020
Triple Touring 600	0627-020
Powder Special 500 EFI	0627-020
Powder Special 600 Models	0627-020
Powder Special 700	0627-020
Thundercat, Thundercat M/C	0627-020
Z 370	0627-021
Z 440	0627-021
ZL 440	0627-021
ZL 500 Models, ZL 600 Models	0627-020
ZR 500 Models	0627-020
ZR 600 Models	0627-020
ZR 700	0627-020
ZRT 600, ZRT 800	0627-020

2000	
Bearcat 340	0627-013
Bearcat 440 I/440 II/WT	0627-014
Pantera Models	0627-020
Panther 340/440	0627-012
Panther 550	0627-021
Powder Special Models	0627-020
Thundercat Models	0627-020
Triple Touring 600	0627-020
Z Models	0627-021
ZL 440/550	0627-021
ZL 500/580/600/700	0627-020
ZR Models	0627-020
ZRT Models	0627-020

2001	
Bearcat W/T	0627-014
Mountain Cat Models	0627-020
Pantera Models	0627-020
Panther 370 Models	0627-013
Panther 440 Models	0627-012
Panther 550	0627-021
Thundercat	0627-020
Triple Touring 600	0627-020
Z Models	0627-021
ZL Models	0627-020
ZR Models	0627-020
ZRT Models	0627-020

2002	
Bearcat W/T	0627-014
Mountain Cat Models	0627-020
Pantera 550	0627-021
Pantera Models (EFI)	0627-020
Panther Models	0627-021
Thundercat	0627-020
Z Models	0627-021
ZL Models	0627-020
ZR Models	0627-020
ZRT 600	0627-020

2003	
Bearcat W/T	0627-026
Firecat 500/600 Models	0627-020
Firecat 700 Models	0627-020/035
4-Stroke Touring/Trail	0627-013
Mountain Cat Models	0627-020
Pantera 550	0627-021
Pantera Models (EFI)	0627-020
Panther Models	0627-021
Thundercat	0627-020
Z Models	0627-021
ZL Models	0627-020
ZR Models	0627-020/035

2004	
Bearcat 570	0627-013
Bearcat W/T	0627-033
Firecat 500 Models	0627-020
Firecat 600/700 Models	0627-031
King Cat	0627-020
Mountain Cat Models	0627-020
Pantera 550	0627-021
Pantera Models (EFI)	0627-020
Panther Models	0627-021
Sabercat 500	0627-020

2004 (cont)

Sabercat 600/700 Models.....	0627-031
T660 Touring.....	0627-021
T660 Turbo Models.....	0627-028
Z Models.....	0627-021
ZR Models.....	0627-032

2005

Bearcat 570.....	0627-013
Bearcat W/T.....	0627-033
Firecat 500 Models.....	0627-034
Firecat 600/700 Models.....	0627-034
King Cat.....	0627-020
M-Series.....	0627-036
Pantera 550.....	0627-021
Pantera 600 EFI.....	0627-020
Panther Models.....	0627-021
Sabercat 500.....	0627-020
Sabercat 600/700 Models.....	0627-035
T660 Touring.....	0627-021
T660 Turbo Models.....	0627-028
Z Models.....	0627-021
ZR 900 Models.....	0627-032

2006

Bearcat 570.....	0627-013
Bearcat W/T.....	0627-033
Bearcat W/T Turbo.....	0627-049
Crossfire Models.....	0627-036
Firecat 500 Models.....	0627-044
Firecat 600 EFI r.....	0627-020
Firecat 600/700 Models (w/o Reverse).....	0627-044
Firecat 700 EFI r.....	0627-035
King Cat Models.....	0627-020
M-Series Models.....	0627-036
Panther 370/570 Models.....	0627-021
Panther 660 Models.....	0627-013
Sabercat 500/600 Models.....	0627-020
Sabercat 700 Models.....	0627-035
T660 Touring.....	0627-013
T660 Turbo Models.....	0627-048
Z Models.....	0627-021
ZR 900 EFI Models.....	0627-045

2007

Bearcat 570.....	0627-013
Bearcat W/T.....	0627-033
Bearcat W/T Turbo.....	0627-049
Crossfire 5/6/8.....	0627-046
Crossfire 1000.....	0627-060
F-Series 5/6/8.....	0627-046
F1000.....	0627-060
Jaguar Z1.....	0627-047
M-Series.....	0627-046
Panther 370/570.....	0627-021
Panther 660.....	0627-013
T660.....	0627-048
Z 370/570.....	0627-021

2008

Bearcat 570.....	0627-013
Bearcat W/T.....	0627-033
Bearcat W/T Turbo.....	0627-049
Crossfire 5/6/8.....	0627-046
Crossfire 1000.....	0627-060
F-Series 5/6/8/570.....	0627-046
F1000.....	0627-060
Jaguar Z1.....	0627-047
M-Series 6/8.....	0627-046
M1000.....	0627-060
Panther 370.....	0627-021
Panther 660.....	0627-013
600 Sno Pro.....	0627-066
T500/T570.....	0627-046
TZ1.....	0627-047

2009

Bearcat 570.....	0627-067
Bearcat 570 XT.....	0627-046
Bearcat Z1 XT.....	0627-047
Crossfire 500.....	0627-067
Crossfire 6/8/R8.....	0627-046
Crossfire 1000/R1000.....	0627-060
F5/570.....	0627-067
F6/8.....	0627-046
F1000 Sno Pro.....	0627-060
M6/8/HCR.....	0627-046
M1000.....	0627-060
T500/570.....	0627-067
TZ1.....	0627-047
TZ1 Turbo.....	0627-066
Z1.....	0627-047
Z1 Turbo.....	0627-066
600 Sno Pro (Sno Cross).....	0627-070
600 Sno Pro (Cross Country).....	0627-066

2010

Bearcat 570.....	0627-067
Bearcat 570 XT.....	0627-046
Bearcat Z1 XT.....	0627-047
Crossfire 6.....	0627-046
Crossfire 8,CFR 8, CFR 1000.....	0627-060

2010 (cont)

F5 LXR/570.....	0627-067
F6 Sno Pro/8/8 Sno Pro.....	0627-046
M6/8/HCR.....	0627-046
M1000.....	0627-060
T570.....	0627-067
TZ1.....	0627-069
TZ1 Turbo/LXR.....	0627-073
Z1.....	0627-069
Z1 Turbo/EXT/ Sno Pro.....	0627-073
Sno Pro 500.....	0627-047
Sno Pro 600 (Sno Cross).....	0627-075
Sno Pro 600 (Cross Country).....	0627-076

2011

Bearcat 570/LTD.....	0627-067
Bearcat 570 XT.....	0627-046
Bearcat Z1 XT/LTD.....	0627-047
Crossfire 6.....	0627-046
Crossfire 8,CFR 8, CFR 1000.....	0627-060
F5 LXR/570.....	0627-067
F6 Sno Pro/8 EXT/LXR/ 8 Sno Pro LTD.....	0627-046
M6/8/HCR.....	0627-046
M1000 Sno Pro.....	0627-060
T570.....	0627-067
TZ1/LXR LTD.....	0627-069
TZ1 Turbo LXR LTD.....	0627-073
Z1 LXR.....	0627-069
Z1 Turbo EXT/LXR/Sno Pro.....	0627-073
Sno Pro 500.....	0627-047
Sno Pro 600 (Sno Cross).....	0627-075
Sno Pro 600 (Cross Country).....	0627-076

2012

BC 570.....	0627-067
BC 570 XT.....	0624-046
BC Z1 XT.....	0627-047
F5 LXR, F570.....	0627-067
F 800.....	0627-083
F 1100.....	0627-081
F 1100 Turbo.....	0627-082
M 800.....	0627-084
M 1100.....	0627-081
M 1100 Turbo.....	0627-082
T570.....	0627-067
TZ1 Touring.....	0627-069
TZ1 Turbo Touring.....	0627-082
XF 800.....	0627-083
XF 1100.....	0627-081
XF 1100 Turbo.....	0627-073
XF 800 High Country.....	0627-084
Sno Pro 500.....	0627-047
Sno Pro 600.....	0627-085

2013

Bearcat 570.....	0627-067
Bearcat 570 XT.....	0627-046
Bearcat Z1 XT.....	0627-047
F5 LXR, F570.....	0627-067
F800.....	0627-083
F1100.....	0627-081
F1100 Turbo.....	0627-082
M800.....	0627-084
M1100.....	0627-081
M1100 Turbo.....	0627-082
T570.....	0627-067
TZ1.....	0627-069
TZ1 Turbo.....	0627-073
XF800.....	0627-083
XF 800 High Country.....	0627-084
XF1100.....	0627-081
XF1100 Turbo.....	0627-082
Sno Pro 500.....	0627-047
Sno Pro 600.....	0627-086

2014

Bearcat 570.....	0627-067
Bearcat 570 XT.....	0627-046
Bearcat Z1 XT.....	0627-047
Bearcat Z1 XT GS.....	0627-073
F5.....	0627-067
F570.....	0627-067
M 6000.....	0627-083
M 8000.....	0627-084
M 9000.....	0627-082
T570.....	0627-067
TZ1.....	0627-069
XF 7000.....	0627-070
XF 8000.....	0627-083
XF 8000 High Country.....	0627-084
XF 9000.....	0627-082
ZR 5000.....	0627-081
ZR 6000.....	0627-083
ZR 7000.....	0627-070
ZR 8000.....	0627-083
ZR 9000.....	0627-082
Sno Pro 500.....	0627-047
ZR 6000R.....	0627-086

2015

Bearcat 2000.....	0627-067
Bearcat 2000 XT.....	0627-046
Bearcat 5000 XT.....	0627-047
Bearcat Z1 5000 GS.....	0627-073
Lynx 2000.....	0627-067

2015 (cont)

Lynx 2000 LT.....	0627-067
M 6000.....	0627-083
M 8000.....	0627-084
M 9000.....	0627-082
Pantera 7000.....	0627-069
XF 7000.....	0627-070
XF 8000.....	0627-083
XF 8000 High Country.....	0627-084
XF 9000.....	0627-082
ZR 4000, ZR 4000 RR.....	0627-083
ZR 5000.....	0627-081
ZR 6000.....	0627-083
ZR 7000.....	0627-070
ZR 8000.....	0627-083
ZR 9000.....	0627-082

2016

Bearcat 2000 LT.....	0627-067
Bearcat 2000 XT.....	0627-046
Bearcat 3000 LT.....	0627-081
Bearcat 7000 XT.....	0627-102
Bearcat 7000 XT GS.....	0627-102
Lynx 2000.....	0627-067
Lynx 2000 LT.....	0627-067
M 6000.....	0627-083
M 7000.....	0627-070
M 8000.....	0627-084
M 9000.....	0627-082
Pantera 7000.....	0627-069
Pantera 7000 XT LTD.....	0627-102
Pantera 3000.....	0627-081
XF 6000 Crosstrek.....	0627-070
XF 6000 High Country.....	0627-070
XF 7000.....	0627-070
XF 7000 Crosstour.....	0627-070
XF 7000 High Country.....	0627-070
XF 8000.....	0627-083
XF 8000 High Country.....	0627-084
XF 9000.....	0627-082
XF 9000 High Country.....	0627-082
ZR 4000, ZR 4000 RR.....	0627-083
ZR 5000.....	0627-081
ZR 6000.....	0627-083
ZR 7000.....	0627-070
ZR 8000.....	0627-083
ZR 9000.....	0627-082

Drive Belt Dimension Chart

BELT P/N	LENGTH	WIDTH
0227-011	44.000 ± .188 inch	1.250 inch
0227-014	45.500 ± .188 inch	1.250 inch
0227-016	45.063 ± .188 inch	1.250 inch
0227-019	43.250 ± .188 inch	1.250 inch
0227-020	46.688 ± .188 inch	1.250 inch
0227-103	43.625 ± .125 inch	1.375 inch
*0627-002	43.625 ± .188 inch	1.375 inch
*0627-004	43.625 ± .188 inch	1.375 inch
*0627-010	47.750 ± .188 inch	1.375 inch
*0627-011	45.750 ± .188 inch	1.375 inch
*0627-012	47.750 ± .188 inch	1.375 inch
0627-013	49.000 ± .188 inch	1.437 inch
0627-014	49.000 ± .188 inch	1.437 inch
*0627-020	48.071 ± .188 inch	1.406 inch
*0627-021	47.750 ± .188 inch	1.385 inch
*0627-031	47.750 ± .178 inch	1.382 inch
*0627-032	44.570 ± .178 inch	1.448 inch
*0627-033	50.285 ± .188 inch	1.437 inch
*0627-034	44.024 ± .178 inch	1.448 inch
*0627-035	47.750 ± .178 inch	1.400 inch
*0627-036	45.024 ± .178 inch	1.448 inch
*0627-044	44.706 ± .178 inch	1.448 inch

BELT P/N	LENGTH	WIDTH
*0627-045	45.223 ± .178 inch	1.448 inch
*0627-046	45.998 ± .178 inch	1.448 inch
*0627-047	43.547 ± .178 inch	1.448 inch
*0627-048	46.986 ± .178 inch	1.448 inch
*0627-049	48.162 ± .178 inch	1.448 inch
*0627-059	48.162 ± .178 inch	1.448 inch
**0627-060	45.998 ± .178 inch	1.448 inch
*0627-067	45.394 ± .178 inch	1.406 inch
*0627-069	42.953 ± .178 inch	1.406 inch
*0627-070	44.250 ± .178 inch	1.448 inch
**0627-060	45.998 ± .178 inch	1.448 inch
*0627-067	45.394 ± .178 inch	1.406 inch
**0627-060	45.998 ± .178 inch	1.448 inch
*0627-067	45.394 ± .178 inch	1.406 inch
*0627-069	42.953 ± .178 inch	1.406 inch
*0627-070	44.250 ± .178 inch	1.448 inch
***0627-073	43.547 ± .178 inch	1.448 inch
**0627-075	44.250 ± .178 inch	1.448 inch
**0627-076	43.547 ± .178 inch	1.448 inch
*0627-081	46.378 ± .178 inch	1.448 inch
***0627-082	46.259 ± .178 inch	1.448 inch
**0627-083	47.519 ± .178 inch	1.448 inch
***0627-084	47.519 ± .178 inch	1.448 inch
***0627-085	48.149 ± .178 inch	1.448 inch
***0627-086	48.149 ± .178 inch	1.448 inch
***0627-102	44.567 ± .178 inch	1.385 inch

*High Performance **Improved Compression Resistance; Improved Heat Resistance ***Best Compression Resistance; Best Heat Resistance

■ **NOTE: The difference between a * drive belt and a ** drive belt of the same dimension is hardness. A ** drive belt is more flexible and if used in place of a * drive belt, the engine will run at a lower RPM.**

Chains & Sprockets

STANDARD							
11 WIDE		13 WIDE		15 WIDE		17 WIDE	
Upper Sprocket		Upper Sprocket		Upper Sprocket		Upper Sprocket	
15T	0107-217	18T	0602-445	18T	0602-995	20T**	1602-735
16T	0107-340	18T	1602-378 (cut steel)	19T	0602-973 (cut steel)	Chain	
18T	0107-341	19T	0602-444	20T**	1602-600 (2004)	74P**	1602-806
21T	0107-408	20T	0602-456	21T**	1602-685 (2004)		
22T	0107-301	22T	0602-455	Lower Sprocket			
23T	0602-363	23T	0602-452	40T*	0702-394		
24T	0107-508	24T	0602-446	44T*	0702-383		
Lower Sprocket		19T*	0602-470	39T	1602-604		
33T	0107-513	20T**	1602-413 (2003)	40T	1602-605		
37T	0107-407	Lower Sprocket		46T***	1602-690 (2004)		
40T	0107-903	39T	0602-451	Chain			
Chain		40T	0602-453	68P	1602-036		
64P	0107-322	39T*	0702-170	70P	0602-968		
70P	0107-216	40T*	0702-393	72P	0602-972		
72P	0107-372	42T	0602-909	74P**	1602-550		
		43T	1602-333 (cut steel)				
		44T	0602-812				
		Chain					
		70P	1602-041				
		72P	1602-042				

2012-2016 ProCross/Proclimb (Excluding 7000)							
11 WIDE Upper Sprocket (2-Stroke)		13 WIDE Upper Sprocket (2-Stroke)		15 WIDE Upper Sprocket (2-Stroke)		2014-2016 7000 Models 13 WIDE Upper Sprocket	
40T	2602-276	19T	2602-582	19T	2602-666	21T**	1702-351
Chain (2- & 4-Stroke)		21T	2602-377	21T	2602-212	22T**	1702-382
68P	2602-342	22T	2602-335	22T	2602-461	24T**	1702-352
		23T	2602-403	Upper Sprocket (4-Stroke)		Lower Sprocket	
		Upper Sprocket (4-Stroke)		21T	1702-202	41T**	2602-745
		21T	1702-201	22T	1702-191	48T**	2602-790
		22T	1702-074	24T	1704-203	49T**	2602-758
		Lower Sprocket (2- & 4-Stroke)		Chain (2- & 4-Stroke)		50T**	2602-746
		35T	2602-405	84P	2602-365	Chain	
		36T	2602-406	86P	2602-710	86P**	2602-743
		37T	2602-371	90P	2602-373	90P**	2602-760
		38T	2602-372			92P**	2602-744
		48T	2602-364				
		49T	2602-363				
		50T	2602-584				
		50T****	2602-620				
		41T	2602-522				
		Chain (2- & 4-Stroke)					
		84P	2602-369				
		86P	2602-514				
		90P	2602-370				

■NOTE: The 2014-2016 ProCross/ProClimb/ProTour/ProUte 7000 models use Borg Warner components.

* Reverse and 2-Speed Sprocket

** Borg Warner component - must be used with other Borg Warner components or damage will result.

*** 16T inner spline/37.5° angle.

**** Aluminum

Drive System Components

Below is a list of Arctic Drive System components available through the Arctic Cat Service Parts Department.

SPRINGS - ARCTIC DRIVEN					
p/n	Color	Rate @ 1 7/16"	p/n	Color	Rate @ 1 7/16"
0648-732*	Green	280 lb	0648-792	Black/Orange	280 lb
0648-693*	White	260 lb	0148-227	Yellow	92 lb
0648-718*	White	260 lb	0648-012	Blue	79 lb
0648-662*	Platinum	180 lb	0648-010	White	58 lb
0648-114	Red/White	116 lb	0648-702	Red/Black	42 lb
0648-674 ^T	Red/White	105 lb	0648-774*	Orange	280 lb
0648-790	Black/Blue	260 lb	0648-776* ^T	Orange	280 lb
0648-749	Black/White	260 lb	0648-813**	Black/Blue	284 lb
			0648-838**	Brown	250 lb

^T Titanium * ACT Driven @ 1 5/8" ** 2012-2016 ProCross/ProClimb/ProTour/ProUte

ARCTIC CAT DRIVE CLUTCH CAM ARMS					
p/n	Grams	p/n	Grams	p/n	Grams
0646-166	39.5	0746-617	66	0746-703	68**
0646-929▲	56	0746-618	51.5	0746-705	49**
0646-930▲	52	0746-627	84.8**	0746-708	51**
0746-500	54	0746-629	75**	0746-710	72**
0746-501	48.5	0746-632	60**	0746-712	61**
0746-502	44.5	0746-634	70.5	0746-715	77**
0746-523	47	0746-640	71.5	0746-716	73**
0746-524	48.5	0746-642	50.5	0746-749	65**
0746-527	50.5	0746-653	63.5	0746-786	63**
0746-529	49.5*	0746-661	52**	0746-791	60**
0746-538	49.5	0746-662	52**	0746-792	47**
0746-539	53	0746-663	52**	0746-793	63**
0746-549	46	0746-666	55**	0746-814	83**
0746-562	42	0746-668	55**	0746-821	82**
0746-564	45.5	0746-669	60**	0746-822	71.5**
0746-565	43.5	0746-670	65**	0746-824	66**
0746-577	42	0746-671	70**	0746-825	50**
0746-579	46.5	0746-672	75**	0746-826	64**
0746-580	47	0746-673	80**	0746-827	73.5**
0746-582	48.5	0746-678	55**	0746-828	57**
0746-585	49	0746-687	57**	0746-829	52**
0746-586	45*	0746-689	69**	0746-830	60**
0746-587	50	0746-692	50**	0746-843	56.5**
0746-589	45	0746-694	63**	0746-844	53**
0746-595	41.5	0746-695	67**	0746-845	48**
0746-598	44	0746-698	64**	0746-846	57**
0746-609	52	0746-699	66**	0746-847	64**
0746-614	64	0746-702	57.5**	0746-848	62**
0746-615	62				
0746-616	66				

* Notched Cam Arm ** w/Set Screw ▲ Team

ARCTIC CAT DRIVE CLUTCH SPRING CHART				
	p/n	Rate @ 2 9/16"	Rate @ 1 5/16"	Color
LIGHT	0646-439	50 lb	250 lb	Black/White
	0646-367	50 lb	250 lb	Black
	0646-148	53 lb	224 lb	Blue
	0646-149	74 lb	228 lb	Red
	0646-432	74 lb	228 lb	Black/Red
	0646-433	75 lb	275 lb	Black/Gold
	0646-433	75 lb	275 lb	Gold
	0646-252	103 lb	315 lb	Green
	0646-147	114 lb	267 lb	Yellow/Green
	0646-373*	114 lb	257 lb	Yellow/Green
	0646-192	120 lb	270 lb	Orange
	0646-155	121 lb	240 lb	Purple
	0646-229	122 lb	285 lb	Yellow/White
	0646-379*	122 lb	285 lb	Yellow/White
	0646-035	143 lb	286 lb	Orange/Black
	0646-447*	143 lb	286 lb	Pink
	0646-684	158 lb	285 lb	Black
	0646-410	165 lb	310 lb	Blue
HEAVY	0646-216	170 lb	330 lb	Yellow

DRIVEN CAMS (Torque Brackets)			
p/n	Degree	p/n	Degree
0148-180	45	0748-687***	48/40
0148-222	51	0748-689***	38
0648-001	52/44	0648-805▲	40/38
0648-002	53	0748-744*****	42/36
0648-005	55	0748-750*****	44/40
0648-006	57	0748-622**	36
0648-011	48/44	0748-666**	50/36
0648-014	49	0748-636**	44/40
0648-016	57/50	0748-679**	42/36
0648-026	42	0748-663***	44/40
0648-107*	57/50	0748-664***	46/40
0648-125	51/49	0748-662***	36
0648-656	62/54	0748-667***	50/38
0648-681	62/50	0748-669***	46/38
0648-679	50/36	0748-700*****	36
0648-696	66/50/0.27 66/52/0.27	0748-702*****	46/40
0648-727**	50/38	0748-679***	42/36
0648-448**	36	0748-696***	50/36
0648-729**	48/42	0748-737****	40
0648-733**	46/38	0748-714****	44/40
0648-730**	44/40	0748-753*****	36
0648-764**	44/40	0748-758*****	44/40
0648-765**	36	0748-759*****	42/40
0648-809▲	44/42	0748-770*****	36
0648-899▲	63/47/0.36	0748-773*****	42/36
0648-900▲	65/47/0.36	0748-760*****	42/36
0648-901▲	58/49/0.15	0748-708****	42/36
0648-902▲	66/49/0.20	0748-772*****	42/40
0648-905▲	56/48/0.20		
0648-903▲	64/49/0.20		
0648-904▲	66/49/0.20		


* Base is 0.100 thicker than p/n 0648-016. ** ACT (10.0")

*** ACT (10.4") ***** ACT (10.4" w/reverse cam)

▲ Team *****2012-2016 ProCross/ProClimb/ProTour/ProUte

Arctic Cat Cam Arms

0646-166 39.5 grams	0746-500 54.0 grams	0746-501 48.5 grams	0746-502 44.5 grams	0746-523 47.0 grams
0746-524 48.5 grams	0746-527 50.5 grams	0746-529 49.5 grams	0746-538 49.5 grams	0746-539 53.0 grams
0746-549 46.0 grams	0746-562 42.0 grams	0746-564 45.5 grams	0746-565 43.5 grams	0746-577 42.0 grams
0746-579 46.5 grams	0746-580 47.0 grams	0746-582 48.5 grams	0746-585 49.0 grams	0746-586 45.0 grams
0746-587 50.0 grams	0746-589 45.0 grams	0746-595 41.5 grams	0746-598 44.0 grams	0746-609 52.0 grams
0746-614 64.0 grams	0746-615 62.5 grams	0746-616 66.0 grams	0746-617 60.0 grams	0746-618 51.5 grams
0746-627 84.8 grams	0746-629 75.0 grams	0746-632 60.0 grams	0746-634 70.5 grams	0746-640 71.5 grams
0746-642 50.5 grams	0746-653 63.5 grams	0746-661 52.0 grams	0746-662 52.0 grams	0746-663 52.0 grams
0746-666 55.0 grams	0746-668 55.0 grams	0746-669 60.0 grams	0746-670 65.0 grams	0746-671 70.0 grams
0746-672 75.0 grams	0746-673 80.0 grams	0746-678 55.0 grams	0746-687 57.0 grams	0746-689 69.0 grams
0746-692 50.0 grams	0746-694 63.0 grams	0746-695 67.0 grams	0746-698 64.0 grams	0746-699 66.0 grams



Carburetor Components

Mikuni (ATV)

Mikuni (ATV) Main Jets			
Jet	p/n	Jet	p/n
70	3301-499	137.5	4505-060
72.5	3301-498	140	4505-093
75	3301-511	142.5	4505-019
80	3301-615	145	4505-074
80	3301-046	147.5	4505-094
125	4505-095	150	4505-080
130	4505-071	152.5	4505-047
Pilot Jets			
Jet	p/n	Jet	p/n
22.5	4505-135	40	4505-017
35	3301-048	45	4505-059
35	3301-614	55	4505-098
40	3301-826		
Jet Needles			
Needle	p/n	Needle	p/n
5D40	4505-020	4E07	4505-082
4D28	4505-061	5E26	4505-117
Needle Jets			
Jet	p/n	Jet	p/n
P-7	4505-006	P-6M	4505-099
P-8M	4505-057	P-0M	4505-114
Starter Jets			
Jet	p/n		
60	4505-134		

Keihin (ATV)

Keihin (ATV)(CVK) Main Jets			
Jet	p/n	(Lean) ↓ (Rich)	
70	5507-168		
72	5507-169		
78	5507-220		
88	5507-222		
90	5507-221		
92	5507-208		
98	3304-441		
105	5507-167		
108	5507-242		
110	5507-166		
112	3304-434		
115	5507-126		
118	5507-241		
120	5507-125		
120	5507-206		
122	5507-205		
125	5507-072		
128	5507-073		
130	5507-074		
132	5507-075		
135	5507-057		
138	5507-076		
140	5507-044		
142	5507-043		
145	5507-042		
148	5507-041		
150	5507-009		
152	5507-077		
155	5507-078		
Slow Jets			
Jet	p/n	(Lean) ↓ (Rich)	
35	5507-069		
38	5507-246		
40	5507-070		
40	5507-127		
42	5507-071		
Jet Needles			
Jet	p/n	Jet	p/n
N601	5507-006	NAZG	5507-110
N8TZ	5507-079	N8TT	5507-055
NAZF	5507-091	N8TV	5507-080
N3RS	5507-100	NFKG	5507-184
NFKN	5507-191	NFKS	5507-201
NLVB	5507-236	NLGB	5507-243
Starter Jets			
Jet	p/n	Jet	p/n
60	5507-090	85	5507-112
65	5507-058	90	5507-092
75	5507-097	102	5507-011
85	5507-122		

Mikuni (Snowmobile)




Main Jets Available			
Jet	p/n	Jet	p/n
65	6505-299	370	6505-072
67.5	6505-300	380	6505-077
70	6505-833	390	6505-078
72.5	3303-189	400	6505-124
75	6505-296	410	6505-212
80	3301-615	410	6505-212
120	6505-270	420	6505-125
130	6505-216	430	6505-146
140	6505-217	440	6505-126
150	6505-168	450	6505-147
160	6505-064	460	6505-127
170	6505-065	470	6505-148
180	6505-056	480	6505-149
190	6505-066	490	6505-150
200	6505-144	500	6505-151
210	6505-145	510N	6506-378
220	6505-137	520	6505-530
230	6505-067	520N	6506-379
240	6505-079	530N	6506-380
250	6505-068	540	6505-531
260	6505-017	540N	6506-381
270	6505-069	550N	6506-382
280	6505-080	560	6505-172
290	6505-123	560N	6506-383
300	6505-128	580	6505-211
310	6505-136	600	6505-532
320	6505-074	640	6505-533
330	6505-070	660	6505-535
340	6505-076	680	6505-169
350	6505-071	700	6505-536
360	6505-038		

Piston Valves Available (VM)		
Slide	Carburetor Size (mm)	p/n
3.0	28-30	6505-161
3.0	30	6505-510
3.5	30	6505-528
2.5	32-34	6505-246
3.5	32-34	6505-248
2.5	34	6505-500
2.5	34	6505-614*
3.0	34	6505-507
3.0	34	6505-561*
2.0	36	6505-877
3.0	36	6505-592*
3.0	38	6505-643
3.5	38	6505-525
3.5	38	6505-526
3.5	38	6505-554
3.5	38	6505-613*
4.0	38	6505-504
3.5	40	6505-575*
2.5	40-44	6505-570
3.5	40-44	6505-548
3.0	40-44	6505-809
3.5	40-44	6505-813*

* For models with carburetor switch.

Throttle/Piston Valves Available (TM)			(TMX)		
Slide	Carb. Size (mm)	p/n	Slide	Carb. Size (mm)	p/n
2.0	38	6506-119	2.5	40	6506-273
3.0	38	6506-120	3.0	-	6506-172
3.0	38	6506-232	4.0	-	6505-990
3.5	38	6506-210	4.5	-	6505-991

Starter Jets Available			
Jet	p/n	Jet	p/n
130	6506-265	150	6506-153
135	6506-101		



Jet	p/n	Jet	p/n
O-6 (480)	6505-931	Q-0 (166)	6505-190
P-0 (159)	6505-155	Q-0 (480)	6505-529
P-0 (166)	6505-007	Q-2 (166)	6505-508
P-0 (169)	6505-051	Q-4 (166)	6505-214
P-2 (480)	6505-595	Q-5 (159)	6505-119
P-4 (159)	6505-221	Q-5 (166)	6505-520
P-4 (480)	6505-540	Q-6 (166)	6505-506
P-4 (169)	6505-164	Z-4 (224)	6505-808
P-4 (166)	6505-615	AA-1 (224)	6505-609
P-4M (961)	6506-407	AA-1 (224)	6505-550
P-5 (480)	6505-542	AA-5 (224)	6505-099
P-6 (159)	6505-247	AA-8 (224)	6505-571
P-7 (159)	6506-019	BB-0 (224)	6505-182
P-8 (166)	6505-433	BB-5 (224)	6505-180
Q-0 (159)	6505-260		

Jet Needles Available			
Needle (VM)	p/n	Needle (TM)	p/n
5DP7	6505-050	9DFH12-54	6506-421
6CE25	6506-408	9CFH1-56	6506-116
6DH2	6505-252	9DEH1-55	6506-118
6DH3	6505-509	9DEH2-57	6506-115
6DH4	6505-003	9EGY1-57	6506-192
6DH7	6505-215	9EH2-57	6506-111
6DH8	6505-236	9EH6-60	6506-117
6DH21	6505-438	9EJ1-60	6506-384
6DH41	6505-711	9EJ2-60	6506-400
6DF7	6506-297	9DFH2-58	6506-200
7DJ2	6505-549	9DFH2-59	6506-201
7DH2	6505-097	9DFH3-56	6506-186
7DH5	6505-814	9DEH3-56	6506-182
		9DFH1-56	6506-221
		9DFH9-59	6506-304
		9EH6-59	6506-228
		9DH9-54	6506-272
		9DGH18-53	6506-417
		9EH6-58	6506-290
		9EH11-60	6506-404
		9DFH4-60	6506-260
		9EFH9-60	6506-374
Needle (TMX)	p/n	Needle (TMX)	p/n
6FM6-61	6506-335	6FM4-60	6506-285
6FM5-60	6506-300	6FM2-60	6506-174
6FM5-60	6506-293	6FM7-60	6506-386
6FM4-60	6506-012	6FM8-60	6506-403

Inlet Needle Assemblies Available (VM)		
Seat Diameter	Carb. Size (mm)	p/n
1.5 mm (Steel)	28, 30, 32, 34	6505-026
1.5 mm (Viton)	28, 30, 32, 34	6505-160
1.5 mm (Steel)	28 — 34 GVM	6505-245
1.5 mm (Viton)	36, 38, 40, 44	6505-171
1.8 mm (Viton)	36, 38, 40, 44	6505-175
2.0 mm (Viton)	36, 38, 40, 44	6505-176
(TM)		
Seat Diameter	Carb. Size (mm)	p/n
1.5 mm (Steel)	38	6506-121
1.8 mm (Steel)	38	6506-144

Pilot Jets Available (VM/TM)			
Jet	p/n	Jet	p/n
17.5	6505-218	40	6505-047
20	6505-138	45	6505-278
22.5	6505-310	50	6505-262
25	6505-075	52.5	6505-261
27.5	6505-503	55	6505-255
30	6505-073	60	6505-642
35	6505-297	90	6505-396
35	6505-029		
(TMX)			
Jet	p/n	Jet	p/n
20	6506-001	27.5	6506-004
22.5	6506-002	30	6506-005
25	6506-003		

Promotional Products



ARCTIC CAT SHOPPING BAGS

Black bag featuring custom Arctic Cat logo. Available in two sizes.

Description— Pkg. Qty. 100
24" x 26" Bag

p/n
5214-069



PENCIL

Description

p/n

Pencil — Pkg. Qty. 10

Black w/Arctic Cat logo - #2 Pencil

5239-817



PEN

Description

p/n

Pen — Pkg. Qty. 10

Black Plastic w/White/Lime Green Logo Ball-Point Pen w/Clip - Black Ink

5259-856



BALLOONS

Description

p/n

Balloons — Pkg. Qty. 40

Assorted Colors: Lime/Black

5259-857

Index

#

120 ACCESSORIES.....	71
Performance Upgrade Kit.....	71
Rev Limiter.....	71

A

A-ARM KIT, 36”.....	42
A-ARM KIT, 38”.....	43
ACCESSORY ADAPTER.....	66
AIRBOX KIT, SPLIT.....	68
ALTITUDE KITS, HIGH.....	78
ANTIFREEZE.....	63
AVALANCHE AIRBAG.....	39
AVALANCHE BEACON.....	39
AVALANCHE PROBE.....	39
AXLE KIT, LIGHTWEIGHT FRONT.....	43

B

BAGS.....	
Backpacks.....	39
Dimensions.....	9
Foam Beverage Holder.....	17
Gear.....	13-14,36,44
Handlebar.....	16,15,37
Heater.....	16
Hydration.....	40
Mountain Pack.....	36
Rack Bag.....	14
Saddlebags.....	13
Seat Pack.....	15
Tank.....	14
Trunk, Firecat.....	17
Tunnel Pack.....	14,36,44
Underhood.....	16
Windshield.....	15,17
Replacement Hardware.....	17
BATTERIES.....	22
BATTERY CHARGERS/MAINTAINERS.....	66
BELTS, DRIVE.....	
Application Guide.....	81-82
Dimension Chart.....	83
Holder.....	66
BOARDS, PROCLIMB.....	37
BUMPER.....	18-19,37,46

C

CAM ARMS.....	86
CAM ROLLER, HI-TEMP.....	70
CARBURETOR COMPONENTS.....	88,89
CAT CADDY.....	59
CAT WRAPS.....	25
CHAINS AND SPROCKETS.....	84
CHOKE LEVER REPAIR KIT.....	70
CLEANERS.....	63-64
COVERS.....	
Arctic Cat Canvas Covers.....	11
Custom.....	12
Shop.....	12
Half.....	12
Headlight.....	29
Premium.....	11
Undercover Liner.....	12
Replacement Straps.....	12

D

DASH PADS.....	37
DC POWER KIT.....	21
DRIVE SYSTEM COMPONENTS.....	85

E

ELECTRIC START KIT.....	21
ENGINE HEATER.....	22
EXHAUST SPRING TOOL.....	70

F

FLUID.....	
ACT Gearcase.....	62
Fox Float.....	62
Flush.....	62
FUEL.....	
High Octane Race.....	64
De-Icer.....	63
Injection & Carburetor Cleaner.....	63
Stabilizer.....	63
FUEL CAN.....	37
FUEL PUMP REPAIR KITS.....	68
FUEL TANK.....	21,68

G

GASKET SETS.....	69
GAUGE, TEMPERATURE.....	67
GEAR SET, LOW RATIO.....	47
GOGGLE HOLDER.....	15, 36
GREASE.....	64

H

HANDLEBAR.....	
Grip Adhesive.....	68
Grips.....	27
Heavy-Duty.....	67
Mountain.....	42
Muffs.....	16
Risers.....	41
Stand.....	59
Steering Post Stand.....	59
HAND GUARDS.....	26
HAND WARMERS, PASSENGER.....	18,46
HEATED SEAT KIT.....	22
HEATED SHIELD ADAPTER.....	21
HELMET PARTS.....	74-76
HITCH KITS.....	19-20
HOOD LATCH REPAIR KIT.....	67

I

ICE SCRATCHERS.....	41
---------------------	----

L

LIFT.....	
Front End.....	59
LIGHT.....	
Backup.....	47
LOCTITE.....	68
LUBE.....	
Gearcase.....	62
Chain.....	62

M

MIRRORS.....	31
--------------	----

N

NECK BRACE PARTS.....	77
-----------------------	----

O

OIL.....	
Engine.....	61
Shock.....	62
OVERLOAD SPRING TOOL.....	70

P

PAINT.....	60
PROMOTIONAL PRODUCTS.....	90

R

RACK.....	
Billet.....	38
Cargo.....	19,46
Tunnel.....	19,38
Mat/Pad.....	48
M Series.....	38
Strap.....	38
RADIATOR KIT.....	47
RAIL BRACE KIT.....	67
RECOIL HANDLE.....	32

S

SAW, POCKET.....	40
SEALANT.....	68
SEAT KIT, 2-UP.....	18
SEAT KIT, PASSENGER.....	48
SEAT, MOUNTAIN.....	38
SEAT.....	
Proclimb.....	38
Procross.....	31
Third.....	45
SHOCKS.....	
FOX.....	34
ELKA.....	35
Airshox Guards.....	33
Airshox Pump.....	33
Rebuild Kits.....	70
SHOVELS.....	40
SIDE RAILS.....	46
SKI.....	
Skis.....	30
Skins.....	46
SKID PLATES.....	31
SNOBUNJE.....	43
SNOWFLAPS.....	29,35,58
SNOW MESH.....	28
SPARK PLUGS.....	69
Caddy.....	67
Caps.....	68
SPRING CHART, OPTIONAL.....	78
SPRINGS.....	
Rear Suspension Front Arm.....	79
Rear Suspension.....	79
Ski.....	80
SPRING KIT, OVERLOAD.....	48
STAND, JACK.....	59
STEERING POST, TELESCOPIC.....	42
STEERING POST, VERTICAL.....	42
STEERING POST, HCR FIXED.....	42
STUD ACCESSORIES.....	53-58
SUPERCLAMP.....	
Front.....	59
Rear.....	59
SUPERGLIDES.....	60
SWAY BAR KIT.....	67
SWITCH GUARDS.....	41

T

TANK.....	
Grips.....	38
Jacket.....	17
Pads.....	37
TAPE.....	60
TETHER SWITCH.....	21
TIE-DOWNS.....	60
TOW ROPE.....	60
TRACKS.....	49-50
TRACK CLIP TOOL.....	70
TRAIL GROOMER.....	45
TUNNEL FLARES.....	27
TUNNEL GRIPS.....	32
TUNNEL PROTECTOR KIT.....	58
TUNNEL RAILS.....	20
TUNNEL STRAP.....	36
TRACK TENSION TOOL.....	70

V

VENTED SIDE PANELS.....	40
VENTED HOOD PANELS.....	41

W

WEARBARS.....	51-52
WEAR STRIPS.....	33
WHEEL, RAIL CAP.....	41
WHEELS, IDLER.....	32
WHEEL KITS.....	33, 43,71
WINCH KIT, WARN.....	47
WIND DEFLECTORS.....	27
WINDSHIELDS/WINDSCREENS.....	23-24
WINDSHIELD HARDWARE.....	24

U

UPGRADE KITS.....	72-73
-------------------	-------



Arctic Cat Sales Inc.
601 Brooks Avenue
Thief River Falls, MN 56701

Snowmobile Safety and
3975 University Drive Suite 310



Certification Committee, Inc.
Fairfax, Virginia 22030 (703) 273-9606

ISMA

International
Snowmobile
Manufacturers
Association

All specifications, claims, prices and information contained within are based upon current knowledge as of February 1, 2015, and are subject to change without notice. Prices do not include freight, handling or setup charges. Ace,™ Dooly,™ Double Digger,™ Gold Digger,® Grand Master,™ Signature Series,™ Traction Master® and Woody's® are trademarks of International Engineering and Manufacturing, Inc. Alternative Load Path Technology® and Leatt® are trademarks of Leatt Corporation. Aramax® is a trademark of Carlisle Power Transmission Products, Inc. Clarino™ is a trademark of the Kuraray Company. Cobra,™ Hacksaw,™ Ice Ripper™ and Ripsaw™ are trademarks of Camoplast Inc. CTEK® is a trademark of CTEK Power, Inc. Deuce,™ Power Plate,™ Power Point,™ Shaper™ and Stud Boy® are trademarks of Liberty Products Inc. DuPont,™ Kevlar,® Lycra® and Vespel® are trademarks of E.I. du Pont de Nemours and Company. Evol,™ FOX® and FOX Float® AirShox™ are trademarks of FOX Racing Shox. SCOOP and Spy are trademarks of Spy Optics, Inc. F.A.T.™ and Smith® are trademarks of Smith Sport Optics, Inc. Float Throttle,™ Tracker2™ and Tracker3™ are trademarks of Backcountry Access, Inc. Fog Evader™ is a trademark of Neoprene Distributors Int'l. Lexan® is a trademark of General Electric Company. OGIO® and SLED™ are trademarks of Ogio International. Powder Pro Skis™ is a trademark of Starting Line Products, Inc. Snobunje™ is a trademark of Snobunje, Inc. Stompgrip® is a trademark of Stomp Design Unlimited Inc. Surlast™ is a trademark of Surlast, LLC. 3M,™ Thinsulate™ and Scotchlite™ are trademarks of 3M Company. Tekrider™ is a trademark of Tekrider Industries. Velcro® is a trademark of Velcro®. Vilof® is a trademark of Kelheim Fibres GmbH. J.1.E.R and Just1 are trademarks of Just1 Helmets, Inc. WARN® is a trademark of Warn Industries, Inc. Zylex® is a trademark of Kamik,® which is a division of Genfoot Inc. ACT™ Advantage,® APV,™ Arctic Cat,® Arctic Power Valve,™ Arcticwear,® A-Tex,™ Bearcat,® Black Magic,® Boss Cat,™ Cat,™ Cat's Pride,™ Cat's Pride Club,™ Cat to the Core,™ Cat Tracker,™ Crossfire,™ Cross Country,™ C-TEC2,™ C-TEC4,™ Double Dry,™ El Tigre,® Fashion Fit,™ High Country,™ Lynx,® Pantera,® Panther,® Power Claw,™ ProClimb,™ ProCross,™ Share Our Passion,™ Sno Cross,® Sno-Lock,™ Sno Pro,® Team Arctic,® TriBalance,™ XT,™ Z1™ and ZR® are all trademarks of Arctic Cat Inc., Thief River Falls, MN. ©2015 Arctic Cat Sales Inc. Printed in U.S.A.